

NECTOR | NECTOR S

TE Internal #: 1740451-2

Cable-to-Cable, 2 Position, Wire & Cable, Outlet, Housing, 42 VAC, Power, Cable Mount (Free-Hanging), NECTOR S, Plug & Socket

Lighting Connectors

View on TE.com >




Connectors > Lighting Connectors > Plug & Socket Lighting Connectors











Connector System: Cable-to-Cable

Number of Positions: 2

Sealable: No

Connector & Contact Terminates To: Wire & Cable

Lighting Connector Style: Outlet

Features

Industry Standards

Industry Standards	
Compatible With Agency/Standards Products	VDE
Body Features	
Primary Product Color	Yellow
Contact Features	
Contact Type	Pin
Packaging Features	
Packaging Method	Box
Configuration Features	
Keying Arrangement	LV-2
Number of Positions	2
Product Type Features	
Connector System	Cable-to-Cable

No

Sealable



Connector & Contact Terminates To	Wire & Cable
Lighting Connector Style	Outlet
Connector Product Type	Housing
Electrical Characteristics	
Operating Voltage	42 VAC
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging)
Connector Mounting Type	Cable Mount (Free Flanging)
Operation/Application	Cable Modific (Free Franging)
	Power
Operation/Application	
Operation/Application Circuit Application	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach




Compatible Parts





Also in the Series | NECTOR S



Insertion & Extraction Tools(3)





onnector

Customers Also Bought



TE Part #5-2232263-2
PTL 1X2 CAP PANEL MT GLW WIRE
KEY A DGR














Documents

Product Drawings
NECTOR S OUTLET LV-2 YELLOW

English

CAD Files



3D PDF

3D

Customer View Model

ENG_CVM_CVM_1740451-2_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1740451-2_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1740451-2_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

NECTOR_S_LINE_CONNECTOR_BROCHURE

English

Product Specifications

Product Specification

English