

sp3cwvbec

August 4, 2023

## 1 20104169 - SUMESH R

## 2 Importing Libraries

```
[1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

```
[2]: from google.colab import drive
drive.mount('/content/drive')
df=pd.read_csv("/content/drive/MyDrive/mydatasets/rainfall/rainfall_orissa.csv")
df
```

Mounted at /content/drive

```
[2]:
```

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	\
0	667	ORISSA	1901	39.5	65.1	16.1	51.6	79.0	78.2	288.4	
1	668	ORISSA	1902	3.4	0.2	14.2	101.1	56.7	108.3	437.4	
2	669	ORISSA	1903	19.7	18.9	10.5	34.6	73.3	154.3	410.4	
3	670	ORISSA	1904	0.2	12.2	20.6	10.1	100.2	342.9	336.7	
4	671	ORISSA	1905	24.3	17.2	66.3	56.9	107.5	92.0	330.1	
..	...	...	...	...	...	...	...	...	...	...	
110	777	ORISSA	2011	3.7	16.2	4.9	58.2	75.6	210.1	199.6	
111	778	ORISSA	2012	50.8	3.6	0.9	34.8	21.3	169.6	324.3	
112	779	ORISSA	2013	3.3	7.8	2.1	53.6	57.7	272.6	380.0	
113	780	ORISSA	2014	0.0	17.6	25.1	11.7	111.9	92.2	496.2	
114	781	ORISSA	2015	15.1	3.3	10.5	67.6	32.6	238.6	294.8	
		AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May	Jun-Sep	\
0	307.7	185.3	76.6	96.7	0.0	1284.2	104.6	146.7	859.6		
1	349.1	202.7	33.2	13.0	29.6	1349.0	3.5	172.1	1097.6		
2	295.2	265.6	228.5	46.2	11.0	1568.3	38.6	118.5	1125.5		
3	350.4	227.8	111.8	0.0	1.9	1514.8	12.4	130.9	1257.8		
4	281.4	344.1	36.4	0.7	0.4	1357.3	41.5	230.7	1047.6		
..	...	...	...	...	...	...	...	...	...		
110	358.6	398.7	20.2	0.1	0.4	1346.2	19.8	138.7	1167.0		

111	417.0	242.4	66.0	72.1	3.1	1405.9	54.4	57.0	1153.3
112	254.9	208.1	391.0	1.2	0.0	1632.4	11.2	113.4	1115.6
113	386.3	281.1	111.8	2.2	0.9	1536.9	17.7	148.7	1255.7
114	264.0	237.0	24.7	6.2	15.6	1210.1	18.4	110.7	1034.5

	Oct-Dec
0	173.3
1	75.8
2	285.7
3	113.7
4	37.5
..	...
110	20.7
111	141.3
112	392.2
113	114.8
114	46.5

[115 rows x 20 columns]

### 3 Data Cleaning and Data Preprocessing

```
[3]: df=df.dropna()
```

```
[4]: df.columns
```

```
[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
          'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
          'Mar-May', 'Jun-Sep', 'Oct-Dec'],
          dtype='object')
```

```
[5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null   int64
1   SUBDIVISION     115 non-null   object
2   YEAR            115 non-null   int64
3   JAN             115 non-null   float64
4   FEB             115 non-null   float64
5   MAR             115 non-null   float64
6   APR             115 non-null   float64
7   MAY             115 non-null   float64
```

```


8   JUN          115 non-null    float64
9   JUL          115 non-null    float64
10  AUG          115 non-null    float64
11  SEP          115 non-null    float64
12  OCT          115 non-null    float64
13  NOV          115 non-null    float64
14  DEC          115 non-null    float64
15  ANNUAL       115 non-null    float64
16  Jan-Feb      115 non-null    float64
17  Mar-May      115 non-null    float64
18  Jun-Sep      115 non-null    float64
19  Oct-Dec      115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB

```

## 4 Line chart

```
[6]: df.plot.line(subplots=True)
```


```
[6]: array([<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >], dtype=object)
```



## 5 Line chart

```
[7]: df.plot.line()
```


```
[7]: <Axes: >
```



## 6 Bar chart

```
[8]: df.plot.bar()
```


```
[8]: <Axes: >
```



## 7 Histogram

```
[9]: df.plot.hist()
```


```
[9]: <Axes: ylabel='Frequency'>
```



## 8 Area chart

```
[10]: df.plot.area()
```


```
[10]: <Axes: >
```



## 9 Box chart

```
[11]: df.plot.box()
```

```
[11]: <Axes: >
```




## 10 Pie chart

```
[12]: df.plot.pie(y='ANNUAL' )
```

```
[12]: <Axes: ylabel='ANNUAL'>
```






## 11 Scatter chart

```
[13]: df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```


```
[13]: <Axes: xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



## 12 Seaborn

```
[14]: sns.pairplot(df[0:50])
```

```
[14]: <seaborn.axisgrid.PairGrid at 0x79094f605f90>
```



```
[15]: sns.distplot(df['ANNUAL'])
```

<ipython-input-15-5daa97052ca5>:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(df['ANNUAL'])
```

```
[15]: <Axes: xlabel='ANNUAL', ylabel='Density'>
```



```
[16]: sns.heatmap(df.corr())
```

<ipython-input-16-aa4f4450a243>:1: FutureWarning: The default value of numeric\_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric\_only to silence this warning.

```
sns.heatmap(df.corr())
```

```
[16]: <Axes: >
```

