

rn5pko9fp

August 4, 2023

1 20104169 - SUMESH R

2 Importing Libraries

```
[1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

```
[2]: from google.colab import drive
drive.mount('/content/drive')
df=pd.read_csv("/content/drive/MyDrive/mydatasets/rainfall/rainfall_konkan &
↪goa.csv")
df
```

Mounted at /content/drive

```
[2]:
```

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	\
0	2507	KONKAN & GOA	1901	5.6	0.1	0.4	35.7	19.9	746.1	1075.5	
1	2508	KONKAN & GOA	1902	0.3	0.0	0.0	0.4	7.6	428.2	943.6	
2	2509	KONKAN & GOA	1903	0.0	0.0	0.1	0.0	201.1	470.5	1298.6	
3	2510	KONKAN & GOA	1904	0.0	0.1	6.6	6.3	4.6	975.8	771.7	
4	2511	KONKAN & GOA	1905	0.1	0.1	0.0	0.4	8.6	293.7	770.6	
..	
110	2617	KONKAN & GOA	2011	0.0	0.0	0.0	3.4	1.1	857.0	1384.1	
111	2618	KONKAN & GOA	2012	0.0	0.0	0.0	0.6	1.1	633.0	928.5	
112	2619	KONKAN & GOA	2013	1.8	5.4	0.1	0.1	18.5	1028.3	1478.5	
113	2620	KONKAN & GOA	2014	1.3	5.3	1.8	0.7	21.3	238.2	1293.2	
114	2621	KONKAN & GOA	2015	2.7	0.0	36.8	3.6	11.3	764.0	526.5	
		AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May	Jun-Sep	\
0	748.0	117.4	38.6	5.4	0.1	2792.9		5.7	56.0	2687.0	
1	515.1	613.8	74.3	42.7	48.0	2673.9		0.3	8.0	2500.6	
2	673.9	285.1	140.8	12.4	1.7	3084.3		0.0	201.2	2728.2	
3	321.3	217.0	90.3	0.0	0.0	2393.7		0.1	17.5	2285.8	
4	305.5	208.3	83.5	12.1	0.0	1682.8		0.2	9.0	1578.1	
..	

```

110  987.9  468.3  120.3   3.1   0.0  3825.2      0.0    4.5  3697.3
111  762.5  515.3  175.1   2.3   0.0  3018.4      0.0    1.7  2839.3
112  497.6  340.7  149.3   2.1   1.5  3524.0      7.3   18.7  3345.2
113  658.0  419.5   98.7   8.0  11.7  2757.5      6.6   23.8  2608.8
114  377.3  240.9   91.4  27.3   0.0  2082.0      2.7   51.7  1908.7

```

```

      Oct-Dec
0      44.1
1     165.0
2     154.9
3      90.3
4      95.5
..      ...
110    123.5
111    177.4
112    152.8
113    118.4
114    118.8

```

[115 rows x 20 columns]

3 Data Cleaning and Data Preprocessing

```
[3]: df=df.dropna()
```

```
[4]: df.columns
```

```
[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
          'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
          'Mar-May', 'Jun-Sep', 'Oct-Dec'],
          dtype='object')
```

```
[5]: df.info()
```

```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null   int64
1   SUBDIVISION     115 non-null   object
2   YEAR            115 non-null   int64
3   JAN             115 non-null   float64
4   FEB             115 non-null   float64
5   MAR             115 non-null   float64
6   APR             115 non-null   float64

```

```


7  MAY          115 non-null    float64
8  JUN          115 non-null    float64
9  JUL          115 non-null    float64
10 AUG          115 non-null    float64
11 SEP          115 non-null    float64
12 OCT          115 non-null    float64
13 NOV          115 non-null    float64
14 DEC          115 non-null    float64
15 ANNUAL       115 non-null    float64
16 Jan-Feb      115 non-null    float64
17 Mar-May      115 non-null    float64
18 Jun-Sep      115 non-null    float64
19 Oct-Dec      115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB

```

4 Line chart

```
[6]: df.plot.line(subplots=True)
```


```
[6]: array([<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >], dtype=object)
```



5 Line chart

```
[7]: df.plot.line()
```


```
[7]: <Axes: >
```



6 Bar chart

```
[8]: df.plot.bar()
```


```
[8]: <Axes: >
```



7 Histogram

```
[9]: df.plot.hist()
```


```
[9]: <Axes: ylabel='Frequency'>
```



8 Area chart

```
[10]: df.plot.area()
```


```
[10]: <Axes: >
```



9 Box chart

```
[11]: df.plot.box()
```


```
[11]: <Axes: >
```



10 Pie chart

```
[12]: df.plot.pie(y='ANNUAL' )
```


```
[12]: <Axes: ylabel='ANNUAL'>
```

11 Scatter chart

```
[13]: df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```


```
[13]: <Axes: xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



12 Seaborn

```
[14]: sns.pairplot(df[0:50])
```

```
[14]: <seaborn.axisgrid.PairGrid at 0x7f1a3db21db0>
```



```
[15]: sns.distplot(df['ANNUAL'])
```

<ipython-input-15-5daa97052ca5>:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(df['ANNUAL'])
```

```
[15]: <Axes: xlabel='ANNUAL', ylabel='Density'>
```



```
[16]: sns.heatmap(df.corr())
```

<ipython-input-16-aa4f4450a243>:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
sns.heatmap(df.corr())
```

```
[16]: <Axes: >
```

