

yt60tulaa

August 4, 2023

1 20104169 - SUMESH R

2 Importing Libraries

```
[1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

```
[2]: from google.colab import drive
drive.mount('/content/drive')
df=pd.read_csv("/content/drive/MyDrive/mydatasets/rainfall/rainfall_assam &
↪meghalaya.csv")
df
```

Mounted at /content/drive

```
[2]:
```

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	\	
0	207	ASSAM & MEGHALAYA	1901	27.1	19.5	30.6	223.0	207.0	524.9		
1	208	ASSAM & MEGHALAYA	1902	9.3	10.2	105.6	350.0	262.1	620.7		
2	209	ASSAM & MEGHALAYA	1903	19.9	25.4	103.6	140.6	206.6	607.4		
3	210	ASSAM & MEGHALAYA	1904	11.1	56.1	51.9	457.1	375.2	385.7		
4	211	ASSAM & MEGHALAYA	1905	19.9	16.9	137.9	213.0	275.5	521.7		
..		
110	317	ASSAM & MEGHALAYA	2011	11.1	11.4	109.0	92.1	238.3	316.0		
111	318	ASSAM & MEGHALAYA	2012	15.2	6.9	28.8	279.1	185.8	729.7		
112	319	ASSAM & MEGHALAYA	2013	1.1	9.6	44.0	112.8	346.7	286.2		
113	320	ASSAM & MEGHALAYA	2014	2.0	28.3	29.3	51.5	351.1	426.4		
114	321	ASSAM & MEGHALAYA	2015	13.4	15.5	37.5	250.9	332.5	558.5		
		JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May	\
0	430.6	464.1	291.4	163.7	115.6	1.2	2498.6	46.6	460.5		
1	510.8	536.0	441.3	97.0	7.8	1.3	2952.1	19.4	717.6		
2	362.7	551.9	306.4	159.5	59.3	1.3	2544.7	45.4	450.8		
3	477.6	438.8	245.9	115.9	46.4	2.5	2664.1	67.1	884.2		
4	439.1	649.1	276.0	200.0	16.8	24.8	2790.6	36.8	626.3		
..		

110	395.8	302.6	221.6	30.2	11.9	3.5	1743.4	22.5	439.4
111	444.3	289.2	411.6	199.4	17.1	2.3	2609.4	22.1	493.7
112	367.8	289.7	229.3	126.3	1.0	2.0	1816.4	10.7	503.5
113	374.4	484.6	420.2	35.0	3.0	0.4	2206.1	30.3	431.9
114	300.1	590.9	279.9	62.6	14.0	15.2	2470.9	28.9	620.9

	Jun-Sep	Oct-Dec
0	1710.9	280.5
1	2108.9	106.2
2	1828.5	220.1
3	1548.0	164.8
4	1886.0	241.6
..
110	1236.0	45.6
111	1874.8	218.8
112	1172.9	129.3
113	1705.5	38.5
114	1729.3	91.8

[115 rows x 20 columns]

3 Data Cleaning and Data Preprocessing

```
[3]: df=df.dropna()
```

```
[4]: df.columns
```

```
[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
          'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
          'Mar-May', 'Jun-Sep', 'Oct-Dec'],
          dtype='object')
```

```
[5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null    int64
1   SUBDIVISION     115 non-null    object
2   YEAR            115 non-null    int64
3   JAN             115 non-null    float64
4   FEB             115 non-null    float64
5   MAR             115 non-null    float64
6   APR             115 non-null    float64
```

```


7 MAY 115 non-null float64
8 JUN 115 non-null float64
9 JUL 115 non-null float64
10 AUG 115 non-null float64
11 SEP 115 non-null float64
12 OCT 115 non-null float64
13 NOV 115 non-null float64
14 DEC 115 non-null float64
15 ANNUAL 115 non-null float64
16 Jan-Feb 115 non-null float64
17 Mar-May 115 non-null float64
18 Jun-Sep 115 non-null float64
19 Oct-Dec 115 non-null float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB

```

4 Line chart

```
[6]: df.plot.line(subplots=True)
```


```
[6]: array([<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >], dtype=object)
```



5 Line chart

```
[7]: df.plot.line()
```


```
[7]: <Axes: >
```



6 Bar chart

```
[8]: df.plot.bar()
```


```
[8]: <Axes: >
```



7 Histogram

```
[9]: df.plot.hist()
```


```
[9]: <Axes: ylabel='Frequency'>
```



8 Area chart

```
[10]: df.plot.area()
```


```
[10]: <Axes: >
```



9 Box chart

```
[11]: df.plot.box()
```


```
[11]: <Axes: >
```



10 Pie chart

```
[12]: df.plot.pie(y='ANNUAL' )
```


```
[12]: <Axes: ylabel='ANNUAL'>
```

11 Scatter chart

```
[13]: df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```


```
[13]: <Axes: xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



12 Seaborn

```
[14]: sns.pairplot(df[0:50])
```

```
[14]: <seaborn.axisgrid.PairGrid at 0x793903a1de40>
```



```
[15]: sns.distplot(df['ANNUAL'])
```

<ipython-input-15-5daa97052ca5>:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(df['ANNUAL'])
```

```
[15]: <Axes: xlabel='ANNUAL', ylabel='Density'>
```



```
[16]: sns.heatmap(df.corr())
```

<ipython-input-16-aa4f4450a243>:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
sns.heatmap(df.corr())
```

```
[16]: <Axes: >
```

