Optimality of weighted contracts for multi-agent contract design with a budget

Sumit Goel* Wade Hann-Caruthers^{†‡}

February 22, 2024 (Link to latest version)

Abstract

We study a contract design problem between a principal and multiple agents. Each agent participates in an independent task with binary outcomes (success or failure), in which it may exert costly effort towards improving its probability of success, and the principal has a fixed budget which it can use to provide outcome-dependent rewards to the agents. Crucially, each agent's reward may depend not only on whether she succeeds or fails, but also on whether other agents succeed or fail, and we assume the principal cares only about maximizing the agents' probabilities of success, not how much of the budget it expends.

We first show that a contract is optimal for some objective if and only if it gives no reward to unsuccessful agents and always splits the entire budget among the successful agents. An immediate consequence of this result is that piece-rate contracts and bonuspool contracts, two types of contracts which are well-studied and motivated in the literature on multi-agent contract design, are never optimal in this setting. We then show that for any objective, there is an optimal priority-based weighted contract, which assigns positive weights and priority levels to the agents, and splits the budget among the highest-priority successful agents, with each such agent receiving a fraction of the budget proportional to her weight. This result provides a significant reduction in the dimensionality of the principal's optimal contract design problem and gives an interpretable and easily implementable optimal contract.

Finally, we discuss an application of our results to the design of optimal contracts with two agents and quadratic costs. In this context, we find that the optimal contract assigns a higher weight to the agent whose success it values more, irrespective of the heterogeneity in the agents' cost parameters. This suggests that the structure of the optimal contract depends primarily on the bias in the principal's objective and is, to some extent, robust to the heterogeneity in the agents' cost functions.

^{*}NYU Abu Dhabi; sumitgoel58@gmail.com; 0000-0003-3266-9035

[†]Technion - Israel Institute of Technology; whanncar@gmail.com; 0000-0002-4273-6249

[‡]Supported at the Technion by a Zuckerman fellowship.

1 Introduction

Consider a principal who has assigned individual tasks to multiple agents. The agents exert some effort towards succeeding in their respective tasks, which determines their likelihood of success. The principal does not observe the effort exerted by the participants, but gets to observe whether the agents succeeded or failed. For instance, consider a tech firm running a crowdsourcing contest in which the participants work towards coming up with an algorithm to solve a programming problem. The tech firm can check if a participant's submission works by running it on some test cases, but cannot directly observe the effort exerted by the participants. Alternatively, consider a sales manager for a firm who has hired some salespeople to sell the firm's product. The manager can observe if the salesperson was able to sell the product or not, but cannot directly observe the effort that the salesperson exerted towards making the sale. For such environments, we study the principal's problem of finding a contract, which is a mapping from observed outcomes to a reward for each agent, so as to incentivize the agents to expend effort into increasing their probability of success.

This environment presents a classic example of the hidden action assumption in principal-agent models leading to problems of moral hazard. While there is a vast literature studying such problems, it typically assumes that even though the principal suffers a monetary cost from providing higher rewards/wages, it is unconstrained in its capacity to reward the agents. But there are important settings in which the principal might be budget constrained, and additionally, might not care about how much of this budget it exhausts in incentivizing the agents. For instance, the sales manager might be endowed with an exogenous and fixed budget by the firm that it can use towards rewarding its sales force, and the manager might not care how much of this budget it exhausts as long as it able to get the sales in. For the tech firm, the returns from getting a successful submission might be substantially higher than the cost of rewarding the agents, and so it may not care so much about the expenses involved in providing the rewards. With such considerations in mind, we consider the principal's contract design problem under the assumption that it is budget constrained and that it does not care about how much of the budget is exhausted in rewarding the participants.

Our first result identifies a class of contracts whose equilibria characterize the Pareto frontier of the success probabilities that can be sustained in equilibrium. This class of contracts, which we refer to as successful-get-everything (SGE) contracts, has the property that only the successful agents are rewarded, and in addition, the entire budget is split among them. An important consequence of this result is that some contracts that have been well-studied and motivated in the literature, like piece-rate contracts (each agent gets a fixed reward if it succeeds and nothing if it fails), and bonus-pool contracts (a group of agents get rewarded only if all of them succeed), actually lead to Pareto inferior equilibria in our setting. In comparison to these contracts, that support independent or joint evaluation, SGE contracts can be interpreted as inducing competition among the agents as they are all competing for a fixed budget, and their share of the prize is typically decreasing in the set of agents that succeed. Thus, our result suggests that a budget-constrained principal who does not care

about how much of the budget it exhausts is better off designing contracts that induce competition among the agents as compared to those that foster teamwork or even treat them independently.

Next, we identify a natural subclass of SGE contracts, which we refer to as priority-based weighted (PW) contracts, that are actually sufficient to implement the Pareto frontier. A priority-based weighted contract assigns positive weights and priority levels to the agents, and splits the budget among the highest-priority successful agents, with each such agent receiving a fraction of the budget proportional to her weight. These contracts can actually be well-approximated by simple weighted contracts which are PW contracts in which all agents have the same priority. Since the weighted contracts are defined by just a weight for each agent, the optimal contract is easy to interpret, and the dimensionality of the search space is reduced from exponential to linear in the number of agents. In other words, a principal, whose objective is monotone increasing in the success probabilities, can simply optimize over the much smaller class of weighted contracts as compared to optimizing over all contracts or all SGE contracts. We further show that for any equilibrium on the Pareto frontier there is a unique PW contract that implements it, and hence the set of PW contracts is minimal among sets of contracts that implement the Pareto frontier.

Lastly, we stress that both our results make no assumptions about heterogeneity of the agents' cost functions. This allows us to investigate the question of how the structure of the optimal contract might depend on environmental features like the heterogeneity between the agents and the inherent bias of the principal. As an application, we study this for the special case of two agents with quadratic costs and find that under the optimal contract, the principal assigns a higher weight to the agent whose success it values more, irrespective of the discrepancy in the agents' cost parameters. In particular, if the sales manager derives equal value from the potential sales made by two salespeople, it can simply choose a contract that assigns equal weights to them, irrespective of how talented each of them might be. Perhaps surprisingly, this suggests that in some settings, the structure of the optimal contract exhibits a degree of robustness to heterogeneity among the agents.

Related literature

There is a vast literature on principal-agent problems under moral hazard. In the canonical model with a single agent (Holmström [18], Grossman and Hart [15]), the principal offers a wage contract that defines the agent's payment as a function of its observed output, and then the agent chooses some unobserved action (effort) that determines the distribution over outputs. A key finding is that optimal contracts reward the agent for output realizations that are informative about the target level of effort (informativeness principle), and may therefore be non-monotone in output. There has since been significant work studying variants of this single-agent model incorporating flexible actions (Georgiadis et al. [13]), multiple tasks (Holmstrom and Milgrom [21], Bond and Gomes [4]), bounded payments (Jewitt et al. [25]), combinatorial actions (Dütting et al. [9], Ezra et al. [11]), and informationally robust

design (Carroll [5], Zhang [40]). See Georgiadis [12], Holmström [20] for surveys of this literature. In particular, Bond and Gomes [4] study a related model in which a single agent chooses effort levels for multiple tasks, each of which may succeed or fail, and finds that there is excessive concentration on certain tasks and the structure of the optimal contract is fragile.

Our paper contributes to the literature studying a principal contracting with multiple agents. A major focus in this domain has been on the comparison of independent performance evaluation (through piece-rate contracts), joint performance evaluation (through bonus-pool contracts), and relative performance evaluation (through rank-order tournaments) in incentivizing the agents. Even though relative performance evaluation is noisier and joint performance evaluation may lead to free riding, the literature has identified conditions under which the optimal contract incorporates features of rank-order tournaments (Green and Stokey [14], Lazear and Rosen [27], Malcomson [28], Mookherjee [30], Nalebuff and Stiglitz [31]) or bonus-pool contracts (Itoh [24], Imhof and Kräkel [22], Kambhampati [26]). A related stream of literature with multiple agents has studied moral hazard in teams where the agents' actions jointly determine the team output and the principal cannot disentangle the contributions of individual agents (Babaioff et al. [1], Holmstrom [19], Battaglini [3], Che and Yoo [7], Winter [39], Dütting et al. [10], Ezra et al. [11], Prendergast [32], Dai and Toikka [8]). Some other related papers include Castiglioni et al. [6], Haggiag et al. [16], Baiman and Rajan [2], who study the multi-agent contract design problem from very different perspectives.

2 Model

There is a principal and n risk-neutral agents. Each agent $i \in [n]$ participates in an independent task, in which it may succeed or fail. Each agent chooses a success probability, $p_i \in [0,1]$, and incurs a cost of $c_i(p_i)$ in doing so. We assume that the each agent's cost function c_i is strictly convex with $c_i(0) = c'_i(0) = 0$ and $c''_i > 1$.

The principal would like to incentivize the agents to maximize the probability that they succeed in their tasks. But the principal does not observe the agents' choices p_i , only whether each agent succeeds or fails in her task. Thus, the principal can design a contract that rewards the agents only based on the outcomes of the tasks. Additionally, we assume that the principal has a fixed budget $B = 1^1$ that it can use to incentivize the agents so that the total reward for the agents under any outcome cannot exceed the budget.

Definition 2.1. A contract is a function $f = (f_1, \ldots, f_n) : 2^{[n]} \to \mathbb{R}^{[n]}_+$ such that

- $f_i(S) \ge 0$ (limited liability) and
- $\sum_{j \in [n]} f_j(S) \le 1$ (budget constraint)

¹The choice of B=1 is for convenience in exposition; the same results hold with an arbitrary B>0 with the assumption that $c_i''>B$.

for each $i \in [n]$ and $S \subseteq [n]$.

Under the contract f, if S is the set of agents who succeed, then each agent i receives the reward $f_i(S)$. Thus, each agent's reward may depend not only on whether she succeeds, but also on the success of the other agents. We will denote by \mathcal{F} the set of contracts.

We assume that the principal cares only about maximizing the agents' probabilities of success, not how much of the budget it expends. Formally, we assume the principal's preferences are represented by a continuous, strictly increasing objective $V(p_1, \ldots p_n)$. For example, the objective for a risk-neutral principal who makes a profit of w_i if agent i succeeds in her task would be given by

$$V(p_1,\ldots,p_n)=\sum_{i\in[n]}w_ip_i.$$

A contract $f \in \mathcal{F}$ defines a normal-form game between the n agents, in which each agent chooses $p_i \in [0, 1]$ and agent i's payoff under the profile $p = (p_1, \dots, p_n)$ is

$$u_i(p) = \mathbb{E}[f_i(S)] - c_i(p_i) = \sum_{S \subset [n]} f_i(S) \Pr_p^{[n]}(S) - c_i(p_i)$$

where

$$\Pr_p^{[n]}(S) = \prod_{i:i \in S} p_i \prod_{j:j \in [n] \setminus S} (1 - p_j).$$

Observe that since the expected reward $\sum_{S\subset[n]} f_i(S) \operatorname{Pr}_p^{[n]}(S)$ is linear in p_i and the cost functions are strictly convex, each agent's utility function u_i is strictly concave in p_i . It follows then that for any contract $f\in\mathcal{F}$, a pure-strategy Nash equilibrium exists². We will denote by E(f) the set of equilibria for the contract f. Similarly, we will denote by $E^{-1}(p)$ the set of contracts for which p is an equilibrium. We denote by E the set of profiles that can be induced as equilibria of some contract f:

$$E := \{ p \in [0,1]^n : p \in E(f) \text{ for some } f \in \mathcal{F} \}.$$

We say that $p \in E$ is $Pareto\ optimal^3$ if it is a maximal element of E, and we denote by \mathcal{P} the set of Pareto optimal profiles.

The marginal utility of agent i at profile p is

$$\frac{\partial u_i(p)}{\partial p_i} = r_i(f, p_{-i}) - c_i'(p_i),$$

²While we haven't been able to establish uniqueness in general, we can use the diagonally strict concavity condition of Rosen [33] to show that equilibrium is unique if the cost functions are sufficiently convex.

³This definition of Pareto optimality is non-standard; however, as we show, maximal elements of E correspond to maximal equilibrium utility profiles in a sense that we make precise later.

where

$$r_i(f, p_{-i}) = \sum_{S \subset [n]_{-i}} (f_i(S \cup \{i\}) - f_i(S)) \Pr_{p_{-i}}^{[n]_{-i}}(S)$$

is agent i's expected gain in reward from succeeding as compared to failing in her task. It follows from concavity of u_i that agent i has a unique best response given by the solution to the first order condition

$$c_i'(p_i) = \max\{0, r_i(f, p_{-i})\}. \tag{1}$$

We denote this unique best response by $b_i(f, p_{-i})$. Note that the assumption that $c_i'' > 1$ implies $c_i'(1) > 1$. Together with the fact that under the principal's budget constraint $r_i(f, p_{-i}) \leq 1$, this ensures that $b_i(f, p_{-i}) < 1$.

Finally, the principal's problem is then to find a contract $f \in \mathcal{F}$ in order to maximize V(p) where $p \in E(f)$. Since V is increasing and continuous, it is sufficient to find some $p^* \in argmax_{p \in \mathcal{P}}V(p)$ and some $f^* \in E^{-1}(p^*)$. In this paper, we will provide a characterization of \mathcal{P} and a canonical contract for each $p \in \mathcal{P}$. We will use this characterization to solve for some natural objectives of the principal.

3 Main results

To set the stage, consider the single-agent case. In this case, a contract f specifies the agent's reward when she is successful, $f(\{1\})$, and her reward when she fails, $f(\emptyset)$. The agent's relative reward is

$$r_1(f) = f(\{1\}) - f(\emptyset)$$

and her best response is

$$b_1(f) = (c_1')^{-1}(f(\{1\}) - f(\emptyset)).$$

Under any objective V, the principal wishes to maximize $b_1(f)$. Hence, the principal should choose a contract f that maximizes $f(\{1\}) - f(\emptyset)$. Since $f(\{1\}) \le 1$ and $f(\emptyset) \ge 0$, this is achieved using the contract f with $f(\{1\}) = 1$ and $f(\emptyset) = 0$. Hence, the principal rewards the agent with the entire budget if she is successful and gives her no reward if she fails.

Our first result shows that aspects of this optimal contract generalize when there is more than one agent. We say that a contract is successful-get-everything if it gives each agent no reward when she fails and it splits the entire budget among those agents who are successful.

Definition 3.1. A contract f is successful-get-everything (SGE) if

- $f_i(S) = 0$ whenever $i \notin S$ and
- $\sum_{i \in S} f_i(S) = 1$ whenever $S \neq \emptyset$.

We denote by \mathcal{F}_{SGE} the set of SGE contracts.

Theorem 1. Suppose $p \in E(f)$. Then, $p \in \mathcal{P}$ if and only if $f \in \mathcal{F}_{SGE}$.

Observe that contracts like a piece-rate contract (where each agent i gets a fixed reward if it is successful and 0 otherwise), or a bonus pool contract (where agents get some share of the budget only if all of them succeed), are never successful-get-everything. It follows from Theorem 1 that such contracts always produce Pareto inferior outcomes. In comparison, SGE contracts induce competition between the agents as they are all competing for a fixed budget and their share of the reward will typically decrease (though not necessarily) as more agents are successful. Theorem 1 says that such contracts always lead to Pareto optimal equilibria. Thus, the result suggests that in environments where the principal's benefit from agents' success greatly exceeds the cost of incentivizing them, or if the principal operates with an exogenously provided budget, so that it is not concerned about budget exhaustion, fostering competition among the agents through successful-get-everything contracts creates stronger incentives than promoting teamwork via joint performance evaluation through bonus-pool contracts or independent performance assessment through piece-rate contracts.

Proving Theorem 1 is quite involved and nontrivial in comparison to the single-agent case. Intuitively, if the principal chooses a contract which provides an agent with a nonzero reward under some outcome where she fails or which does not use the entire budget under some outcome where at least one agent succeeds, she can adjust the contract in a way that $r_i(f, p_{-i})$ increases for some agent. However, because p is an equilibrium object, it is not true that an arbitrary increase in reward to a successful agent or decrease in reward to an unsuccessful agent will necessarily produce a Pareto improvement. The proof of Theorem 1 essentially demonstrates that there is always *some* adjustment that the principal can make that will produce a Pareto improvement.

Observe that the set of SGE contracts is $\Theta(n2^n)$ -dimensional, and a typical SGE contract is complex and hard to interpret. However, as our next result shows, the principal can optimize over an (n-1)-dimensional, more interpretable set of contracts. We say that f is a weighted contract if there exist $(\lambda_1, \ldots, \lambda_n)$ with $\lambda_i > 0$ such that

$$f_i(S) = \begin{cases} \frac{\lambda_i}{\sum_{j \in S} \lambda_j}, & \text{if } i \in S\\ 0, & \text{otherwise} \end{cases}$$

Weighted contracts assigns weights to the agents and reward each successful agent with a fraction of the budget proportional to her weight. While weighted contracts alone are insufficient to implement the Pareto frontier, the following class of contracts provides a slight generalization which is sufficient.

Definition 3.2. A contract f is a priority-based weighted (PW) contract if there are weights $(\lambda_1, \ldots, \lambda_n)$ with $\lambda_i > 0$ and a non-strict ordering \succeq on the agents such that

$$f_i(S) = \begin{cases} \frac{\lambda_i}{\sum_{j \in \text{Top}_{\succcurlyeq}(S)} \lambda_j}, & \text{if } i \in \text{Top}_{\succcurlyeq}(S) \\ 0, & \text{otherwise} \end{cases}$$

where $\text{Top}_{\succeq}(S) = \{i \in S : i \succeq j \ \forall j \in S\}.$

Priority-based weighted contracts reward each highest priority successful agent with a fraction of the budget proportional to her weight. We denote by \mathcal{F}_W and \mathcal{F}_{PW} the set of weighted and priority-based weighted contracts, respectively. Note that $\mathcal{F}_W \subset \mathcal{F}_{PW} \subset \mathcal{F}_{SGE}$.

Theorem 2. If $p \in \mathcal{P}$, there is a unique contract $f \in \mathcal{F}_{PW}$ such that $p \in E(f)$.

In words, if p is Pareto optimal, then there is a unique priority-based weighted contract $f \in \mathcal{F}_{PW}$ that implements p. Note that since this contract is unique, the set of PW contracts is minimal among the set of contracts that implement the Pareto frontier. As a consequence of Theorem 2, it follows that it is sufficient for the principal to optimize over the set of PW contracts.

Corollary 1. Suppose the principal's objective $V(p_1, p_2, \ldots, p_n)$ is increasing in p_i . Then,

$$\max_{f \in \mathcal{F}} V(p) = \max_{f \in \mathcal{F}_{PW}} V(p).$$

We note that Theorems 1 and 2 hold irrespective of the heterogeneity in the agents cost functions. To illustrate our results and investigate how the structure of the optimal contract may depend on the heterogeneity of the cost functions, we solve a tractable but nontrivial example with two agents, quadratic costs, and linear objective.

Theorem 3. Suppose n=2, $c_i(p_i)=\frac{1}{2}C_ip_i^2$ with $C_i>1$, and $V(p_1,p_2)=wp_1+\cdot p_2$. Then, the optimal contract, defined by $\lambda_1(w)$, takes the form

$$f_i(S) = \begin{cases} 0, & \text{if } i \notin S \\ 1, & \text{if } S = \{i\} \\ \lambda_i(w), & \text{if } S = \{1, 2\} \end{cases}$$

where $\lambda_2(w) = 1 - \lambda_1(w)$. Moreover, $\lambda_1(w)$ is increasing in w and in particular,

$$\lambda_1(w) = \begin{cases} 0, & \text{if } w \le \frac{C_1 C_2 - C_1}{C_1 C_2 + C_2 - 1} \\ \frac{1}{2}, & \text{if } w = 1 \\ 1, & \text{if } w \ge \frac{C_1 C_2 + C_1 - 1}{C_1 C_2 - C_2} \end{cases}.$$

With two agents, the set of PW contracts is parametrized by a single parameter λ that represents agent 1's share of the budget when both agents succeed, so that $f_i(S) = 0$ whenever $i \notin S$, $f_i(S) = 1$ whenever $S = \{i\}$, and $f_1(\{1,2\}) = 1 - f_2(\{1,2\}) = \lambda$. Using equation 1, we solve for the unique equilibrium of such a contract to get that

$$p_1(\lambda) = \frac{C_2 - (1 - \lambda)}{C_1 C_2 - \lambda (1 - \lambda)} \quad p_2(\lambda) = \frac{C_1 - \lambda}{C_1 C_2 - \lambda (1 - \lambda)}.$$

With this, the principal's problem becomes $\max_{\lambda \in [0,1]} w p_1(\lambda) + p_2(\lambda)$ and taking the first-order condition gives the result.

Theorem 3 says that agent 1's share $\lambda_1(w)$ is increasing in w, and perhaps more surprisingly, $\lambda_1(1) = \frac{1}{2}$ regardless of the C_i . Hence, if the principal cares equally about the success of the two agents, it is optimal for the principal to design a symmetric weighted contract that assigns equal weight to the two agents, even if the agents' costs are heterogeneous. More generally, the principal assigns a higher weight to the agent whose success it values more, though the exact weights might depend on the cost parameters. Thus, Theorem 3 suggests that the structure of the optimal contract is, to some extent, robust to the heterogeneity in the cost functions.

Lastly, let us compare the performance of PW contracts with that of piece-rate and bonus pool contracts in this example. First, consider a piece-rate contract where agent i receives a reward of λ_i if she succeeds and 0 otherwise. Under such a contract, $p_i^* = \frac{\lambda_i}{C_i}$ which is less than the equilibrium, $p_i(\lambda)$, under the corresponding PW contract. Hence, by increasing each agent's reward when she alone succeeds from λ_i to the entire budget, the principal can induce both agents to strictly increase their probability of succeeding. Under a bonus-pool contract where agent i receives a reward of λ_i if both agents succeed and a reward of 0 otherwise, both agents choose a probability of success of 0 in equilibrium; hence, any PW contract is better than every bonus-pool contract!

4 Pareto optimality

In this section, we will introduce and discuss the ideas and techniques that are useful in obtaining our results.

First, we show that a principal with arbitrary objectives (not necessarily increasing in p_i) can without loss of generality focus on contracts in which agents who fail get nothing.

Definition 4.1. A contract f is failures-get-nothing (FGN) if $f_i(S) = 0$ whenever $i \notin S$.

We denote by \mathcal{F}_{FGN} the set of FGN contracts. Note that every SGE contract is FGN.

Lemma 1. If $p \in E$, there is a contract $g \in \mathcal{F}_{FGN}$ such that $p \in E(g)$.

Proof. Let $f \in \mathcal{F}$ be a contract for which p is an equilibrium. Consider the contract g defined by

$$g_i(S) = \begin{cases} \lambda_i f_i(S), & \text{if } i \in S \\ 0, & \text{otherwise} \end{cases}.$$

where

$$\lambda_i = \begin{cases} \frac{r_i(f, p_{-i})}{\sum_{S \subset [n]_{-i}} f_i(S \cup \{i\}) \Pr_{p_{-i}}^{[n]_{-i}}(S)} & \text{if } p_i > 0\\ 0 & \text{if } p_i = 0. \end{cases}$$

Notice that it follows from the first-order condition in equation 1 that $\lambda_i \leq 1$ so that g is a valid FGN contract. Now if $p_i > 0$, agent i's marginal utility at profile p under the contract g is

$$\frac{\partial u_i(p)}{\partial p_i} = \sum_{S \subset [n]_{-i}} g_i(S \cup \{i\}) \operatorname{Pr}_{p_{-i}}^{[n]_{-i}}(S) - c_i'(p_i)$$

$$= \lambda_i \sum_{S \subset [n]_{-i}} f_i(S \cup \{i\}) \operatorname{Pr}_{p_{-i}}^{[n]_{-i}}(S) - c_i'(p_i)$$

$$= r_i(f, p_{-i}) - c_i'(p_i)$$

$$= 0 \qquad \text{(because } p \in E(f))$$

By concavity of payoffs, $b_i(g, p_{-i}) = p_i$. And if $p_i = 0$, then $g_i(S) = 0$ for all S, so $b_i(g, p_{-i}) = 0 = p_i$. Hence, $p \in E(g)$.

Given an equilibrium p, the utilities of the agents at p generally depend on the choice of contract used to induce p. For instance, $p_i = 0$ for all $i \in [n]$ is the unique equilibrium under contract f, defined by $f_i(S) = 0$ for all $i \in [n]$ and $S \subset [n]$, and also under the contract g, defined by $g_i(S) = 0$ for $i \neq 1$ and $g_1(S) = 1$ for all $S \subset [n]$. But the equilibrium utility of agent 1 is 0 under f and 1 under g. However, as the following result shows, an agent's utility at p is the same under every FGN contract for which p is an equilibrium.

Lemma 2. Let $p \in E$ and $f \in E^{-1}(p) \cap \mathcal{F}_{FGN}$. Then under f,

$$u_i(p) = p_i \cdot c_i'(p_i) - c_i(p_i)$$

Proof. Since $f \in \mathcal{F}_{FGN}$, agent i's utility at profile p is

$$u_i(p) = p_i \cdot r_i(f, p_{-i}) - c_i(p_i).$$

Observe that $r_i(f, p_{-i}) \ge 0$ since $f \in \mathcal{F}_{FGN}$ And since $p \in E(f)$, it follows from equation 1 that $r_i(f, p_{-i}) = c'_i(p_i)$. The result follows.

It follows from Lemmas 1 and 2 that for any $p \in E$, we can write u(p) to unambiguously refer to the utility profile under any FGN contract $f \in E^{-1}(p)$. Note that since the agents' cost functions are strictly concave,

$$\frac{d}{dx}(x \cdot c_i'(x) - c_i(x)) = x \cdot c_i''(x) > 0$$

for $x \in (0,1)$, so u(p) is strictly increasing in p. Denote by \mathcal{U} the set of equilibrium utility profiles,

$$\mathcal{U} := \{ u \in \mathbb{R}^{[n]} : u(p) = u \text{ for some } p \in E \}.$$

Corollary 2. If $p \in E$, then $p \in \mathcal{P}$ if and only if u(p) is a maximal element of \mathcal{U} .

This result squares our nonstandard definition of Pareto optimality with the standard notion. An interesting consequence is that a principal restricted to using FGN contracts who cared about maximizing the agents' utilities rather than their success probabilities could still maximize over \mathcal{P} , and from Theorem 2, maximize over the class of PW contracts.

Next, we show that for an equilibrium $p \in E(f)$ to be Pareto optimal, it must be that $p_i > 0$ for all $i \in [n]$.

Lemma 3. If $p \in \mathcal{P}$, then $p_i > 0$ for all i.

Proof. Let $f \in E^{-1}(p)$ be an FGN contract, and suppose $p_k = 0$. Consider the contract g where $g_i(S) = f_i(S \setminus \{k\})$ for $i \neq k$ and

$$g_k(S) = \begin{cases} 1, & \text{if } S = \{k\} \\ 0, & \text{otherwise} \end{cases}$$

Let $p'_{k} = b_{k}(g, p_{-i})$, and let $p' = (p'_{k}, p_{-k})$. Observe that for $i \neq k$, $r_{i}(g, p'_{-i}) = r_{i}(f, p_{-i})$, so $b_{i}(g, p_{-i'}) = b_{i}(f, p_{-i}) = p_{i}$. Hence, $p' \in E(g)$ and p' dominates p.

Thus, if $p_k = 0$ for some k, then $p \notin \mathcal{P}$, and the result follows.

An important and useful consequence of Lemma 3 is that if $p \in E(f)$ is Pareto optimal, it must be that $0 < p_i < 1$ for all $i \in [n]$, and therefore, for any $S \subset [n]$, $\Pr_p^{[n]}(S) > 0$.

In the following lemma, we note a useful property of FGN and SGE contracts.

Lemma 4. For any $p \in \mathcal{E}$, $E^{-1}(p) \cap \mathcal{F}_{FGN}$, $E^{-1}(p) \cap \mathcal{F}_{SGE}$ are compact, convex subsets of \mathcal{F} .

Proof. Suppose $p \in \mathcal{E}$ and let $f, g \in E^{-1}(p) \cap \mathcal{F}_{FGN}$. It follows from the first order condition in equation 1 that the marginal benefit

$$r_i(f, p_{-i}) = c'_i(p_i) = r_i(g, p_{-i}).$$

Now consider the contract $h = \lambda f + (1 - \lambda)g$. Clearly, $h \in \mathcal{F}_{FGN}$ and at the profile p, all the first order conditions continue to be satisfied so that $h \in E^{-1}(p)$. Thus, $E^{-1}(p) \cap \mathcal{F}_{FGN}$ is convex. The argument for $E^{-1}(p) \cap \mathcal{F}_{SGE}$ being convex is analogous. The compactness of the sets follows from the fact that given a p, the sets are defined by solutions to the first order conditions which are simply linear equations.

This property is useful in that it allows us to obtain contracts that still have the same equilibrium while also having some additional properties.

The following result will be the key to proving the optimality of SGE contracts. For $p \in [0,1)^n$, define

$$z(p) = \sum_{i} p_i \cdot c'_i(p_i) + \prod_{i} (1 - p_i).$$

Lemma 5. If $p \in E(f)$ for $f \in \mathcal{F}_{FGN}$, then $z(p) \leq 1$. And if $p \in E(f)$ for $f \in \mathcal{F}_{SGE}$, then z(p) = 1.

Proof. Observe that for any FGN contract f and profile p,

$$\mathbb{E}\left[\sum_{i \in S} f_i(S)\right] = \sum_i \mathbb{P}[i \in S] \cdot \mathbb{E}[f_i(S) \mid i \in S] = \sum_i p_i \cdot r_i(f, p_{-i}).$$

Hence, if $p \in E(f)$, then by equation 1,

$$\mathbb{E}\left[\sum_{i \in S} f_i(S)\right] = \sum_i p_i \cdot c_i'(p_i) = z(p) - \mathbb{P}[S = \emptyset].$$

SO

$$z(p) = \mathbb{E}\left[\sum_{i \in S} f_i(S)\right] + \mathbb{P}[S = \emptyset].$$

Moreover,

$$\mathbb{E}\left[\sum_{i \in S} f_i(S)\right] = \mathbb{P}[S \neq \emptyset] \cdot \mathbb{E}\left[\sum_{i \in S} f_i(S) \mid S \neq \emptyset\right] \leq \mathbb{P}[S \neq \emptyset],$$

with equality if and only if f is SGE. Hence, for $p \in E$,

$$z(p) \le \mathbb{P}[S \ne \emptyset] + \mathbb{P}[S = \emptyset] = 1,$$

and if p is an equilibrium for some SGE contract, then z(p) = 1.

4.1 Characterization of optimal contracts

In this section, we discuss the key ideas to prove Theorem 1 which says that $p \in \mathcal{P}$ if and only if $E^{-1}(p) \subseteq \mathcal{F}_{SGE}$. We first show that if $p \in E(f)$ is Pareto optimal, then the contract f must be SGE.

Lemma 6. If $p \in \mathcal{P}$ and $p \in E(f)$, then $f \in \mathcal{F}_{SGE}$.

One might suspect that when a contract f has some slack at some $S \subset [n]$, the principal can simply increase the reward of some agent $i \in S$ and that this new contract g will lead to a Pareto dominating equilibrium p'. It turns out this is not necessarily the case because even though the marginal benefit for agent i is higher under g than f, and so the best response of agent i will also be higher, this increase in agent i's response might diminish some other agent j's marginal benefit leading agent j to reduce its p_j . Thus, because of these

equilibrium effects, such a transformation of a non SGE contract may not necessarily lead to Pareto improvements.

However, if a contract f is such that the budget is not being exhausted under any outcome S, then we can actually scale the contract simultaneously for all agents (which may involve increasing or decreasing an agent's share) and at all $S \subset [n]$ so as to obtain a Pareto superior equilibrium. Now to prove Lemma 6, we basically show that if $p \in E(f)$, $f \in \mathcal{F}_{FGN}$ and $f \notin \mathcal{F}_{SGE}$, then we can use the previous lemmas, and in particular Lemma 4 about the convexity of $E^{-1}(p) \cap \mathcal{F}_{FGN}$, to construct a contract $g \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ which has the property that the budget is not exhausted under any outcome S. Going into more detail, for any $p \in \mathcal{P}$, we define the set

$$K_p := \{ S \subseteq [n] : \sum_{i \in S} f_i(S) < 1 \text{ for some } f \in E^{-1}(p) \cap \mathcal{F}_{FGN} \},$$

and show that if $K_p \neq \{\phi\}$, we can find a p' that Pareto dominates p. First, we show that K_p is closed under taking subsets. The argument is that if $S \in K_p$ and $T \subset S$, we can pick an agent $i \in T$ and decrease its reward under T while increasing its reward in S so that p is still an equilibrium. Then, we get that $T \in K_p$. By a similar argument, we show that K_p is also closed under unions and thus, $K_p = 2^{\kappa_p}$ where $\kappa_p \subset [n]$. Next, we show that for any $f \in E^{-1}(p) \cap \mathcal{F}_{FGN}$, agents in κ_p^C must have priority over those in κ_p in that if any agent in κ_p^C succeeds, agents in κ_p get no reward. Using this, we construct a contract $h \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ such that $\sum_{i \in S} h_i(S) < 1$ for any $S \subset \kappa_p$ and the reward for agent $i \notin \kappa_p$ do not depend on the success or failure of agents in κ_p . We then show that we can manipulate the awards for $S \subset \kappa_p$ to get a new contract h' such that $p' \in E(h')$ where $p'_i = p_i + \epsilon$ for $i \in \kappa_p$ and $\epsilon > 0$ while $p'_i = p_i$ for $i \notin \kappa_p$. Thus, it must be that $\kappa_p = \phi$ which complete the proof of this part.

Observe that we get the following as an immediate consequence of Lemmas 5 and 6.

Corollary 3. If $p \in \mathcal{P}$, then

$$z(p) = \sum_{i} p_i \cdot c'_i(p_i) + \prod_{i} (1 - p_i) = 1.$$

Corollary 3 provides a simple equation in terms of the model parameters (cost functions) whose solutions contain the Pareto frontier \mathcal{P} . So in principle, the principal can potentially try to optimize its objective V(p) over the set of solutions to the equation z(p) = 1, and then check if there is a contract $f \in \mathcal{F}_{SGE}$ that implements this optimal solution.

The second direction of the characterization says that if f is an SGE contract and $p \in E(f)$, then there is no $p' \in E$ which dominates p.

Lemma 7. If $f \in \mathcal{F}_{SGE}$ and $p \in E(f)$, then $p \in \mathcal{P}$.

Proof. Suppose $f \in \mathcal{F}_{SGE}$, $p \in E(f)$, but p is not Pareto optimal. Then, there must exist a Pareto optimal $q \in \mathcal{P}$ that Pareto dominates p. Observe that since $p \in E(f)$ and $f \in \mathcal{F}_{SGE}$,

we have from Lemma 5 that z(p) = 1. Also, since $q \in \mathcal{P}$, we have from Corollary 3 that z(q) = 1. Now, consider the following:

$$\frac{\partial z}{\partial x_i}\Big|_{x\geq p} = x_i c_i''(x_i) + c_i'(x_i) - \prod_{j\neq i} (1-x_j)$$

$$> c_i'(x_i) - \prod_{j\neq i} (1-x_j) \qquad \text{(because } c_i \text{ is convex)}$$

$$\geq c_i'(p_i) - \prod_{j\neq i} (1-x_j) \qquad \text{(because } c_i \text{ is convex)}$$

$$\geq c_i'(p_i) - \prod_{j\neq i} (1-p_j) \qquad \text{(because } x_j \geq p_j)$$

$$\geq 0 \qquad \text{(because } p \in E(f))$$

Note that the last inequality holds because we know from the first order condition in equation 1 that $c_i'(p_i) = r_i(f, p_{-i})$ and $r_i(f, p_{-i}) \ge \prod_{j \ne i} (1 - p_j)$ since $f \in \mathcal{F}_{SGE}$.

Now, since q Pareto dominates $p, q \ge p$ and it follows from above that z(q) > z(p). But this is a contradiction since z(q) = z(p) = 1. It follows then that $p \in E(f)$ is Pareto optimal.

Together, Lemmas 6 and 7 give Theorem 1.

4.2 Implementing the Pareto frontier

As Theorem 1 shows, Pareto optimal equilibria are exactly the equilibria of SGE contracts, so it is sufficient for the principal to optimize over SGE contracts. Given the high dimensionality of the set of SGE contracts, this may still present the principal with a computationally difficult problem, and the optimal contract may be difficult to understand and implement. Theorem 2 provides a significant reduction in the complexity of the principal's optimization problem, reducing the search space from a $(2^{n-1}(n-2)+1)$ -dimensional space of difficult to interpret contracts to an (n-1)-dimensional space of easily interpretable contracts.

To prove Theorem 2, we first obtain a useful relationship between any PW contract f and the best responses $b_i(f, p_{-i})$ under any Pareto optimal profile $p \in \mathcal{P}$.

Lemma 8. Suppose $p \in \mathcal{P}$ and $f \in \mathcal{F}_{PW}$. Then, for every $i \in [n]$,

$$\sum_{j:i \succcurlyeq j} p_j \left[c'_j \left(b_j \left(f, p_{-j} \right) \right) - c'_j \left(p_j \right) \right] \le 0.$$

And in particular,

$$\sum_{i \in [n]} p_i \left[c_i'(b_i(f, p_{-i})) - c_i'(p_i) \right] = 0.$$

Proof. We want to show that if $p \in \mathcal{P}$ and $f \in \mathcal{F}_{PW}$, then for every $i \in [n]$,

$$\sum_{j:i \succcurlyeq j} p_j \left[c'_j \left(b_j \left(f, p_{-j} \right) \right) - c'_j \left(p_j \right) \right] \le 0,$$

where \geq denotes the priority relation induced by $f \in \mathcal{F}_{PW}$.

Suppose $p \in \mathcal{P}$, $g \in E^{-1}(p)$, and $f \in \mathcal{F}_{PW}$. We know from the first-order condition in equation 1 that for all $i \in [n]$,

$$c'_{i}(b_{i}(f, p_{-i})) = \sum_{S \subset [n]_{-i}} f_{i}(S \cup \{i\}) \Pr_{p_{-i}}^{[n]_{-i}}(S).$$

Multiplying both sides by p_i and adding up the equations for agents j such that $i \geq j$, we get

$$\sum_{j:i \succcurlyeq j} p_{j}c'_{j}(b_{j}(f, p_{-j})) = \sum_{j:i \succcurlyeq j} \sum_{S:j \in S} f_{j}(S) \operatorname{Pr}_{p}^{[n]}(S)$$

$$= \sum_{S \subseteq \left\{j:i \succcurlyeq_{f} j\right\}} \operatorname{Pr}_{p}^{[n]}(S) \qquad \text{(because f is PW)}$$

$$\leq \sum_{j:i \succcurlyeq j} \sum_{S:j \in S} g_{j}(S) \operatorname{Pr}_{p}^{[n]}(S) \qquad \text{(because } g \in \mathcal{F}_{SGE})$$

$$= \sum_{j:i \succcurlyeq j} p_{j}c'_{j}(p_{j}) \qquad \text{(because } g \in E^{-1}(p))$$

Note that the inequality becomes equality when we are adding up over all $i \in [n]$ and thus, we get $\sum_{i \in [n]} p_i \left[c'_i(b_i(f, p_{-i})) - c'_i(p_i) \right] = 0$.

Now we are ready to show that for any Pareto optimal p, there exists a PW contract that implements p.

Lemma 9. Suppose $p \in \mathcal{P}$. Then, there exists $f \in \mathcal{F}_{PW}$ such that $p \in E(f)$.

To prove Lemma 9, we define for any $f \in \mathcal{F}_{PW}$,

$$Z(f) := \max_{i \in [n]} \left[c'_i(b_i(f, p_{-i})) - c'_i(p_i) \right],$$

and show that

$$z = \inf_{f \in \mathcal{F}_{PW}} Z(f) = 0.$$

From Lemma 8, we already know that $z \geq 0$. To prove z = 0, we basically show that if z > 0 and $f \in \mathcal{F}_{PW}$ attains z, then we can find another contract $g \in \mathcal{F}_{PW}$ so that it attains z' < z. Informally, let $z = c'_i(b_i(f, p_{-i})) - c'_i(p_i) > 0$, where i is chosen so that it has the lowest priority among all agents with this property under f. Then all agents j with lower priority than i must be such that $c'_j(b_j(f, p_{-j})) - c'_j(p_j) < z$. We then construct another PW

contract g by grouping together agents in priority group of i and those in the immediately lower priority group by giving a small weight ϵ to agents in the lower priority group. Then, the best response of any agent j in i's priority group to p_{-j} will be smaller under g than f while for any agents j in the lower priority group, it will be greater under g than f. For $\epsilon > 0$ small enough, we will have Z(g) < z.

With z = 0, we use compactness of \mathcal{F}_{PW} and Lemma 8 to get that there must be an $f \in \mathcal{F}_{PW}$ such that all $i \in [n]$,

$$(c'_i(b_i(f, p_{-i})) - c'_i(p_i)) = 0$$

which implies $f \in E^{-1}(p)$. Thus, for any Pareto optimal p, there is a PW contract f such that $p \in E(f)$. The following lemma establishes the uniqueness of the PW contract that implements p.

Lemma 10. Suppose $f \in \mathcal{F}_{PW}$ and $p \in E(f)$. Then for any $g \in \mathcal{F}_{PW}$ such that $g \neq f$, $p \notin E(g)$.

Proof. Consider the case where f, g are weighted contracts and suppose towards a contradiction that $p \in E(f) \cap E(g)$. Let $i \in [n]$ denote the agent with the smallest weight ratio $\frac{\lambda_i^g}{\lambda_i^f}$, where λ^f, λ^g represent the weights that define the contracts $f, g \in \mathcal{F}_W$. It follows from the definition of weighted contracts that for any $S \subset [n]$ such that $i \in S$, agent i's reward is weakly lower under g than f. As a result, it must be that $r_i(g, p_{-i}) < r_i(f, p_{-i})$ and so it can't be that $b_i(g, p_{-i}) = b_i(f, p_{-i})$. It follows that two different weighted contracts cannot have the same equilibrium. The argument extends in a natural way to PW contracts.

Together, Lemmas 9 and 10 give Theorem 2. Moreover, it follows from Lemma 10 that the class of PW contracts is minimal among classes of contracts that implement the Pareto frontier.

5 Conclusion

We study a contract design problem between a principal and multiple agents. In a setting where the principal is budget-constrained and does not care about how much of the budget is exhausted in incentivizing the agents, we show that the maximal set of effort levels that can be sustained in equilibrium is characterized by equilibria of contracts in which the entire budget is split among agents that succeed. Hence, piece-rate and bonus-pool contracts are never optimal in this setting. We further identify a natural subclass of priority-based weighted contracts that are sufficient to implement the Pareto frontier of equilibria that can be induced in equilibrium. The result provides a significant reduction in dimensionality of the optimal contract design problem. We illustrate this by applying our results to derive the optimal contract for a special parametric case with two agents. Our result for this case suggests that the structure of optimal contract is, to some extent, robust to the heterogeneity

in the agents' cost functions. While it is difficult to give a closed form for the optimal contract for a given objective, the significant reduction in dimensionality and the simple structure of PW contracts suggests that approximating the optimal contract for given objective may not be computationally hard. We leave this and related questions for further work.

References

- [1] Babaioff, M., M. Feldman, N. Nisan, and E. Winter (2012): "Combinatorial agency," *Journal of Economic Theory*, 147, 999–1034. 4
- [2] Baiman, S. and M. V. Rajan (1995): "The informational advantages of discretionary bonus schemes," *Accounting Review*, 557–579. 4
- [3] Battaglini, M. (2006): "Joint production in teams," Journal of Economic Theory, 130, 138–167. 4
- [4] Bond, P. and A. Gomes (2009): "Multitask principal—agent problems: Optimal contracts, fragility, and effort misallocation," *Journal of Economic Theory*, 144, 175—211. 3, 4
- [5] Carroll, G. (2015): "Robustness and linear contracts," American Economic Review, 105, 536–563. 4
- [6] Castiglioni, M., A. Marchesi, and N. Gatti (2023): "Multi-Agent Contract Design: How to Commission Multiple Agents with Individual Outcomes," EC '23, 412–448.
- [7] Che, Y.-K. and S.-W. Yoo (2001): "Optimal incentives for teams," American Economic Review, 91, 525–541. 4
- [8] Dai, T. and J. Toikka (2022): "Robust incentives for teams," *Econometrica*, 90, 1583–1613. 4
- [9] DÜTTING, P., T. EZRA, M. FELDMAN, AND T. KESSELHEIM (2022): "Combinatorial contracts," in 2021 IEEE 62nd Annual Symposium on Foundations of Computer Science (FOCS), IEEE, 815–826. 3
- [10] ——— (2023): "Multi-agent contracts," in Proceedings of the 55th Annual ACM Symposium on Theory of Computing, 1311–1324. 4
- [11] EZRA, T., M. FELDMAN, AND M. SCHLESINGER (2024): "On the (In) approximability of Combinatorial Contracts," in 15th Innovations in Theoretical Computer Science Conference (ITCS 2024), Schloss-Dagstuhl-Leibniz Zentrum für Informatik. 3, 4
- [12] Georgiadis, G. (2022): "Contracting with moral hazard: A review of theory & empirics," Available at SSRN 4196247. 4
- [13] GEORGIADIS, G., D. RAVID, AND B. SZENTES (2022): "Flexible moral hazard problems," Tech. rep., Working Paper. 3
- [14] Green, J. R. and N. L. Stokey (1983): "A comparison of tournaments and contracts," *Journal of Political Economy*, 91, 349–364. 4

- [15] GROSSMAN, S. J. AND O. D. HART (1983): "An Analysis of the Principal-Agent Problem," *Econometrica*, 51, 7, 3
- [16] HAGGIAG, C., S. OREN, AND E. SEGEV (2022): "Picking the Right Winner: Why Tie-Breaking in Crowdsourcing Contests Matters," in *IJCAI-International Joint Conferences on Artificial Intelligence Organization*, 307–313. 4
- [17] HALAC, M., N. KARTIK, AND Q. LIU (2017): "Contests for experimentation," *Journal of Political Economy*, 125, 1523–1569.
- [18] HOLMSTRÖM, B. (1979): "Moral hazard and observability," The Bell journal of economics, 74–91. 3
- [19] HOLMSTROM, B. (1982): "Moral hazard in teams," The Bell journal of economics, 324–340. 4
- [20] HOLMSTRÖM, B. (2017): "Pay for performance and beyond," American Economic Review, 107, 1753–1777. 4
- [21] HOLMSTROM, B. AND P. MILGROM (1991): "Multitask principal—agent analyses: Incentive contracts, asset ownership, and job design," *The Journal of Law, Economics, and Organization*, 7, 24–52. 3
- [22] IMHOF, L. AND M. KRÄKEL (2014): "Bonus pools and the informativeness principle," European Economic Review, 66, 180–191. 4
- [23] INNES, R. D. (1990): "Limited liability and incentive contracting with ex-ante action choices," *Journal of economic theory*, 52, 45–67.
- [24] ITOH, H. (1991): "Incentives to help in multi-agent situations," *Econometrica: Journal of the Econometric Society*, 611–636. 4
- [25] Jewitt, I., O. Kadan, and J. M. Swinkels (2008): "Moral hazard with bounded payments," *Journal of Economic Theory*, 143, 59–82. 3
- [26] Kambhampati, A. (2024): "Robust Performance Evaluation of Independent and Identical Agents," arXiv preprint arXiv:2401.16542. 4
- [27] LAZEAR, E. P. AND S. ROSEN (1981): "Rank-order tournaments as optimum labor contracts," *Journal of political Economy*, 89, 841–864. 4
- [28] Malcomson, J. M. (1986): "Rank-order contracts for a principal with many agents," The Review of Economic Studies, 53, 807–817. 4
- [29] MIRRLEES, J. A. (1976): "The optimal structure of incentives and authority within an organization," The Bell Journal of Economics, 105–131.

- [30] MOOKHERJEE, D. (1984): "Optimal incentive schemes with many agents," *The Review of Economic Studies*, 51, 433–446. 4
- [31] NALEBUFF, B. J. AND J. E. STIGLITZ (1983): "Prizes and incentives: towards a general theory of compensation and competition," *The Bell Journal of Economics*, 21–43. 4
- [32] PRENDERGAST, C. (1999): "The provision of incentives in firms," Journal of economic literature, 37, 7–63. 4
- [33] ROSEN, J. B. (1965): "Existence and uniqueness of equilibrium points for concave n-person games," *Econometrica: Journal of the Econometric Society*, 520–534. 5
- [34] Ross, S. A. (1973): "The economic theory of agency: The principal's problem," *The American economic review*, 63, 134–139.
- [35] SEGAL, I. (1999): "Contracting with externalities," The Quarterly Journal of Economics, 114, 337–388.
- [36] ——— (2003): "Coordination and discrimination in contracting with externalities: Divide and conquer?" *Journal of Economic Theory*, 113, 147–181.
- [37] Segev, E. (2020): "Crowdsourcing contests," European Journal of Operational Research, 281, 241–255.
- [38] SIEMROTH, C. (2021): "Ending wasteful year-end spending: On optimal budget rules in organizations," Available at SSRN 3991922.
- [39] WINTER, E. (2010): "Transparency and incentives among peers," *The RAND Journal of Economics*, 41, 504–523. 4
- [40] Zhang, P. (2023): "Distributionally Robust Principal-Agent Problems and Optimality of Contract Menus," arXiv preprint arXiv:2303.07468.

A Proofs for Section 3 (Main results)

Theorem 3. Suppose n=2, $c_i(p_i)=\frac{1}{2}C_ip_i^2$ with $C_i>1$, and $V(p_1,p_2)=wp_1+\cdot p_2$. Then, the optimal contract, defined by $\lambda_1(w)$, takes the form

$$f_i(S) = \begin{cases} 0, & \text{if } i \notin S \\ 1, & \text{if } S = \{i\} \\ \lambda_i(w), & \text{if } S = \{1, 2\} \end{cases}$$

where $\lambda_2(w) = 1 - \lambda_1(w)$. Moreover, $\lambda_1(w)$ is increasing in w and in particular,

$$\lambda_1(w) = \begin{cases} 0, & \text{if } w \le \frac{C_1 C_2 - C_1}{C_1 C_2 + C_2 - 1} \\ \frac{1}{2}, & \text{if } w = 1 \\ 1, & \text{if } w \ge \frac{C_1 C_2 + C_1 - 1}{C_1 C_2 - C_2} \end{cases}.$$

Proof. We know from Theorem 2 that we can restrict attention to PW contracts. And with only two agents, the set of PW contracts can be parametrized by a single parameter λ , where $f_i(S) = 0$ whenever $i \notin S$, $f_i(S) = 1$ whenever $S = \{i\}$, and $f_1(\{1,2\}) = 1 - f_2(\{1,2\}) = \lambda$. The equilibrium conditions for this contract from equation 1 are

$$C_1 p_1 = 1 - p_2 + \lambda p_2$$

 $C_2 p_2 = 1 - p_1 + (1 - \lambda)p_1.$

For each λ , this system of equations has a unique solution:

$$p_1(\lambda) = \frac{C_2 - (1 - \lambda)}{C_1 C_2 - \lambda (1 - \lambda)} \quad p_2(\lambda) = \frac{C_1 - \lambda}{C_1 C_2 - \lambda (1 - \lambda)}.$$
 (2)

Hence, the principal's problem is equivalent to:

$$\max_{\lambda \in [0,1]} w p_1(\lambda) + p_2(\lambda).$$

Using the first order condition, this is maximized either at $\lambda = 0$, or $\lambda = 1$, or where

$$\frac{p_2'(\lambda)}{p_1'(\lambda)} = -w \cdot$$

Note that

$$p_1'(\lambda) = \frac{(C_1C_2 - \lambda(1-\lambda)) - (C_2 - (1-\lambda))(2\lambda - 1)}{(C_1C_2 - \lambda(1-\lambda))^2} = \frac{C_1C_2 - C_2(2\lambda - 1) - (1-\lambda)^2}{(C_1C_2 - \lambda(1-\lambda))^2}$$

and

$$p_2'(\lambda) = \frac{-(C_1C_2 - \lambda(1-\lambda)) - (C_1 - \lambda)(2\lambda - 1)}{(C_1C_2 - \lambda(1-\lambda))^2} = \frac{-C_1C_2 - C_1(2\lambda - 1) + \lambda^2}{(C_1C_2 - \lambda(1-\lambda))^2}$$

SO

$$\frac{p_2'(\lambda)}{p_1'(\lambda)} = \frac{-C_1C_2 - C_1(2\lambda - 1) + \lambda^2}{C_1C_2 - C_2(2\lambda - 1) - (1 - \lambda)^2} = -\frac{C_1}{C_2} \cdot \frac{-\lambda^2/C_1 + 2\lambda + C_2 - 1}{-(1 - \lambda)^2/C_2 + 2(1 - \lambda) + C_1 - 1}$$

Now observe that the numerator is increasing for $\lambda < C_1$ and the denominator is decreasing for $\lambda > -(C_2 - 1)$. In particular, the fraction is monotonically strictly increasing for $0 < \lambda < 1$, so $\frac{p'_2(\lambda)}{p'_1(\lambda)}$ is monotonically strictly decreasing. It follows then that there is a function $\lambda_1(w)$ such that the unique optimal choice of λ is $\lambda_1(w)$ and it is increasing in w. In particular,

$$\frac{p_2'(\lambda)}{p_1'(\lambda)} \le \frac{p_2'(0)}{p_1'(0)} = -\frac{C_1}{C_2} \cdot \frac{C_2 - 1}{-1/C_2 + C_1 + 1} = -\frac{C_1C_2 - C_1}{C_1C_2 + C_2 - 1}$$

and

$$\frac{p_2'(\lambda)}{p_1'(\lambda)} \ge \frac{p_2'(1)}{p_1'(1)} = -\frac{C_1}{C_2} \cdot \frac{-1/C_1 + C_2 + 1}{C_1 - 1} = -\frac{C_1C_2 + C_1 - 1}{C_1C_2 - C_2}$$

Now if $w \leq -\frac{p_2'(0)}{p_1'(0)}$, the objective is decreasing in λ and thus $\lambda_1(w) = 0$. And if $w \geq -\frac{p_2'(1)}{p_1'(1)}$, the objective is increasing in λ and thus $\lambda_1(w) = 1$.

Lastly, observe that

$$\frac{p_2'(\frac{1}{2})}{p_1'(\frac{1}{2})} = -1$$

irrespective of the costs C_1, C_2 . And thus, if $w_1 = w_2$, we get that $\lambda^* = \frac{1}{2}$ no matter how heterogeneous the agents are.

B Proofs for Section 4 (Pareto optimality)

Lemma 6. If $p \in \mathcal{P}$ and $p \in E(f)$, then $f \in \mathcal{F}_{SGE}$.

Proof. Suppose $p \in \mathcal{P}$. Let

$$K_p := \{ S \subseteq [n] : \sum_{i \in S} f_i(S) < 1 \text{ for some } f \in E^{-1}(p) \cap \mathcal{F}_{FGN} \},$$

and let

$$\kappa_p := \{ i \in [n] : \{ i \} \in K_p \}.$$

We now show that $K_p = \{\emptyset\}.$

1. Step 1: Suppose $S \in K_p$. For any $T \subset S$, $T \in K_p$.

Let $f \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ be such that $\sum_{i \in S} f_i(S) < 1$. If $\sum_{i \in T} f_i(T) < 1$, we are done. Otherwise, pick an agent $i \in T$ such that $f_i(T) > 0$ and consider a contract g which differs from f only in its award for agent i at S and T. In particular, let g be such that $g_i(S) = f_i(S) + \epsilon$ and $g_i(T) = f_i(T) - \delta$ where $\epsilon, \delta > 0$ are chosen so that $p \in E(g)$. Note that we can do this because we know from Lemma 3 that for all $i \in [n]$, $0 < p_i < 1$ and therefore, $\Pr_{p_{-i}}^{[n]_{-i}}(S) > 0$ for all $i \in [n]$ and all $S \subset [n]_{-i}$. It follows then that $g \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ and $\sum_{i \in T} g_i(T) < 1$. Thus, $T \in K_p$.

2. Step 2: Suppose $S, T \in K_p$. Then, $S \cup T \in K_p$.

Let $f,g \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ be such that $\sum_{i \in S} f_i(S) < 1$ and $\sum_{i \in T} g_i(T) < 1$. Consider the contract $h = \frac{1}{2}f + \frac{1}{2}g$. From Lemma 4, $h \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ and also $\sum_{i \in S} h_i(S) < 1$ and $\sum_{i \in T} h_i(T) < 1$. Now, if $\sum_{i \in S \cup T} h_i(S \cup T) < 1$, we are done. Otherwise, pick any agent $i \in S \cup T$ (WLOG, let $i \in S$) such that $h_i(S \cup T) > 0$ and consider a contract h' which differs from h only in its award for agent i at $S \cup T$ and S. In particular, let h' be such that $h'_i(S \cup T) = h_i(S \cup T) - \epsilon$ and $h'_i(S) = h_i(S) + \delta$ where $\epsilon, \delta > 0$ are chosen so that $p \in E(h')$. Again, we can do this because we know that for all $i \in [n]$, $0 < p_i < 1$. It follows then that $h' \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ and $\sum_{i \in S \cup T} h'_i(S \cup T) < 1$. Thus, $S \cup T \in K_p$.

Note that it follows from Steps 1 and 2 that $K_p = 2^{\kappa_p}$.

3. Step 3: Suppose $f \in E^{-1}(p) \cap \mathcal{F}_{FGN}$. Then, for all $S \subset [n]$ such that $\kappa_p^C \cap S \neq \phi$, $f_i(S) = 0$ for all $i \in \kappa_p$.

Suppose towards a contradiction that there is an $S \subset [n]$ such that $\kappa_p^C \cap S \neq \phi$ and $f_i(S) > 0$ for some $i \in \kappa_p$. Let $g \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ be such that $g_i(\{i\}) < 1$. Consider the contract $h = \frac{1}{2}f + \frac{1}{2}g$. Then $h \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ and also $h_i(S) > 0$ and $h_i(\{i\}) < 1$. Now, consider a contract h' which differs from h only in its award for agent i at S and $\{i\}$. In particular, let h' be such that $h'_i(\{i\}) = h_i(\{i\}) + \epsilon$ and $h'_i(S) = h_i(S) - \delta$ where $\epsilon, \delta > 0$ are chosen so that $p \in E(h')$. We can do this because for all $i \in [n]$, $0 < p_i < 1$. It follows then that $h' \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ and $\sum_{i \in S} h'_i(S) < 1$. But this means that $S \subset \kappa_p$ which is a contradiction.

4. Step 4: Suppose $\kappa_p \neq \phi$. Then there is a p' that Pareto dominates p.

For all $S \in K_p$, let $f^S \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ be such that $\sum_{i \in S} f_i^S(S) < 1$. Consider the contract $g = \sum_{S \in K_p} \frac{1}{|K_p|} f^S$. Then $g \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ and also $\sum_{i \in S} g_i(S) < 1$ for all $S \in K_p$. Now, we can construct a contract $h \in E^{-1}(p) \cap \mathcal{F}_{FGN}$ such that

$$h_i(S) = \begin{cases} g_i(S), & \text{if } S \in K_p \\ h_i(S \setminus \kappa_p), & \text{if } S \notin K_p \end{cases}$$

by averaging over the outcomes of agents in κ_p under g.

Observe that if we manipulate h at any $S \subset \kappa_p$, it won't change the best responses for agents $i \notin \kappa_p$. We will now show that we can manipulate the awards for $S \subset \kappa_p$ so that under the new contract h', $p' \in E(h')$ where $p'_i > p_i$ for $i \in \kappa_p$ and $p'_i = p_i$ for $i \notin \kappa_p$. Towards this goal, let $A = \kappa_p$ and let $p' = (p_i + \epsilon)_{i \in A}$. For each $i \in A$, let $t_i(\epsilon)$ solve

$$c_i'(p_i') = t_i(\epsilon) \sum_{S \subset A_{-i}} (h_i(S \cup \{i\})) \operatorname{Pr}_{p_{-i}'}^{A_{-i}}(S)$$

Observe that as $\epsilon \to 0$, $t_i(\epsilon) \to 1$ for all $i \in A$. Since $\sum_{i \in S} h_i(S) < 1$ for all $S \subset A$ and $t_i(\epsilon)$ is continuous in ϵ , we can find $\epsilon > 0$ small enough so that the contract $h'_i(S) = h_i(S) * t_i(\epsilon)$ for all $S \subset A$ and $i \in S$ is a feasible contract. By the definition of t_i , p' with $p'_i = p_i + \epsilon$ for $i \in \kappa_p$ and $p'_i = p_i$ for $i \notin \kappa_p$ will be an equilibrium under h'. Thus, we have that p is not Pareto optimal.

It follows then that $K_p = \{\emptyset\}$. By definition of K_p , this means that for any $f \in E^{-1}(p)$, either $f \notin \mathcal{F}_{FGN}$ or $f \in \mathcal{F}_{SGE}$. Now suppose there exists an f such that $f \notin \mathcal{F}_{FGN}$ and $p \in E(f)$. From Lemma 1, we can find $g \in \mathcal{F}_{FGN}$ such that $p \in E(g)$. Moreover, we know from the construction of g in the argument of Lemma 1 that $g \notin \mathcal{F}_{SGE}$. Thus, we have that $g \in \mathcal{F}_{FGN}, g \notin \mathcal{F}_{SGE}$, and $p \in E(g)$. But this means that $K_p \neq \emptyset$ which is a contradiction. Therefore, it must be that for any $f \in E^{-1}(p)$, $f \in \mathcal{F}_{SGE}$.

Lemma 9. Suppose $p \in \mathcal{P}$. Then, there exists $f \in \mathcal{F}_{PW}$ such that $p \in E(f)$.

Proof. Suppose $p \in \mathcal{P}$. For any $f \in \mathcal{F}_{PW}$, let

$$Z(f) := \max_{i \in [n]} \left(c'_i(b_i(f, p_{-i})) - c'_i(p_i) \right)$$

and

$$C(f) := \{ i \in [n] : c'_i(b_i(f, p_{-i})) - c'_i(p_i) = Z(f) \}$$

From Lemma 8, we know that $Z(f) \geq 0$ for all $f \in \mathcal{F}_{PW}$ and so

$$z = \inf_{f \in \mathcal{F}_{PW}} Z(f) \ge 0.$$

We will now show that z = 0.

Suppose towards a contradiction that z > 0. Let $f \in \mathcal{F}_{PW}$ be such that

- 1. Z(f) = z and
- 2. for any other $g \in \mathcal{F}_{PW}$ such that Z(g) = z, $C(g) \not\subset C(f)$.

Let (X_1, \ldots, X_ℓ) be the ordered partition corresponding to \succeq and $\lambda_1, \ldots, \lambda_n$ be the weights that define f.

Let k be the maximum index such that $X_k \cap \mathcal{C}(f) \neq \emptyset$.

First suppose $k = \ell$. From Lemma 8, we know that there must be some $i \in X_l$ such that $c'_i(b_i(f, p_{-i})) - c'_i(p_i) < 0$. Now consider another PW contract g which is the same as f, except that the weight for agent i is $\lambda'_i = \lambda_i + \epsilon$. Thus, when all agents in $[n] \setminus X_l$ have failed, agent i gets a slightly higher share of the reward if it succeeds under g than it did under f. Notice that for $j \notin X_\ell$,

$$c_j'(b_j(g,p_{-j})) - c_j'(p_j) = c_j'(b_j(f,p_{-j})) - c_j'(p_j)$$

and for $j \in X_{\ell} \setminus \{i\}$,

$$c'_{j}(b_{j}(g, p_{-j})) - c'_{j}(p_{j}) < c'_{j}(b_{j}(f, p_{-j})) - c'_{j}(p_{j}) \le z.$$

Moreover, for ε sufficiently small,

$$c'_{i}(b_{i}(g, p_{-i})) - c'_{i}(p_{i}) < 0$$

by continuity. It follows that $Z(g) \leq z$. In particular, we either have Z(g) < z or Z(g) = z and $C(g) \subset C(f)$. In either case, we have a contradiction.

Thus, it must be that $k < \ell$. Now, consider another PW contract g which has the partition $(X_1, \ldots, X_{k-1}, X_k \cup X_{k+1}, X_{k+2}, \ldots, X_{\ell})$ and weights

$$\lambda_i' = \begin{cases} \lambda_i & \text{if } i \notin X_{k+1} \\ \varepsilon \lambda_i & \text{if } i \in X_{k+1} \end{cases}.$$

Then for $j \notin X_k \cup X_{k+1}$,

$$c'_{i}(b_{j}(g, p_{-j})) - c'_{i}(p_{j}) = c'_{i}(b_{j}(f, p_{-j})) - c'_{i}(p_{j})$$

and for $j \in X_k$,

$$c'_i(b_i(g, p_{-i})) - c'_i(p_i) < c'_i(b_i(f, p_{-i})) - c'_i(p_i) \le z.$$

Finally, for ε sufficiently small and $j \in X_{k+1}$,

$$c'_{i}(b_{i}(g, p_{-i})) - c'_{i}(p_{i}) < z$$

by continuity. It follows that $Z(g) \leq z$. In particular, we either have Z(g) < z or Z(g) = z and $C(g) \subset C(f)$. In either case, we have a contradiction. Thus, we have that $\inf_{f \in \mathcal{F}_{PW}} Z(f) = 0$. By compactness of \mathcal{F}_{PW} , there exists an $f \in \mathcal{F}_{PW}$ such that Z(f) = 0 which means

$$\left[\max_{i \in [n]} \left(c'_i(b_i(f, p_{-i})) - c'_i(p_i) \right) \right] = 0.$$

But from Lemma 8, we also know that

$$\sum_{i \in [n]} p_i \left[c'_i(b_i(f, p_{-i})) - c'_i(p_i) \right] = 0.$$

Therefore, it must be that for all $i \in [n]$,

$$(c'_i(b_i(f, p_{-i})) - c'_i(p_i)) = 0$$

which implies $f \in E^{-1}(p)$. Thus, for any Pareto optimal p, there is a PW contract f such that $p \in E(f)$.