

Sunbeam Institute of Information Technology Pune and Karad

Module – Data Structures and Algorithms

Trainer - Devendra Dhande

 $\textbf{Email} - \underline{\text{devendra.dhande@sunbeaminfo.com}}$



Sunbeam Infotech

www.sunbeaminfo.com

Daily notes, codes and diagrams will be

• During live lecture Code share Utility will be

Lecture Video Recording will be available for

shared on github.com

next 7 days on student portal

About Course


- Contents
 - · Searching and Sorting Algorithms
 - Time and Space Complexity Analysis
 - Stack and its Applications
 - · Queue, Types of Queue and its Applications
 - · Linked Lists
 - Binary Tree and its Applications
 - Hashing
 - · Graph and its Algorithms
 - Problem Solving Techniques Divide and Conquer, Greedy, Dynamic Programming
- Dates 14th Aug to 30th Aug
- **Timings –** 4:00 pm to 8:00 pm (Mon Sat)
- Prerequisite Java Programming, Class and Object, Arrays, Java Collection (Array list)
 - Eclipse (Any)



Sunbeam Infotech

www.sunbeaminfo.com

Data Structures - Introduction Data What is Data structure? **Structures** · Organising data into memory · Processing the data efficiently **Linear Data Structures Non linear Data** (Basic Data Structure) Structures Why we need Data Structure? (Advanced Data Array To achieve Structure Structure) Linked List Tree 1. Efficiency Stack Heap 2. Reusability Queue Graph 3. Abstraction **Linear Data Structures Non linear Data Structures** Data elements are arranged linearly (sequentially) · Data elements are arranged in non linear manner into the memory. (hierarchical) into the memory. Data elements can be accessed linearly / · Data elements can be accessed non linearly. Sequentially. Sunbeam Infotech



Searching Algorithm: Linear Search

 Search a number in a list of given numbers (random order)

Algorithm

- Step 1: Accept key from user
- · Step 2: Traverse list from start to end
- Step 3: Compare key with each element of the list
- Step 4: If key is found return true else false



Sunbeam Infotech

www.sunbeaminfo.con

Searching Algorithm: Binary Search

• Given an integer x and integers A0, A1, ...An-1, which are pre-sorted and already in memory, find i such that Ai = x or return i = -1 if x is not in the input

Algorithm

- Step 1: Accept key from user
- Step 2: Check if x is the middle element. If so x is found at mid
- Step 3: If x is smaller than the middle element, apply same strategy to the sorted subarray to the left of middle element.
- Step 4: If x is larger than the middle element, apply same strategy to the sorted subarray to the right of middle element



Sunbeam Infotech

www.sunbeaminfo.com



Thank you!

Devendra Dhande devendra.dhande@sunbeaminfo.com/



Sunbeam Infotech

www.sunbeaminfo.com