Note: A bolded number or letter refers to an entire lesson or appendix.

```
Α
```

```
ALL_ARGUMENTS 8-3, 8-11, 8-12

ALL_CONTEXT 6-21, 6-22

ALL_POLICIES 6-21, 6-22

Application context 6-8, 6-9, 6-10, 6-23, 6-24, 6-27

Associative arrays 3-2, 3-8, 3-11, 2-12, 3-35, 3-36, 3-39, 7-8, 7-23, 8-8, 8-9
```

В

```
Boolean 1-9, 2-5, 2-23, 3-32, 3-33, 5-7, 5-10, 6-16, 7-16, 8-17
Bulk binding 7-3, 7-8, 7-9, 7-11, 7-12
BULK COLLECT 1-17, 7-5, 7-11, 7-12, 8-5
```

C

C data types **D**Callback 4-3

Callout 4-3

Collection exceptions 3-25, 3-26

Collections **3**, 7-8, 7-23, 7-37, I-2, I-4

Constructor methods 3-2, 3-6

Conditional control statements 7-16

Context 1-6, 1-15, 4-14, 4-15, 6-6, 6-8, 6-9, 6-10, 6-11, 6-13, 6-14, 6-19, 7-8, 8-11, C-18

Cursor 1-2, 1-12, 1-13, 1-14, 1-15, 1-17, 1-18, 1-19, 1-20, 1-23, 1-24, 1-38, **2**, 3-28, 4-17, 7-5, 7-6, 7-11, 7-12, 7-14, 7-28, 7-29, 8-30, I-2

D

DAD 5-11, 5-13

Data type conversion 4-13, 4-22, 7-18

DBMS_DESCRIBE 8-3, 8-8, 8-9, 8-11, 8-12

DBMS_SHARED_POOL 7-25, 7-26, 7-36, 7-37

DBMS_TRACE 8-20, 8-21, 8-23, 8-25, 8-26, 8-29, 8-37

DBMS_UTILITY 8-3, 8-13, 8-15, 8-16

DESCRIBE_PROCEDURE 8-3, 8-8, 8-9

Directive 1-12, 1-27, 5-4, 5-7, 5-13, 5-18

Ε

Encapsulate 3-3, 7-5, 7-7, 7-22

Error stack 8-15, 8-19

Exception 1-2, 1-3, 1-6, 1-7, 1-11, 1-12, 1-13, 1-14, 1-21, 1-22, 1-23, 1-24, 1-27, 1-28, 1-29, 1-30, 1-38, 2-7, 2-17, 2-29, 3-25, 3-26, 3-39, 4-5, 4-6, 4-7, 4-8, 7-3, 7-14, 7-15, 7-20, 7-21, 8-3, 8-5, 8-15, 8-16, 8-19, 8-22, 8-27

External Routines **4**Extproc 4-5, 4-6, 4-7, 4-8

```
F
   Fine-grained access 6
   FORALL 7-2, 7-3, 7-9, 7-12, 7-14, 7-15
   Function syntax 1-6
G
Н
   Implementing a policy 6-13, 6-14, 6-16, 6-18, 6-19
   Initializing collections 3-18, 3-19
   Interpreted compilation 7-2, 7-32, 7-34
J
   Java 4
   Jdeveloper C
Κ
L
   Library 4-3, 4-5, 4-6, 4-7, 4-8, 4-9, 4-10, 4-12, 4-14, 4-16, 4-17, 4-19,
                     7-19, 7-32, 8-30
   Libunit 4-3, 4-19, 4-21
   Listener 4-5, 4-6, 4-7, 4-8
   Logon trigger 6-13, 6-19, 6-27
```

```
M
   Memory issues 7-2, 7-24
   Mutually exclusive conditions 7-17
Ν
   Native compilation 7-32, 7-34, 7-36
   Nested table storage 3-15
   Nested tables 3-8, 3-9, 3-11, 3-12, 3-15, 3-20, 3-31, 3-32, 3-33, 3-39, 7-8
0
   Object methods 3-4
   Object type columns 3-7
   Object types 3-2, 3-3, 3-4, 3-5, 3-8, 3-13
Ρ
   Package syntax 1-11, 1-13, 1-14
   Passing records 7-22
   Persistent objects 3-3
   Pinning 7-25, 7-26, 7-28, 7-37
   PLSQL TRACE EVENTS 8-28, 8-29
   PLSQL TRACE RUNS 8-28, 8-29
   PL/SQL basic syntax 1
   PL/SQL server pages 5
   Policy 6-3, 6-4, 6-5, 6-6, 6-13, 6-14, 6-16, 6-18, 6-19, 6-22, 6-23, 6-24, 6-27
   Policy groups 6-4, 6-23
   POST 3-3, 3-4, 3-7, 5-11, 5-16, 7-20
```

Oracle Database 10g: Advanced PL/SQL Index-4

Profiling 8-2, 8-24, 8-30, 8-31, 8-32, 8-33, 8-34, 8-35, 8-36, 8-38

PRAGMA 1-12, 1-27, 4-13, 7-15

Procedure syntax 1-5

Q

Querying collections 3-27, 3-28

R

Reducing network traffic 7-29, 7-30

REF CURSOR 2-8, 2-10, 2-11, 2-12, 2-13, 2-14, 2-18, 2-19, 2-21

Referencing collection elements 3-20

RETURNING clause 7-5, 7-12, 7-30, 7-36

S

Scriptlet 5-4, 5-7

Set operations 3-31, 3-32, 3-33, 3-34

Setting a context 6-11

SGA 7-7, 7-24

Shared pool 7-2, 7-24, 7-25, 7-26, 7-28, 7-36

Smaller executable sections 7-2, 7-3, 7-4

SQLERRM 7-15, 8-15, 8-16

Start tracing 8-20, 8-23, 8-25

String indexed arrays 3-35, 3-36, 3-37

Subtypes 1-13, 1-14, 2-2, 2-23, 2-24, 2-26, 2-27, 2-28, 2-29, 2-30, 2-31,

7-19, 7-20, 8-12

SYS CONTEXT 6-6, 6-9

```
Т
   Table expression 3-27, 3-28, 3-30
   Trace information 8-19, 8-23, 8-24, 8-26, 8-27, 8-28, 8-29
   Trace level 8-22, 8-23, 8-25, 8-27
   Transient objects 3-3
   Traversing collections 3-22
   Tuning issues 7
U
٧
   Varrays 3-8, 3-9, 3-11, 3-12, 3-20, 3-31, 3-39, 7-8
   Virtual Private Database (VPD) 6
W
X
Υ
Z
```