Structure and Evaluation, Currying, Church Encodings

Sven Tennie

September 8, 2018

Dream IT

https://dreamit.de

# Introduction

### Lambda Calculus

- Invented by Alonzo Church (1920s)
- Equally expressive to the Turing Machine(s)
- Formal Language
- Computational Model
  - Lisp (1950s)
  - ML
  - Haskell
- "Lambda Expressions" in almost every modern programming language

## Why should I care?

- Simple Computational Model
  - to describe structure and behaviour (E.g. Operational Semantics, Type Systems)
  - to reason and prove

## Why should I care?

- Simple Computational Model
  - to describe structure and behaviour (E.g. Operational Semantics, Type Systems)
  - to reason and prove
- Explains why things in FP are like they are
  - Pure Functions
  - Higher-Order Functions
  - Currying
  - Lazy Evaluation

## Why should I care?

- Simple Computational Model
  - to describe structure and behaviour (E.g. Operational Semantics, Type Systems)
  - to reason and prove
- Explains why things in FP are like they are
  - Pure Functions
  - Higher-Order Functions
  - Currying
  - Lazy Evaluation
- Understand FP Compilers
  - Introduce FP stuff into other languages
  - Write your own compiler
  - GHC uses an enriched Lambda Calculus internally


## **Basics**

t ::=	Terms:
X	Variable
$\lambda x.t$	Abstraction
t t	Application

$$t ::=$$
 Terms:  $x$  Variable  $\lambda x.t$  Abstraction  $t t$  Application

### **Example - Identity**


#### Lambda Calculus



$$\begin{array}{ccc} t ::= & & \text{Terms:} \\ x & & \text{Variable} \\ \lambda x.t & & \text{Abstraction} \\ t t & & \text{Application} \end{array}$$

### **Example - Identity**

#### Lambda Calculus



### **Javascript**

$$\underbrace{\left( \begin{array}{c} \text{function } (x) \{ \text{return } x; \} \\ \text{Abstraction} \end{array} \right) \left( \begin{array}{c} y \\ \text{Variable} \end{array} \right)}_{Application}$$

#### **Abstractions**

Think: Function Definitions

$$(\underline{\lambda x}.\underline{\lambda y}.\underline{x}\,\underline{y})$$
 a b

#### **Abstractions**

Think: Function Definitions

$$(\underline{\lambda x}.\underline{\lambda y}.\underline{x}\,\underline{y})$$
 a b

#### **Variables**

Think: Parameters

$$(\lambda x.\lambda y.\underline{x}\ \underline{y})\ \underline{a}\ \underline{b}$$

#### **Abstractions**

Think: Function Definitions

$$(\lambda x. \underline{\lambda y. x \ y})$$
 a b

#### **Variables**

Think: Parameters

$$(\lambda x.\lambda y.\underline{x}\ \underline{y})\ \underline{a}\ \underline{b}$$

### **Applications**

Think: Function Calls

$$(\lambda x.\lambda y.\underline{x\ y})\ \underline{a\ b}$$

$$(\lambda x. \quad \lambda y. x \quad y) \quad a \quad b$$

$$(\lambda x. \quad \lambda y. x \quad y) \quad a \quad b \quad \text{Substitute } x \mapsto a$$

$$(\lambda x. \quad \lambda y. x \quad y) \quad a \quad b \quad \text{Substitute } x \mapsto a$$

$$\begin{array}{cccccc} (\lambda x. & \lambda y.x & y) & a & b & \text{Substitute } x \mapsto a \\ \rightarrow & (\lambda y.a & y) & b & \text{Substitute } y \mapsto b \end{array}$$

### **Notational Conventions**

- We use parentheses to clearify what's meant
- Applications associate to the left

$$s t u \equiv (s t) u$$

Abstractions expand as much to the right as possible

$$\lambda x. \lambda y. x \ y \ x \equiv \lambda x. (\lambda y. (x \ y \ x))$$

## Scope

$$\lambda x. \lambda y. x \ y \ z$$

#### Bound and Free

 $\lambda y$  y is bound, x and z are free  $\lambda x$  x and y are bound, z is free  $\lambda x$ ,  $\lambda y$  binders

## Scope

$$\lambda x. \lambda y. x \ y \ z$$

#### Bound and Free

 $\lambda y$  y is bound, x and z are free  $\lambda x$  x and y are bound, z is free  $\lambda x$ ,  $\lambda y$  binders

#### A term with no free variables is closed

- A combinator
- $id \equiv \lambda x.x$
- Y, S, K, I ...

## **Higher Order Functions**

- Functions that take or return functions
  - Are there "by definition"



### Currying

### Idea

- Take a function with *n* arguments
- Create a function that takes one argument and returns a function with n-1 arguments

### Currying

#### Idea

- lacktriangle Take a function with n arguments
- Create a function that takes one argument and returns a function with n-1 arguments

### Example

- (+1) Section in Haskell
- $(\lambda x.\lambda y. + x y) 1 \rightarrow \lambda y. + 1 y$

### Currying

#### Idea

- Take a function with *n* arguments
- Create a function that takes one argument and returns a function with n-1 arguments

### **Example**

- (+1) Section in Haskell
- $(\lambda x.\lambda y. + x y) \ 1 \rightarrow \lambda y. + 1 y$
- Partial Function Application is there "by definition"
  - You can use this stunt to "curry" in every language that supports "Lambda Expressions"

### **Alpha Conversion**

$$\lambda x.x \rightarrow_{\alpha} \lambda y.y$$

## **Alpha Conversion**

$$\lambda x.x \rightarrow_{\alpha} \lambda y.y$$

### **Beta Reduction**

$$(\lambda x.x) y \rightarrow_{\beta} y$$

### **Alpha Conversion**

### **Beta Reduction**

$$\lambda x.x \rightarrow_{\alpha} \lambda y.y$$

$$(\lambda x.x) y \rightarrow_{\beta} y$$

#### **Eta Conversion**

Iff (if and only if) x is not free in f.

$$(\lambda x.\underbrace{(\lambda y.y)}_{f} x) a \rightarrow_{\eta} \underbrace{(\lambda y.y)}_{f} a$$

### **Alpha Conversion**

### **Beta Reduction**

$$\lambda x.x \rightarrow_{\alpha} \lambda y.y$$

$$(\lambda x.x) y \rightarrow_{\beta} y$$

#### **Eta Conversion**

Iff (if and only if) x is not free in f.

$$(\lambda x.\underbrace{f \, x \to_{\eta} f}_{f} \, x) \, a \to_{\eta} \underbrace{(\lambda y.y)}_{f} \, a$$

If x is free in f,  $\eta$  conversion not possible:

$$\lambda x. \underbrace{\left(\lambda y. y \stackrel{\text{Bound}}{\stackrel{\downarrow}{x}}\right)}_{f} x \not\rightarrow_{\eta} \left(\lambda y. y \stackrel{\text{Free}?!}{\stackrel{\downarrow}{x}}\right)$$

#### Remarks

- Everything (Term) is an Expression
  - No statements
- No "destructive" Assignments
  - The reason why FP Languages promote pure functions
  - But you could invent a built-in function to manipulate "state"...


## Evaluation

## **Operational Semantics**

- We learned how to write down and talk about Lambda Calculus Terms
- How to evaluate them?
- Different Strategies
  - Interesting outcomes


### **Full Beta-Reduction**

- RedEx
  - Reducible Expression
  - Always an Application



### **Full Beta-Reduction**

- RedEx
  - Reducible Expression
  - Always an Application



#### **Full Beta-Reduction**

- Any RedEx, Any Time
- Like in Arithmetics
- Too vague for programming...

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

#### **Normal Order Reduction**

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

#### **Normal Order Reduction**

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$
  
 $\rightarrow (\lambda y.y) (\lambda z.(\lambda a.a) z)$ 

#### **Normal Order Reduction**

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$
$$\rightarrow (\lambda y.y) (\lambda z.(\lambda a.a) z)$$

#### **Normal Order Reduction**

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

$$\rightarrow (\lambda y.y) (\lambda z.(\lambda a.a) z)$$

$$\rightarrow \lambda z.(\lambda a.a) z$$

#### **Normal Order Reduction**

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

$$\rightarrow (\lambda y.y) (\lambda z.(\lambda a.a) z)$$

$$\rightarrow \lambda z.(\lambda a.a) z$$

#### **Normal Order Reduction**

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

$$\rightarrow (\lambda y.y) (\lambda z.(\lambda a.a) z)$$

$$\rightarrow \lambda z.(\lambda a.a) z$$

$$\rightarrow \lambda z.z$$

#### **Normal Order Reduction**

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

- like Normal Order Reduction, but no reductions inside Abstractions
  - Abstractions are values
- lazy, non-strict
  - Parameters are not evaluated before they are used
- Optimization: Save results o Call-by-Need

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

- like Normal Order Reduction, but no reductions inside Abstractions
  - Abstractions are values
- lazy, non-strict
  - Parameters are not evaluated before they are used
- Optimization: Save results  $\rightarrow$  Call-by-Need

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$
$$\rightarrow (\lambda y.y) (\lambda z.(\lambda a.a) z)$$

- like Normal Order Reduction, but no reductions inside Abstractions
  - Abstractions are values
- lazy, non-strict
  - Parameters are not evaluated before they are used
  - Optimization: Save results  $\rightarrow$  Call-by-Need

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$
  
$$\rightarrow (\lambda y.y) (\lambda z.(\lambda a.a) z)$$

- like Normal Order Reduction, but no reductions inside Abstractions
  - Abstractions are values
- lazy, non-strict
  - Parameters are not evaluated before they are used
- Optimization: Save results  $\rightarrow$  *Call-by-Need*

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

$$\rightarrow (\lambda y.y) (\lambda z.(\lambda a.a) z)$$

$$\rightarrow \lambda z.(\lambda a.a) z$$

- like Normal Order Reduction, but no reductions inside Abstractions
  - Abstractions are values
- lazy, non-strict
  - Parameters are not evaluated before they are used
  - Optimization: Save results o Call-by-Need

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

$$\rightarrow (\lambda y.y) (\lambda z.(\lambda a.a) z)$$

$$\rightarrow \lambda z.(\lambda a.a) z$$

$$\not\rightarrow$$

- like Normal Order Reduction, but no reductions inside Abstractions
  - Abstractions are values
- lazy, non-strict
  - Parameters are not evaluated before they are used
- Optimization: Save results  $\rightarrow$  Call-by-Need

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

- Outer-most, only if right-hand side was reduced to a value
- No reductions inside Abstractions
  - Abstractions are values
- eager, strict
  - Parameters are evaluated before they are used

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

- Outer-most, only if right-hand side was reduced to a value
- No reductions inside Abstractions
  - Abstractions are values
- eager, strict
  - Parameters are evaluated before they are used

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$
$$\rightarrow (\lambda x.x) (\lambda z.(\lambda a.a) z)$$

- Outer-most, only if right-hand side was reduced to a value
- No reductions inside Abstractions
  - Abstractions are values
- eager, strict
  - Parameters are evaluated before they are used

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$
$$\rightarrow (\lambda x.x) (\lambda z.(\lambda a.a) z)$$

- Outer-most, only if right-hand side was reduced to a value
- No reductions inside Abstractions
  - Abstractions are values
- eager, strict
  - Parameters are evaluated before they are used

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

$$\rightarrow (\lambda x.x) (\lambda z.(\lambda a.a) z)$$

$$\rightarrow \lambda z.(\lambda a.a) z$$

- Outer-most, only if right-hand side was reduced to a value
- No reductions inside Abstractions
  - Abstractions are values
- eager, strict
  - Parameters are evaluated before they are used

$$(\lambda x.x) ((\lambda y.y) (\lambda z.(\lambda a.a) z))$$

$$\rightarrow (\lambda x.x) (\lambda z.(\lambda a.a) z)$$

$$\rightarrow \lambda z.(\lambda a.a) z$$

$$\not\rightarrow$$

- Outer-most, only if right-hand side was reduced to a value
- No reductions inside Abstractions
  - Abstractions are values
- eager, strict
  - Parameters are evaluated before they are used

# Church Encodings

# **Church Encodings**

- Encode Data into the Lambda Calculus
- To simplify our formulas, let's say that we have declarations

$$id \equiv \lambda x. x$$
$$id \ y \rightarrow y$$

 $true \equiv \lambda t. \lambda f. t$ 

 $false \equiv \lambda t. \lambda f. f$ 

$$true \equiv \lambda t. \lambda f. t$$

$$false \equiv \lambda t. \lambda f. f$$

$$\textit{test} \equiv \quad \lambda \textit{c.} \lambda \textit{t.} \lambda \textit{f.c t f}$$

$$true \equiv \lambda t. \lambda f. t$$

$$false \equiv \lambda t. \lambda f. f$$

$$\textit{test} \equiv \quad \lambda \textit{c.} \lambda \textit{t.} \lambda \textit{f.c t f}$$

$$true \equiv \lambda t. \lambda f. t$$

$$false \equiv \lambda t. \lambda f. f$$

$$\textit{test} \equiv \quad \lambda \textit{c.} \lambda \textit{t.} \lambda \textit{f.c t f}$$

test true a b

 $\equiv (\lambda c. \lambda t. \lambda f. c \ t \ f) \ true \ a \ b$ 

 $true \equiv \lambda t. \lambda f. t$ 

 $false \equiv \lambda t. \lambda f. f$ 

 $test \equiv \lambda c. \lambda t. \lambda f. c t f$ 

test true a b

 $\equiv (\lambda c. \lambda t. \lambda f. c t f) true a b$ 

 $true \equiv \lambda t. \lambda f. t$ 

 $false \equiv \lambda t. \lambda f. f$ 

 $\textit{test} \equiv \quad \lambda \textit{c.} \lambda \textit{t.} \lambda \textit{f.c t f}$ 

 $true \equiv \lambda t. \lambda f. t$ 

 $\lambda t. \lambda f. f$ 

false ≡

 $test \equiv \lambda c. \lambda t. \lambda f. c t f$ 

test true a b

 $\equiv$  ( $\lambda c. \lambda t. \lambda f. c t f$ ) true a b

ightarrow ( $\lambda t. \lambda f. true\ t\ f$ ) a b

$$true \equiv \lambda t. \lambda f. t$$

 $\lambda t. \lambda f. f$ 

false ≡

$$test \equiv \lambda c. \lambda t. \lambda f. c t f$$

$$\equiv (\lambda c. \lambda t. \lambda f. c t f)$$
 true a b

$$\rightarrow$$
 ( $\lambda t. \lambda f. true\ t\ f$ ) a b

$$true \equiv \lambda t. \lambda f. t$$
 $false \equiv \lambda t. \lambda f. f$ 

$$test \equiv \lambda c. \lambda t. \lambda f. c t f$$

$$\equiv$$
 ( $\lambda c. \lambda t. \lambda f. c t f$ ) true a b

$$\rightarrow$$
 ( $\lambda t. \lambda f. true\ t\ f$ ) a b

$$ightarrow$$
 ( $\lambda$ f.true a f) b

$$true \equiv \lambda t. \lambda f. t$$
 $false \equiv \lambda t. \lambda f. f$ 

$$test \equiv \lambda c. \lambda t. \lambda f. c t f$$

$$\equiv$$
 ( $\lambda c. \lambda t. \lambda f. c t f$ ) true a b

$$\rightarrow$$
 ( $\lambda t. \lambda f. true t f$ ) a b

$$\rightarrow$$
 ( $\lambda f$ .true a f) b

$$true \equiv \lambda t.\lambda f.t$$
  $\equiv (\lambda c.\lambda t.\lambda f.c \ t \ f) \ true \ a \ b$   $\rightarrow (\lambda t.\lambda f.true \ t \ f) \ a \ b$   $\rightarrow (\lambda f.true \ a \ f) \ b$   $\rightarrow true \ a \ b$ 

$$true \equiv \lambda t.\lambda f.t$$

$$false \equiv \lambda t.\lambda f.f$$

$$test \equiv \lambda t.\lambda f.f$$

$$\Rightarrow (\lambda t.\lambda f.t rue \ a \ b)$$

$$\Rightarrow (\lambda t.\lambda f.t rue \ a \ f) \ b$$

$$\Rightarrow (\lambda f.t rue \ a \ f) \ b$$

$$\Rightarrow true \equiv \lambda c.\lambda t.\lambda f.c \ t \ f$$

$$true \equiv \lambda t.\lambda f.t$$

$$false \equiv \lambda t.\lambda f.f$$

$$test \equiv \lambda c.\lambda t.\lambda f.c t f$$

$$\equiv (\lambda c.\lambda t.\lambda f.c t f) true a b$$

$$\rightarrow (\lambda f.true t f) a b$$

$$\rightarrow (\lambda f.true a f) b$$

$$\rightarrow true a b$$

$$\equiv (\lambda t.\lambda f.t) a b$$

$$true \equiv \lambda t.\lambda f.t$$

$$false \equiv \lambda t.\lambda f.f$$

$$test \equiv \lambda c.\lambda t.\lambda f.c t f$$

$$\equiv (\lambda c.\lambda t.\lambda f.c t f) true a b$$

$$\rightarrow (\lambda t.\lambda f.true t f) a b$$

$$\rightarrow (\lambda f.true a f) b$$

$$\rightarrow true a b$$

$$\equiv (\lambda t.\lambda f.t) a b$$

$$true \equiv \lambda t.\lambda f.t$$

$$false \equiv \lambda t.\lambda f.f$$

$$test \equiv \lambda c.\lambda t.\lambda f.c t f$$

$$\equiv (\lambda c.\lambda t.\lambda f.c t f) true a b$$

$$\rightarrow (\lambda t.\lambda f.true t f) a b$$

$$\rightarrow (\lambda f.true a f) b$$

$$\rightarrow true a b$$

$$\equiv (\lambda t.\lambda f.t) a b$$

$$\rightarrow (\lambda f.a) b$$

## **Booleans**

$$true \equiv \lambda t.\lambda f.t$$

$$false \equiv \lambda t.\lambda f.f$$

$$test \equiv \lambda c.\lambda t.\lambda f.c t f$$

$$\equiv (\lambda c.\lambda t.\lambda f.c t f) true a b$$

$$\rightarrow (\lambda t.\lambda f.true t f) a b$$

$$\rightarrow (\lambda f.true a f) b$$

$$\rightarrow true a b$$

$$\equiv (\lambda t.\lambda f.t) a b$$

$$\rightarrow (\lambda f.a) b$$

## Booleans

$$true \equiv \lambda t.\lambda f.t$$

$$false \equiv \lambda t.\lambda f.f$$

$$test \equiv \lambda c.\lambda t.\lambda f.c t f$$

$$\equiv (\lambda c.\lambda t.\lambda f.c t f) true a b$$

$$\rightarrow (\lambda t.\lambda f.true t f) a b$$

$$\rightarrow (\lambda f.true a f) b$$

$$\rightarrow true a b$$

$$\equiv (\lambda t.\lambda f.t) a b$$

$$\rightarrow (\lambda f.a) b$$

$$\rightarrow a$$

test true a b

$$true \equiv \lambda t. \lambda f. t$$
 $false \equiv \lambda t. \lambda f. f$ 

$$true \equiv \lambda t. \lambda f. t$$
 $false \equiv \lambda t. \lambda f. f$ 

and 
$$\equiv \lambda p.\lambda q.p \ q \ p$$

$$true \equiv \lambda t. \lambda f. t$$

$$false \equiv \lambda t. \lambda f. f$$

and 
$$\equiv \lambda p.\lambda q.p \ q \ p$$

$$true \equiv \lambda t. \lambda f. t$$

$$false \equiv \lambda t. \lambda f. f$$

and 
$$\equiv \lambda p.\lambda q.p \ q \ p$$

and true false

 $\equiv (\lambda p. \lambda q. p \ q \ p)$  true false

$$true \equiv \lambda t. \lambda f. t$$

$$false \equiv \lambda t. \lambda f. f$$

and 
$$\equiv \lambda p.\lambda q.p \ q \ p$$

$$\equiv (\lambda p. \lambda q. p \ q \ p)$$
 true false

$$true \equiv \lambda t. \lambda f. t$$

$$false \equiv \lambda t. \lambda f. f$$

and 
$$\equiv \lambda p.\lambda q.p \ q \ p$$

$$true \equiv \lambda t. \lambda f. t$$
 $false \equiv \lambda t. \lambda f. f$ 

and 
$$\equiv \lambda p.\lambda q.p \ q \ p$$

$$\equiv (\lambda p. \lambda q. p \ q \ p)$$
 true false

$$ightarrow (\lambda q. \textit{true q true})$$
 false

$$true \equiv \lambda t. \lambda f. t$$
 $false \equiv \lambda t. \lambda f. f$ 

and 
$$\equiv \lambda p.\lambda q.p \ q \ p$$

$$\equiv (\lambda p. \lambda q. p \ q \ p)$$
 true false

$$\rightarrow$$
( $\lambda q$ .true q true) false

$$true \equiv \lambda t. \lambda f. t$$
 $false \equiv \lambda t. \lambda f. f$ 

and 
$$\equiv \lambda p.\lambda q.p q p$$

and true false

 $\equiv (\lambda p. \lambda q. p \ q \ p)$  true false

 $\rightarrow$ ( $\lambda q$ .true q true) false

 $\rightarrow$ true false true

$$true \equiv \lambda t. \lambda f. t$$
 $false \equiv \lambda t. \lambda f. f$ 

and 
$$\equiv \lambda p.\lambda q.p \ q \ p$$

and true false

 $\equiv (\lambda p. \lambda q. p \ q \ p)$  true false

 $\rightarrow$ ( $\lambda q$ .true q true) false

→ true false true

$$true \equiv \lambda t. \lambda f. t$$
 $false \equiv \lambda t. \lambda f. f$ 
 $and \equiv \lambda p. \lambda q. p. q. p$ 

and true false  $\equiv (\lambda p.\lambda q.p \ q \ p) \ true \ false$   $\rightarrow (\lambda q.true \ q \ true) \ false$   $\rightarrow true \ false \ true$   $\equiv (\lambda t.\lambda f.t) \ false \ true$ 

$$true \equiv \lambda t. \lambda f. t$$
 $false \equiv \lambda t. \lambda f. f$ 
 $and \equiv \lambda p. \lambda q. p. q. p$ 

and true false  $\equiv (\lambda p. \lambda q. p \ q \ p) \text{ true false}$   $\rightarrow (\lambda q. true \ q \ true) \text{ false}$   $\rightarrow true \text{ false true}$   $\equiv (\lambda t. \lambda f. t) \text{ false true}$ 

$$true \equiv \lambda t.\lambda f.t$$
  $\equiv (\lambda p.\lambda q.p \ q \ p)$   $true \ false$   $\Rightarrow (\lambda q.true \ q \ true)$   $false$   $\Rightarrow true \ false \ true$   $\Rightarrow (\lambda t.\lambda f.t)$   $false \ true$   $\Rightarrow (\lambda f.false)$   $true$ 

$$true \equiv \lambda t.\lambda f.t$$
  $\equiv (\lambda p.\lambda q.p \ q \ p)$   $true \ false$   $\Rightarrow (\lambda q.true \ q \ true)$   $false$   $\Rightarrow true \ false \ true$   $\Rightarrow (\lambda t.\lambda f.t)$   $false \ true$   $\Rightarrow (\lambda t.\lambda f.t)$   $false \ true$   $\Rightarrow (\lambda f.false)$   $true$ 

$$true \equiv \lambda t.\lambda f.t$$
  $\equiv (\lambda p.\lambda q.p \ q \ p)$   $true \ false$   $\Rightarrow \lambda t.\lambda f.f$   $\rightarrow (\lambda q.true \ q \ true)$   $false$   $\rightarrow true \ false \ true$   $\equiv (\lambda t.\lambda f.t)$   $false \ true$   $\Rightarrow (\lambda f.false)$   $true$   $\Rightarrow false$ 

Or

 $\lambda p. \lambda q. p p q$ 

$$\textit{pair} \equiv \quad \lambda \textit{x}. \lambda \textit{y}. \lambda \textit{z}. \textit{z} \; \textit{x} \; \textit{y}$$

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$
$$first \equiv (\lambda p. p) \lambda x. \lambda y. x$$
$$second \equiv (\lambda p. p) \lambda x. \lambda y. y$$

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$
$$first \equiv (\lambda p. p) \lambda x. \lambda y. x$$
$$second \equiv (\lambda p. p) \lambda x. \lambda y. y$$

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$
$$first \equiv (\lambda p. p) \lambda x. \lambda y. x$$
$$second \equiv (\lambda p. p) \lambda x. \lambda y. y$$

$$pair_{AB} \equiv pair \ a \ b$$

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$

$$first \equiv (\lambda p. p) \ \lambda x. \lambda y. x$$

$$second \equiv (\lambda p. p) \ \lambda x. \lambda y. y$$

$$pair_{AB} \equiv pair \ a \ b$$

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$

$$first \equiv (\lambda p. p) \ \lambda x. \lambda y. x$$

$$second \equiv (\lambda p. p) \ \lambda x. \lambda y. y$$

$$pair \equiv \lambda x.\lambda y.\lambda z.z \times y$$

$$first \equiv (\lambda p.p) \lambda x.\lambda y.x$$

$$second \equiv (\lambda p.p) \lambda x.\lambda y.y$$

$$\equiv (\lambda x.\lambda y.\lambda z.z \times y) \ a \ b$$

$$\rightarrow (\lambda y.\lambda z.z \times y) \ b$$

 $pair_{AB} \equiv$ 

pair a b

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$

$$first \equiv (\lambda p. p) \lambda x. \lambda y. x$$

$$second \equiv (\lambda p. p) \lambda x. \lambda y. y$$

$$\equiv (\lambda x. \lambda y. \lambda z. z \times y) \ a \ b$$

$$(\lambda y. \lambda z. z \times y) \ b$$

 $pair_{AB} \equiv$ 

pair a b

$$pair_{AB} \equiv pair \ a \ b$$

$$pair \equiv \lambda x.\lambda y.\lambda z.z \times y$$

$$first \equiv (\lambda p.p) \ \lambda x.\lambda y.x$$

$$second \equiv (\lambda p.p) \ \lambda x.\lambda y.y$$

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$
 $first \equiv (\lambda p. p) \lambda x. \lambda y. x$ 
 $pair'_{ab} \equiv \lambda z. z \ a \ b$ 

 $first pair_{ab}^{I}$ 

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$
$$first \equiv (\lambda p. p) \lambda x. \lambda y. x$$
$$pair'_{ab} \equiv \lambda z. z \ a \ b$$

first pair pair b

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$
 $first \equiv (\lambda p. p) \lambda x. \lambda y. x$ 
 $pair'_{ab} \equiv \lambda z. z \ a \ b$ 

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$

$$first \equiv (\lambda p. p) \lambda x. \lambda y. x$$

$$pair'_{ab} \equiv \lambda z. z \cdot a \cdot b$$

first pair pair

```
pair \equiv \lambda x. \lambda y. \lambda z. z \times y
first \equiv (\lambda p. p) \lambda x. \lambda y. x
pair'_{ab} \equiv \lambda z. z \cdot a \cdot b
```

first pair pair

$$\begin{array}{ll} \textit{pair} \equiv & \lambda x. \lambda y. \lambda z. z \times y \\ \textit{first} \equiv & (\lambda p. p) \ \lambda x. \lambda y. x \\ \textit{pair}'_{ab} \equiv & \lambda z. z \ a \ b \end{array} \qquad \begin{array}{ll} \equiv & (\lambda p. p) \ (\lambda x. \lambda y. x) \ \textit{pair}'_{ab} \\ \rightarrow & \textit{pair}'_{ab} \ (\lambda x. \lambda y. x) \end{array}$$

first pair pair

$$pair \equiv \lambda x. \lambda y. \lambda z. z \times y$$

$$first \equiv (\lambda p. p) \lambda x. \lambda y. x$$

$$pair'_{ab} \equiv \lambda z. z \cdot a \cdot b$$

$$first pair'_{ab}$$

$$\equiv (\lambda p.p) (\lambda x.\lambda y.x) pair'_{ab}$$

$$\rightarrow pair'_{ab} (\lambda x.\lambda y.x)$$

### **Numerals**

# Peano Axioms

Every natural number can be defined with 0 and a successor function

$$0 \equiv \lambda f.\lambda x.x$$

$$1 \equiv \lambda f.\lambda x.f x$$

$$2 \equiv \lambda f.\lambda x.f (f x)$$

$$3 \equiv \lambda f.\lambda x.f (f (f x))$$

### Meaning

- 0 f is evaluated 0 times
- 1 *f* is evaluated once
- x can be every lambda term

0 ≡	$\lambda f. \lambda x. x$
$1\equiv$	$\lambda f. \lambda x. f x$

$$0 \equiv \lambda f. \lambda x. x$$
$$1 \equiv \lambda f. \lambda x. f x$$

$$successor \equiv \lambda n. \lambda f. \lambda x. f(n f x)$$

#### successor 1

$$0 \equiv \lambda f. \lambda x. x$$
$$1 \equiv \lambda f. \lambda x. f x$$

$$successor \equiv \lambda n.\lambda f.\lambda x.f(n f x)$$

#### successor 1

$$0 \equiv \lambda f. \lambda x. x$$
$$1 \equiv \lambda f. \lambda x. f x$$

$$successor \equiv \lambda n.\lambda f.\lambda x.f(n f x)$$

#### successor 1

$$0 \equiv \lambda f. \lambda x. x \equiv (\lambda n. \lambda f. \lambda x. f(n f x)) 1$$

 $\lambda f. \lambda x. f x$ 

$$successor \equiv \lambda n. \lambda f. \lambda x. f(n f x)$$

 $1 \equiv$ 

successor 1

$$\equiv (\lambda n. \lambda f. \lambda x. f(n f x)) 1$$

$$1 \equiv \lambda f. \lambda x. f x$$

$$successor \equiv \lambda n.\lambda f.\lambda x.f(n f x)$$

0 =

 $0 \equiv$ 

 $1 \equiv$ 

successor 1  $(\lambda n. \lambda f. \lambda x. f(n f x)) 1$   $\lambda f. \lambda x. f(1 f x)$ 

$$successor \equiv \lambda n. \lambda f. \lambda x. f(n f x)$$

 $\lambda f. \lambda x. x$ 

 $\lambda f. \lambda x. f x$ 

 $0 \equiv \lambda f. \lambda x. x \\ 1 \equiv \lambda f. \lambda x. f x$   $\equiv \lambda f. \lambda x. f x$   $= \lambda f. \lambda x. f x$   $= \lambda f. \lambda x. f (1 f x)$ 

$$successor \equiv \lambda n.\lambda f.\lambda x.f(n f x)$$

#### Note

 $0 \equiv \lambda f. \lambda x. x \\ 1 \equiv \lambda f. \lambda x. f x$   $\equiv \lambda f. \lambda x. f x \\ \equiv \lambda f. \lambda x. f (n f x) 1$   $\Rightarrow \lambda f. \lambda x. f (n f x) 1$   $\Rightarrow \lambda f. \lambda x. f (n f x) 1$   $\Rightarrow \lambda f. \lambda x. f (n f x) 1$ 

$$successor \equiv \lambda n.\lambda f.\lambda x.f(n f x)$$

#### Note

successor 1

$$0 \equiv \lambda f. \lambda x. x \qquad \equiv (\lambda n. \lambda f. \lambda x. f (n f x)) 1$$

$$1 \equiv \lambda f. \lambda x. f x \qquad \Rightarrow \lambda f. \lambda x. f (1 f x)$$

$$\equiv \lambda f. \lambda x. f ((\lambda f. \lambda x. f x) f x)$$

$$successor \equiv \lambda n.\lambda f.\lambda x.f(n f x)$$

#### Note

#### Note

#### Note

#### Note

successor 1  $0 \equiv \lambda f.\lambda x.x$   $1 \equiv \lambda f.\lambda x.f x$   $= \lambda f.\lambda x.f (n f x) 1$   $\Rightarrow \lambda f.\lambda x.f (1 f x)$   $\equiv \lambda f.\lambda x.f ((\lambda f.\lambda x.f x) f x)$   $\Rightarrow \lambda f.\lambda x.f ((\lambda x.f x) x)$   $\Rightarrow \lambda f.\lambda x.f (f x)$   $\Rightarrow \lambda f.\lambda x.f (f x)$   $\Rightarrow \lambda f.\lambda x.f (f x)$ 

#### Note

$$0 \equiv \lambda f. \lambda x. x$$

$$0 \equiv \lambda f. \lambda x. x$$

$$plus \equiv \lambda m. \lambda n. \lambda f. \lambda x. m f(n f x)$$

plus 0 0

$$0 \equiv \lambda f. \lambda x. x$$

$$plus \equiv \lambda m. \lambda n. \lambda f. \lambda x. m f(n f x)$$

plus 0 0

$$0 \equiv \lambda f. \lambda x. x$$

$$plus \equiv \lambda m. \lambda n. \lambda f. \lambda x. m f(n f x)$$

$$\equiv (\lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)) 0 0$$

$$0 \equiv \lambda f. \lambda x. x$$

$$plus \equiv \lambda m. \lambda n. \lambda f. \lambda x. m f(n f x)$$

*plus* 0 0

$$\equiv (\lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)) 0 0$$

$$0 \equiv \lambda f. \lambda x. x$$

$$plus \equiv \lambda m. \lambda n. \lambda f. \lambda x. m f(n f x)$$

```
plus 0 0
\equiv (\lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)) 0 0
\rightarrow (\lambda n.\lambda f.\lambda x.0 f(n f x)) 0
```

$$0 \equiv \lambda f. \lambda x. x$$

$$plus \equiv \lambda m.\lambda n.\lambda f.\lambda x.m \ f(n \ f \ x)$$

$$plus 0 0$$

$$\equiv (\lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)) 0 0$$

$$\rightarrow (\lambda n.\lambda f.\lambda x.0 f(n f x)) 0$$

$$0 \equiv \lambda f. \lambda x. x$$

$$plus \equiv \lambda m. \lambda n. \lambda f. \lambda x. m f(n f x)$$

```
 \equiv (\lambda m.\lambda n.\lambda f.\lambda x.m f (n f x)) 0 0 
 \rightarrow (\lambda n.\lambda f.\lambda x.0 f (n f x)) 0 
 \rightarrow \lambda f.\lambda x.0 f (0 f x) 
 0 \equiv \lambda f.\lambda x.x
```

$$plus \equiv \lambda m. \lambda n. \lambda f. \lambda x. m f(n f x)$$

plus 0 0

```
plus 0 0
\equiv (\lambda m.\lambda n.\lambda f.\lambda x.m f (n f x)) 0 0
\rightarrow (\lambda n.\lambda f.\lambda x.0 f (n f x)) 0
\rightarrow \lambda f.\lambda x.0 f (0 f x)
0 \equiv \lambda f.\lambda x.x
```

$$plus \equiv \lambda m. \lambda n. \lambda f. \lambda x. m f(n f x)$$

```
plus 0 0
\equiv (\lambda m.\lambda n.\lambda f.\lambda x.m f (n f x)) 0 0
\rightarrow (\lambda n.\lambda f.\lambda x.0 f (n f x)) 0
\rightarrow \lambda f.\lambda x.0 f (0 f x)
0 \equiv \lambda f.\lambda x.x \equiv \lambda f.\lambda x.(\lambda f.\lambda x.x) f (0 f x)
```

$$plus \equiv \lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)$$

```
plus 0 0
\equiv (\lambda m.\lambda n.\lambda f.\lambda x.m f (n f x)) 0 0
\rightarrow (\lambda n.\lambda f.\lambda x.0 f (n f x)) 0
\rightarrow \lambda f.\lambda x.0 f (0 f x)
0 \equiv \lambda f.\lambda x.x \equiv \lambda f.\lambda x.(\lambda f.\lambda x.x) f (0 f x)
```

$$plus \equiv \lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)$$

```
plus 0 0
                                                                                         (\lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)) 0 0
                                                                                                        (\lambda n.\lambda f.\lambda x.0 f(n f x)) 0
                                                                               \rightarrow
                                                                                                                         \lambda f. \lambda x. 0 f (0 f x)
                                                                               \rightarrow
                                                                                                       \lambda f. \lambda x. (\lambda f. \lambda x. x) f (0 f x)
0 \equiv
                                                    \lambda f. \lambda x. x
                                                                              \equiv
                                                                                                                 \lambda f. \lambda x. (\lambda x. x) (0 f x)
                                                                               \rightarrow
                                                                                                                                      \lambda f. \lambda x. 0 f x
          \lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)
                                                                               \rightarrow
                                                                                                                   \lambda f. \lambda x. (\lambda f. \lambda x. x) f x
                                                                              \equiv
```

```
plus 0 0
                                                                                         (\lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)) 0 0
                                                                                                        (\lambda n.\lambda f.\lambda x.0 f(n f x)) 0
                                                                               \rightarrow
                                                                                                                         \lambda f. \lambda x. 0 f (0 f x)
                                                                               \rightarrow
                                                                                                       \lambda f. \lambda x. (\lambda f. \lambda x. x) f (0 f x)
0 \equiv
                                                    \lambda f. \lambda x. x
                                                                              \equiv
                                                                                                                 \lambda f. \lambda x. (\lambda x. x) (0 f x)
                                                                               \rightarrow
                                                                                                                                      \lambda f. \lambda x. 0 f x
          \lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)
                                                                               \rightarrow
                                                                                                                   \lambda f. \lambda x. (\lambda f. \lambda x. x) f x
                                                                              \equiv
```

```
plus 0 0
                                                                                          (\lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)) 0 0
                                                                                                         (\lambda n.\lambda f.\lambda x.0 f(n f x)) 0
                                                                                \rightarrow
                                                                                                                          \lambda f. \lambda x. 0 f (0 f x)
                                                                                \rightarrow
                                                                                                        \lambda f. \lambda x. (\lambda f. \lambda x. x) f (0 f x)
0 \equiv
                                                     \lambda f. \lambda x. x
                                                                               \equiv
                                                                                                                  \lambda f. \lambda x. (\lambda x. x) (0 f x)
                                                                                \rightarrow
                                                                                                                                       \lambda f. \lambda x. 0 f x
           \lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)
                                                                                \rightarrow
                                                                                                                     \lambda f. \lambda x. (\lambda f. \lambda x. x) f x
                                                                               \equiv
                                                                                                                               \lambda f. \lambda x. (\lambda x. x) x
```

```
plus 0 0
                                                                                          (\lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)) 0 0
                                                                                                         (\lambda n.\lambda f.\lambda x.0 f(n f x)) 0
                                                                                \rightarrow
                                                                                                                          \lambda f. \lambda x. 0 f (0 f x)
                                                                                \rightarrow
                                                                                                        \lambda f. \lambda x. (\lambda f. \lambda x. x) f (0 f x)
0 \equiv
                                                     \lambda f. \lambda x. x
                                                                               \equiv
                                                                                                                  \lambda f. \lambda x. (\lambda x. x) (0 f x)
                                                                                \rightarrow
                                                                                                                                       \lambda f. \lambda x. 0 f x
           \lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)
                                                                                \rightarrow
                                                                                                                     \lambda f. \lambda x. (\lambda f. \lambda x. x) f x
                                                                               \equiv
                                                                                                                               \lambda f. \lambda x. (\lambda x. x) x
```

```
plus 0 0
                                                                                           (\lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)) 0 0
                                                                                                          (\lambda n.\lambda f.\lambda x.0 f(n f x)) 0
                                                                                 \rightarrow
                                                                                                                           \lambda f. \lambda x. 0 f (0 f x)
                                                                                 \rightarrow
                                                                                                         \lambda f. \lambda x. (\lambda f. \lambda x. x) f (0 f x)
0 \equiv
                                                     \lambda f. \lambda x. x
                                                                                \equiv
                                                                                                                    \lambda f. \lambda x. (\lambda x. x) (0 f x)
                                                                                 \rightarrow
                                                                                                                                         \lambda f. \lambda x. 0 f x
           \lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)
                                                                                 \rightarrow
                                                                                                                      \lambda f. \lambda x. (\lambda f. \lambda x. x) f x
                                                                                \equiv
                                                                                                                                \lambda f. \lambda x. (\lambda x. x) x
                                                                                                                                                 \lambda f. \lambda x. x
```


```
plus 0 0
                                                                                          (\lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)) 0 0
                                                                                                          (\lambda n.\lambda f.\lambda x.0 f(n f x)) 0
                                                                                \rightarrow
                                                                                                                           \lambda f. \lambda x. 0 f (0 f x)
                                                                                \rightarrow
                                                                                                         \lambda f. \lambda x. (\lambda f. \lambda x. x) f (0 f x)
0 \equiv
                                                     \lambda f. \lambda x. x
                                                                                \equiv
                                                                                                                   \lambda f. \lambda x. (\lambda x. x) (0 f x)
                                                                                \rightarrow
                                                                                                                                        \lambda f. \lambda x. 0 f x
           \lambda m.\lambda n.\lambda f.\lambda x.m f(n f x)
                                                                                \rightarrow
                                                                                                                      \lambda f. \lambda x. (\lambda f. \lambda x. x) f x
                                                                                \equiv
                                                                                                                                \lambda f. \lambda x. (\lambda x. x) x
                                                                                                                                                \lambda f. \lambda x. x
                                                                                                                                                              0
```

# End

#### **Thanks**

- Hope you enjoyed this talk and learned something new.
- Hope it wasn't too much math and dusty formulas ... :)

#### **Good Math**



/"A Geek's Guide to the Beauty of Numbers, Logic, and Computation"/


Easy to understand

## The Implementation of Functional Programming Languages



- How to compile to the Lambda Calculus?
- Out-of-print, but freely available
  - https://www.microsoft.com/enus/research/publication/theimplementation-of-functionalprogramming-languages/

# **Types and Programming Languages**



- Types systems explained by building interpreters and proving properties
- Very "mathematical", but very complete and self-contained