Roll No.	

# National Institute of Technology Delhi

Name of examination: B. Tech 4<sup>th</sup> Year (End-semester)

Branch

: EEE

Semester: 7

Title of Course Time: 3 Hours : AI Techniques in Electrical Engineering

Subject Code: EE-416

Marks: 50

Note:

1. All sections are compulsory

2. Assume any data suitably if found missing

## (Section-I)

Q.1- Explain the following terms:

(1\*10)

- i. 'Tansig' transfer function
- ii. Delta learning rules
- iii. Learning coefficient
- iv. Clustering
- v. Covariance matrix with suitable example
- vi. Difference of fuzzy set with suitable example
- vii. Disjunctive sum of fuzzy set
- viii. Fuzzy Cartesian product
- ix. Fitness Function
- x. Reproduction

#### (Section-II)

### Note: Attempt ant FOUR

Q.2- Find the final updated weight for the delta learning rule with the following input vectors and initial weights:

$$x1 = [1 -2 0 -1]; x2 = [0 1.5 -0.5 -1]; x3 = [-1 1 0.5 -1];$$

 $w1 = [1 -1 \ 0 \ 0.5]^t$ ; desired response for x1, x2, x3 are d1= 1, d2= 1, d3= -1 respectively

and 
$$c = 0.1$$
, activation function is "logsig"

(5)

- Q.3- What is RBFNN? Explain different methods of selection of Gaussian centres. (5)
- Q.4- In 2-D space, if 'w' is a vector perpendicular to the hyper-planes H0 and H1, then prove that hyper-planes are optimum under certain condition if ||w|| is minimum. (5)
- **Q.5-** Find the *tautology* or *contradiction* on the crisp propositions P and Q for the following expressions:

(i) 
$$(P \Rightarrow Q) \land (Q \Rightarrow P) = (P = Q)$$

(ii) 
$$(P \Rightarrow Q) = (\sim P \lor Q)$$

 $(2 \times 2.5 = 5)$ 

Q.6- Let  $X = \{a, b, c, d\}$  and  $Y = \{l, m, n, o\}$  are universe of discourse, and

$$\tilde{\Lambda} = \{(a, 0), (b, 0.8), (c, 0.6), (d, 1)\}$$

$$\tilde{B} = \{(1, 0.2), (m, 1), (n, 0.8), (0, 0)\}$$

$$\tilde{C} = \{(1, 0), (m, 0.4), (n, 1), (o, 0.8)\}$$

Determine the implication relation IF x is  $\widetilde{A}$  THEN y is  $\widetilde{B}$  else y is  $\widetilde{C}$  (5)

# (Section-III) Note: Attempt ant TWO

Q.7- The task is to recognize English alphabetical characters (F, E, X, Y, I, T) in an image processing system. Two fuzzy sets  $\hat{G}$  and  $\hat{H}$  to represent the identification of characters are:

$$\hat{G} = \{(F, 0.4), (E, 0.3), (X, 0.1), (Y, 0.1), (I, 0.9), (T, 0.8)\}$$

$$\hat{H} = \{(F, 0.99), (E, 0.8), (X, 0.1), (Y, 0.2), (I, 0.5), (T, 0.5)\}$$

Find the Following:

(a) (i) Disjunctive sum of 
$$\hat{G}$$
 and  $\hat{H}$  (ii)  $(\hat{G} - \hat{H})$  (iii)  $(\hat{G}^c \cap \hat{H}^c)$  (2×3)

Q.8- Find the final feature vector using Principal Component Analysis (PCA) for the following 3-dimentional data.

х	0.5	1.0	1.5	2	2.5
v	0.3	0.9	1.2	1.5	1.8
z	0.8	2.0	2.2	2.5	3.0

Q.9- With the enlightenment of all the steps clearly, find the update weight  $[V]^1$  and  $[W]^1$  upto four decimal points, after the first iteration of the following back-propagation network. Assume  $\alpha = 0$ ,  $\eta = 0.5$ 

