Evolutionary Models with a Large Number of Genes

Mher Saribekyan, Suren Hakobyan, Davit Badalyan Instructor: Varazdat Stepanyan

American University of Armenia

November 2024

Contents

0.1	Abstract	1
0.2	Methods	1
	0.2.1 Memory optimization	2
0.3	Results	2
0.4	Discussion	3

0.1 Abstract

0.2 Methods

Creature

A creature is defined with its genome, position and energy. The genome consists of 5 genes that represent certain characteristics of that creature. The position shows the creature's position in the grid and the energy shows its energy level.

Food

Food are randomly generated when a simulation is initiated and randomly spawns in each timestep, but with a predefined limit.

Energy

A creature starts with predefined base energy level, and dies when the energy level reaches 0. The creatures gains energy by consuming food or winning an attack against another creature, and loses energy when moving.

Attack

A creature has a gene for its level of aggression, which shows how likely it is to initiate an attack. The winner is determined by the strength gene. The winner gains energy, while the loser dies.

Reproduction and Mutations

If a creature gains energy with a certain ratio of its maxmimum energy, it reproduces and gives 1 offspring, and loses a certain ratio of its energy. The offspring is spawned in an adjacent positon and each gene is copied from its parent, with a certain probability for each gene to change by a value of 1.

0.2.1 Memory optimization

The creature is defined as an unsigned 32-bit integer, where the first 16 bits represent the genome, the next 12 bits represent its position cell and the last 4 bits represent the energy.

Gene	Bits	Description
Speed	2	Takes values between 1 and 4, showing the Manhattan distance the
		creature can walk in a single timestep.
Eyesight	3	Takes values between 0 and 7, showing the Manhattan distance the
		creature can see.
Aggression	3	Takes values between 0 to 7, mapped to 0% - 100%, showing the
		probability of the creature attacking another creature in the same
		cell.
Strength	4	Takes values between 1 and 16, which determines the winner in a
		fight
Stamina	4	Takes values between -7 and 8, which is added to the base energy
		level, when generating the creature

Table 1: Creature characteristics and their descriptions

Speed		Eyesight			Aggression			Strength				Stamina			
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
2 bits		bits 3 bits			3 bits			4 bits				4 bit			

Figure 1: Gene storage

	Position											Energy			
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
					12	bits							4 ł	oits	

Figure 2: Position storage

The creatures are stored in a list and are iterated over in every timestep.

0.3 Results

The following constants were chosen for our simulations:

Constant	Value	Notes
Grid size	64	$2^6 \times 2^6$ grid
Food cap	0.05	5% of the grid
Init creatures	0.01	We start with 1% of the grid being creatures
Steps	10000	Number of timesteps
Base energy	8	Base energy
Energy from food	5	Energy gained from consuming food
Energy from creature	8	Energy gained from consuming another creature
Energy ratio to repro-	0.9	When energy level reaches 90% of the creatures max
duce		energy, it reproduces
Energy ratio for repro-	0.2	20% of energy is consumed for reproduction
duce		
Number of children	1	Each reproduction only produces a single offspring
Mutation probability	0.01	There is a 1% change for each gene to mutate during
		reproduction

Table 2: Creature characteristics and their descriptions

0.4 Discussion

References

Roff, D. A. (2008, Dec). Defining fitness in evolutionary models. Journal of Genetics, 87(4), 339-348. doi: 10.1007/s12041-008-0056-9