Test Report

Created by:achennar 2024-01-22 14:47:51

Board: 10.123.101.15

Report printed in folder: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work

Report name: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work/JESD204C_4Lane_1250Mbps_Rx-achennar-2024-01-22_time_14-47-51.html and .pdf

Test Case Name:JESD204C_4Lane_1250Mbps_Rx

Test Case Description:Example Test Case: JESD204C 1250Mbps 4 Lane, Rx Only, Trigger to EMB_START

Test Case started:2024/01/22 14:40:55

Created by:achennar 2024-01-22 14:47:51

Report printed in folder: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work

Report name: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work/JESD204C_4Lane_1250Mbps_Rx-achennar-2024-01-22_time_14-47-51.html and .pdf

Hit Name	Status	Description	File	Modified	Cumulative Run Time (sec)	Number
JESD204C_Test_Case_Settings	Done	0 JESD204C_Test_Case_Settings	sarokal/reference_testhits/jesd204c/jesd204c_testcase_settings.hxx	Mon Mar 16 16:53:31 2020	6.847	0
JESD204C_Program_Device	Done	1 JESD204C_Program_Device	sarokal/reference_testhits/jesd204c/jesd204c_program.hxx	Mon Mar 16 16:53:31 2020	21.42	1
COMMON_Ext_Ref_Clock_Usage	Done	2 COMMON_Ext_Ref_Clock_Usage	sarokal/reference_testhits/common/common.hxx	Mon Mar 16 16:53:31 2020	21.42	2
JESD204C_RX_Copy_Input_Files	Done	3 JESD204C_RX_Copy_Input_Files	sarokal/reference_testhits/jesd204c/jesd204c_rx_hits.hxx	Mon Mar 16 16:53:31 2020	28.23	3
JESD204C_RX_Initialize_and_Trigger_Definition	Done	4 JESD204C_RX_Initialize_and_Trigger_Definition	sarokal/reference_testhits/jesd204c/jesd204c_rx_hits.hxx	Mon Mar 16 16:53:31 2020	28.31	4
JESD204C_RX_Reserve_Capture_Segment	Done	5 JESD204C_RX_Reserve_Capture_Segment	sarokal/reference_testhits/jesd204c/jesd204c_rx_hits.hxx	Mon Mar 16 16:53:31 2020	28.36	5
JESD204C_RX_Check_Receiver_Sync	Done	6 JESD204C_RX_Check_Receiver_Sync	sarokal/reference_testhits/jesd204c/jesd204c_rx_hits.hxx	Mon Mar 16 16:53:31 2020	28.36	6
JESD204C_RX_Start	Done	7 JESD204C_RX_Start	sarokal/reference_testhits/jesd204c/jesd204c_rx_hits.hxx	Mon Mar 16 16:53:31 2020	30.8	7
JESD204C_RX_Wait_For_Trigger_and_Capture	Done	8 JESD204C_RX_Wait_For_Trigger_and_Capture	sarokal/reference_testhits/jesd204c/jesd204c_rx_hits.hxx	Mon Mar 16 16:53:31 2020	30.8	8
JESD204C_RX_Analyze_Capture	Done	9 JESD204C_RX_Analyze_Capture	sarokal/reference_testhits/jesd204c/jesd204c_rx_hits.hxx	Mon Mar 16 16:53:31 2020	31.54	9
JESD204C_RX_Stop	Done	10 JESD204C_RX_Stop	sarokal/reference_testhits/jesd204c/jesd204c_rx_hits.hxx	Mon Mar 16 16:53:31 2020	31.55	10
JESD204C_RX_Print_Results_Vector	Done	11 JESD204C_RX_Print_Results_Vector	sarokal/reference_testhits/jesd204c/jesd204c_rx_hits.hxx	Mon Mar 16 16:53:31 2020	31.55	11
JESD204C_RX_Copy_Output_Files	Done	12 JESD204C_RX_Copy_Output_Files	sarokal/reference_testhits/jesd204c/jesd204c_rx_hits.hxx	Mon Mar 16 16:53:31 2020	161.5	12

Log:

Compile OK

Copy Ready

Copy DONE

Test JESD204C_4Lane_1250Mbps_Rx started: 2024/01/22 14:40:53

cd /root/XStep/work;chmod +x JESD204C_4Lane_1250Mbps_Rx;LD_LIBRARY_PATH=/root/XStep/lib ./JESD204C_4Lane_1250Mbps_Rx

#x.info 00:00:00:026 Using XSTEP DNRT4:1512015, CPU1512018, EFU1512016 , rev:.

#x.info 00:00:00:101 MAC address 70:B3:D5:FA:20:75

#log.info 00:00:00:187 Looking for xstep-runtime license..

#log.info 00:00:00:191 License xstep-runtime checked out

Reset variables in VariableForm

Test JESD204C_4Lane_1250Mbps_Rx started: 2024/01/22 14:40:55

#testcase.run 00:00:00:797 Start test case JESD204C_4Lane_1250Mbps_Rx

#testcase.info 00:00:00:797 XStepApi version: 2020.01.0.3

#testcase.info 00:00:00:798 Import XStepApi.ini settings

#testcase.info 00:00:00:798 Import JESD204C_4Lane_1250Mbps_Rx.ini settings

#testcase.info 00:00:00:798 No arguments

#testcase.run 00:00:00:799 Start test hit 0 JESD204C_Test_Case_Settings

#log.info 00:00:00:802 JESD204C selected as the working directory for this test case.

#apix.settings.workdir JESD204C

#client.copyC2X 00:00:00:805 JESD204C/jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt to: JESD204C/jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt

#client.copy.end ready

#log.info 00:00:06:818 Copy done

#testcase.run 00:00:06:847 Done test hit 0 JESD204C_Test_Case_Settings

#testcase.run 00:00:06:847 Start test hit 1 JESD204C_Program_Device

#apix.jesd204c.program 1G25 1

#jesd204c.info 00:00:06:848 Jesd204c program using 1G25 bitrate

#jesd204c.info 00:00:06:849 Jesd204c program 1 lane(s) configured

#program.info 00:00:06:850 Unload xilinx_emaclite kernel module

#console.info 00:00:06:853

#console.info 00:00:06:857

#clock.info 00:00:06:857 Starting to set frequency 156250000

#program.info 00:00:06:895 FPGA is empty

#program.info 00:00:08:167 CPU md5Hash = 87f65c6ed5b22e2631779274ca34a92b

#program.info 00:00:08:167 CPU Ver=C04F1015

#program.info 00:00:08:565 Programming ../bin/CPU.bit

#program.info 00:00:08:573 CPU Board programmed

#program.info 00:00:09:786 IFU md5Hash = 95a7e83456f6cac59fd85c8aac2e9f0e

#program.info 00:00:09:786 IFU Ver=E0030015

#program.info 00:00:09:786 Programming ../bin/EFU_64B66B.bit

#program.info 00:00:09:800 Programming interface card...

#program.info 00:00:21:354 Number of active links set to 1

#program.info 00:00:21:354 Number of active lanes set to 4

#program.info 00:00:21:414 Memory if - OK

#program.info 00:00:21:414 Register if - OK

#testcase.run 00:00:21:416 Done test hit 1 JESD204C_Program_Device

#testcase.run 00:00:21:416 Start test hit 2 COMMON_Ext_Ref_Clock_Usage

#log.info 00:00:21:417 External reference clock usage not selected (useExtRefClock=0)

#testcase.run 00:00:21:417 Done test hit 2 COMMON_Ext_Ref_Clock_Usage

#testcase.run 00:00:21:417 Start test hit 3 JESD204C_RX_Copy_Input_Files

#apix.jesd204c.rx.copyInputFiles jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt

#log.info 00:00:21:434 License jesd204c-actor checked out

#client.copyC2X 00:00:21:435 JESD204C/jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt to: JESD204C/jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt

#client.copy.end ready

#log.info 00:00:28:208 Copy done

#testcase.run 00:00:28:234 Done test hit 3 JESD204C_RX_Copy_Input_Files

#testcase.run 00:00:28:235 Start test hit 4 JESD204C_RX_Initialize_and_Trigger_Definition

#log.info 00:00:28:235 Initializing variables and Rx trigger

#apix.jesd204c.rx.reset

#apix.jesd204c.rx.init

#log.info 00:00:28:308 Forcing the capture to start instantly after Rx start

#apix.jesd204c.rx.triggerMode 0

#testcase.run 00:00:28:309 Done test hit 4 JESD204C_RX_Initialize_and_Trigger_Definition

#testcase.run 00:00:28:310 Start test hit 5 JESD204C_RX_Reserve_Capture_Segment

#log.info 00:00:28:310 Defining capture segment & size and frame settings for the Analyzer

#rx.info 00:00:28:336 Calculated Segment Size: 0x 4e200

#apix.jesd204c.rx.calculateReceiveSegmentSize jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt 320000

#apix.jesd204c.rx.addSegment jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt RxSegment1 320160 1

#rx.info 00:00:28:362 Capturing 0MB, free disk space 24080MB.

#testcase.run 00:00:28:363 Done test hit 5 JESD204C_RX_Reserve_Capture_Segment

#testcase.run 00:00:28:363 Start test hit 6 JESD204C_RX_Check_Receiver_Sync

#testcase.run 00:00:28:364 Done test hit 6 JESD204C_RX_Check_Receiver_Sync

#testcase.run 00:00:28:364 Start test hit 7 JESD204C_RX_Start

#apix.jesd204c.rx.start

#testcase.run 00:00:30:797 Done test hit 7 JESD204C_RX_Start

#testcase.run 00:00:30:797 Start test hit 8 JESD204C_RX_Wait_For_Trigger_and_Capture

#apix.jesd204c.rx.getState DONE

#log.info 00:00:30:798 Rx FSM state = DONE in lane 0

#testcase.run 00:00:30:799 Done test hit 8 JESD204C_RX_Wait_For_Trigger_and_Capture

#testcase.run 00:00:30:799 Start test hit 9 JESD204C_RX_Analyze_Capture

#apix.jesd204c.rx.analyze jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt RxSegment1

#rx.info 00:00:30:825 Running Analyzer

#rx.info 00:00:30:826 Analyze segname: RxSegment1_link0 address 0x100000000

#protocol.info 00:00:30:827 JESD204C Analyzer started

#protocol.info 00:00:30:849 Loading JESD204C setup

#log.info 00:00:30:850 Load settings Jesd204cRxTriggerPulse.SavePayload=

#log.info 00:00:30:851 Load settings Jesd204cRxTriggerPulse.SavePayloadFileFormat=HEX

#log.info 00:00:30:851 Load settings Jesd204cRxTriggerPulse.FileHeader=

#log.info 00:00:30:852 Load settings Jesd204cRxTriggerPulse.SavePayloadBytesInLine=8

#log.info 00:00:30:852 Load settings Jesd204cRxTriggerPulse.LsbFirst=0

#log.info 00:00:30:853 Load settings Jesd204cRxTriggerPulse.DeltaCalc=

#log.info 00:00:30:854 Load settings Jesd204cRxTriggerPulse.DeltaCalcEdge=

#log.info 00:00:30:854 Load settings Jesd204cRxTriggerPulse.Report=0

#log.info 00:00:30:855 Load settings Converter0.SavePayloadFileName=savepayload0.txt

#log.info 00:00:30:856 Load settings Converter0.FileHeader=

#log.info 00:00:30:857 Load settings Converter0.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:857 Load settings Converter0.SavePayloadBytesInLine=8

#log.info 00:00:30:858 Load settings Converter0.AddIQFrontBits=0

#log.info 00:00:30:859 Load settings Converter1.SavePayloadFileName=savepayload1.txt

#log.info 00:00:30:859 Load settings Converter1.FileHeader=

#log.info 00:00:30:860 Load settings Converter1.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:861 Load settings Converter1.SavePayloadBytesInLine=8

```
#log.info 00:00:30:861 Load settings Converter1.AddIQFrontBits=0

#log.info 00:00:30:862 Load settings Converter2.SavePayloadFileName=savepayload2.txt

#log.info 00:00:30:862 Load settings Converter2.FileHeader=

#log.info 00:00:30:863 Load settings Converter2.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:864 Load settings Converter2.SavePayloadBytesInLine=8

#log.info 00:00:30:864 Load settings Converter2.AddIQFrontBits=0

#log.info 00:00:30:865 Load settings Converter3.SavePayloadFileName=savepayload3.txt

#log.info 00:00:30:866 Load settings Converter3.FileHeader=

#log.info 00:00:30:866 Load settings Converter3.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:867 Load settings Converter3.SavePayloadBytesInLine=8

#log.info 00:00:30:867 Load settings Converter3.AddIQFrontBits=0

#log.info 00:00:30:868 Load settings Converter4.SavePayloadFileName=savepayload4.txt

#log.info 00:00:30:869 Load settings Converter4.FileHeader=

#log.info 00:00:30:869 Load settings Converter4.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:870 Load settings Converter4.SavePayloadBytesInLine=8

#log.info 00:00:30:871 Load settings Converter4.AddIQFrontBits=0

#log.info 00:00:30:871 Load settings Converter5.SavePayloadFileName=savepayload5.txt

#log.info 00:00:30:872 Load settings Converter5.FileHeader=

#log.info 00:00:30:873 Load settings Converter5.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:873 Load settings Converter5.SavePayloadBytesInLine=8

#log.info 00:00:30:874 Load settings Converter5.AddIQFrontBits=0

#log.info 00:00:30:875 Load settings Converter6.SavePayloadFileName=savepayload6.txt

#log.info 00:00:30:875 Load settings Converter6.FileHeader=

#log.info 00:00:30:876 Load settings Converter6.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:877 Load settings Converter6.SavePayloadBytesInLine=8

#log.info 00:00:30:877 Load settings Converter6.AddIQFrontBits=0

#log.info 00:00:30:878 Load settings Converter7.SavePayloadFileName=savepayload7.txt

#log.info 00:00:30:879 Load settings Converter7.FileHeader=

#log.info 00:00:30:879 Load settings Converter7.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:880 Load settings Converter7.SavePayloadBytesInLine=8

#log.info 00:00:30:881 Load settings Converter7.AddIQFrontBits=0

#log.info 00:00:30:881 Load settings Converter8.SavePayloadFileName=savepayload8.txt

#log.info 00:00:30:882 Load settings Converter8.FileHeader=

#log.info 00:00:30:883 Load settings Converter8.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:883 Load settings Converter8.SavePayloadBytesInLine=8

#log.info 00:00:30:884 Load settings Converter8.AddIQFrontBits=0

#log.info 00:00:30:885 Load settings Converter9.SavePayloadFileName=savepayload9.txt

#log.info 00:00:30:885 Load settings Converter9.FileHeader=

#log.info 00:00:30:886 Load settings Converter9.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:887 Load settings Converter9.SavePayloadBytesInLine=8

#log.info 00:00:30:887 Load settings Converter9.AddIQFrontBits=0

#log.info 00:00:30:888 Load settings Converter10.SavePayloadFileName=savepayload10.txt

#log.info 00:00:30:889 Load settings Converter10.FileHeader=

#log.info 00:00:30:890 Load settings Converter10.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:890 Load settings Converter10.SavePayloadBytesInLine=8

#log.info 00:00:30:891 Load settings Converter10.AddIQFrontBits=0

#log.info 00:00:30:892 Load settings Converter11.SavePayloadFileName=savepayload11.txt

#log.info 00:00:30:892 Load settings Converter11.FileHeader=

#log.info 00:00:30:893 Load settings Converter11.SavePayloadFileFormat=HEX_16
```

#log.info 00:00:30:894 Load settings Converter11.SavePayloadBytesInLine=8

#log.info 00:00:30:894 Load settings Converter11.AddIQFrontBits=0

#log.info 00:00:30:895 Load settings Converter12.SavePayloadFileName=savepayload12.txt

#log.info 00:00:30:896 Load settings Converter12.FileHeader=

#log.info 00:00:30:897 Load settings Converter12.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:897 Load settings Converter12.SavePayloadBytesInLine=8

#log.info 00:00:30:898 Load settings Converter12.AddIQFrontBits=0

#log.info 00:00:30:899 Load settings Converter13.SavePayloadFileName=savepayload13.txt

#log.info 00:00:30:899 Load settings Converter13.FileHeader=

#log.info 00:00:30:900 Load settings Converter13.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:901 Load settings Converter13.SavePayloadBytesInLine=8

#log.info 00:00:30:902 Load settings Converter13.AddIQFrontBits=0

#log.info 00:00:30:902 Load settings Converter14.SavePayloadFileName=savepayload14.txt

#log.info 00:00:30:903 Load settings Converter14.FileHeader=

#log.info 00:00:30:904 Load settings Converter14.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:905 Load settings Converter14.SavePayloadBytesInLine=8

#log.info 00:00:30:905 Load settings Converter14.AddIQFrontBits=0

#log.info 00:00:30:906 Load settings Converter15.SavePayloadFileName=savepayload15.txt

#log.info 00:00:30:907 Load settings Converter15.FileHeader=

#log.info 00:00:30:908 Load settings Converter15.SavePayloadFileFormat=HEX_16

#log.info 00:00:30:908 Load settings Converter15.SavePayloadBytesInLine=8

#log.info 00:00:30:909 Load settings Converter15.AddIQFrontBits=0

#log.info 00:00:30:910 Load settings L = 1

#log.info 00:00:30:910 Load settings F = 32

#log.info 00:00:30:910 Load settings M = 16

#log.info 00:00:30:911 Load settings CS = 0

#log.info 00:00:30:911 Load settings N = 16

#log.info 00:00:30:911 Load settings N_total = 16

#log.info 00:00:30:911 Load settings S = 1

#log.info 00:00:30:912 Load settings HD = 1

#log.info 00:00:30:912 Load settings CF = 0

#log.info 00:00:30:912 Load settings E = 1

#log.info 00:00:30:913 Load settings NumberOfExtMultiblocks = 1000

#log.info 00:00:30:913 Load settings CmdChannelSingleLaneMode = 1

#log.info 00:00:30:913 Load settings ReverseReportBits = 0

#log.info 00:00:30:914 Load settings Verbose = 0

#log.info 00:00:30:914 Load settings OversamplePayloads = 1

#log.info 00:00:30:914 Load settings IdleType = PayloadLoop

#log.info 00:00:30:914 Load settings ControlChannelMode = DeviceControlChannel

#log.info 00:00:30:915 Load settings Tailbits = high

#log.info 00:00:30:915 Load settings LimitSavePayloadSize = 1

#log.info 00:00:30:915 Load settings CmdWordOutputFileName = output_command_words.txt

#log.info 00:00:30:916 Load settings RxReportFileName = RX_frame_report_file.txt

#log.info 00:00:30:916 Load settings RxFrameCaptureStartTrigger = TRIGGER_IMMEDIATELY

#log.info 00:00:30:916 Load settings Lane0.RxOutputFrameFileName = RX0_frame_file.txt

#log.info 00:00:30:916 Load settings BusWidthBytes = 4

#log.info 00:00:30:917 Load settings SyncWordMode = MODE_CMD_CHANNEL

#protocol.info 00:00:30:921 Multiblock synchronization found:

#protocol.info 00:00:30:921 Lane 0 offset: 52

#protocol.info 00:00:30:980 6403 bytes analyzed

#protocol.info 00:00:31:038 12806 bytes analyzed

#protocol.info 00:00:31:097 19209 bytes analyzed

#protocol.info 00:00:31:156 25612 bytes analyzed

#protocol.info 00:00:31:214 32015 bytes analyzed

#protocol.info 00:00:31:273 38418 bytes analyzed

#protocol.info 00:00:31:332 44821 bytes analyzed

#protocol.info 00:00:31:391 51224 bytes analyzed

#protocol.info 00:00:31:450 57627 bytes analyzed

#protocol.info 00:00:31:508 64030 bytes analyzed

#protocol.info 00:00:31:509 Jesd204C protocol warnings found:

#protocol.info 00:00:31:509

#protocol.info 00:00:31:509 Command channel faulty header 0

#protocol.info 00:00:31:510 Command channel faulty payload length 0

#protocol.info 00:00:31:510 Command channel reserved type received 0

#protocol.info 00:00:31:510 Sync word faulty pilot signal 0

#protocol.info 00:00:31:511 Sync word faulty EoEMB signal 0

#protocol.info 00:00:31:511 Sync word faulty parity bit 0

#protocol.info 00:00:31:511 Invalid sync header 0

#protocol.info 00:00:31:511

#protocol.info 00:00:31:514 Analysis completed successfully

#protocol.info 00:00:31:514 Savefiles generated:

#protocol.info 00:00:31:515 savepayload0.txt

#protocol.info 00:00:31:515 savepayload1.txt

#protocol.info 00:00:31:515 savepayload2.txt

#protocol.info 00:00:31:516 savepayload3.txt

#protocol.info 00:00:31:516 savepayload4.txt

#protocol.info 00:00:31:516 savepayload5.txt

#protocol.info 00:00:31:517 savepayload6.txt

#protocol.info 00:00:31:517 savepayload7.txt

#protocol.info 00:00:31:517 savepayload8.txt

#protocol.info 00:00:31:518 savepayload9.txt

#protocol.info 00:00:31:518 savepayload10.txt

#protocol.info 00:00:31:518 savepayload11.txt

#protocol.info 00:00:31:519 savepayload12.txt

#protocol.info 00:00:31:519 savepayload13.txt

#protocol.info 00:00:31:519 savepayload14.txt

#protocol.info 00:00:31:520 savepayload15.txt

#testcase.run 00:00:31:544 Done test hit 9 JESD204C_RX_Analyze_Capture

#testcase.run 00:00:31:544 Start test hit 10 JESD204C_RX_Stop

#apix.jesd204c.rx.stop

#testcase.run 00:00:31:545 Done test hit 10 JESD204C_RX_Stop

#testcase.run 00:00:31:545 Start test hit 11 JESD204C_RX_Print_Results_Vector

#apix.jesd204c.rx.printResultsVector

#log.info 00:00:31:546 #jesd204c.results_vector:Command channel faulty header=0,Command channel faulty payload length=0,Command channel reserved type received=0,Sync word faulty pilot signal=0,Sync word faulty EoEMB signal=0,Sync word faulty parity bit=0,Invalid sync header=0,

#testcase.run 00:00:31:547 Done test hit 11 JESD204C_RX_Print_Results_Vector

#testcase.run 00:00:31:547 Start test hit 12 JESD204C_RX_Copy_Output_Files

#apix.jesd204c.rx.copyOutputFiles jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt

#client.copyC2X 00:00:31:548 JESD204C/jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt to: JESD204C/jesd204c_setup_1G25_1lane_ABC_usecase_2B_15_12_23.txt

#client.copy.end ready

#log.info 00:00:38:079 Copy done

#client.copyX2C 00:00:38:105 JESD204C/savepayload0.txt to: JESD204C/savepayload0.txt

#client.copy.end ready

#log.info 00:00:44:861 Copy done

#client.copyX2C 00:00:44:862 JESD204C/savepayload1.txt to: JESD204C/savepayload1.txt

#client.copy.end ready

#log.info 00:00:51:114 Copy done

#client.copyX2C 00:00:51:115 JESD204C/savepayload2.txt to: JESD204C/savepayload2.txt

#client.copy.end ready

#log.info 00:00:56:920 Copy done

#client.copyX2C 00:00:56:921 JESD204C/savepayload3.txt to: JESD204C/savepayload3.txt

#client.copy.end ready

#log.info 00:01:02:618 Copy done

#client.copyX2C 00:01:02:619 JESD204C/savepayload4.txt to: JESD204C/savepayload4.txt

#client.copy.end ready

#log.info 00:01:08:468 Copy done

#client.copyX2C 00:01:08:469 JESD204C/savepayload5.txt to: JESD204C/savepayload5.txt

#client.copy.end ready

#log.info 00:01:14:756 Copy done

#client.copyX2C 00:01:14:757 JESD204C/savepayload6.txt to: JESD204C/savepayload6.txt

#client.copy.end ready

#log.info 00:01:20:467 Copy done

#client.copyX2C 00:01:20:468 JESD204C/savepayload7.txt to: JESD204C/savepayload7.txt

#client.copy.end ready

#log.info 00:01:26:284 Copy done

#client.copyX2C 00:01:26:285 JESD204C/savepayload8.txt to: JESD204C/savepayload8.txt

#client.copy.end ready

#log.info 00:01:32:548 Copy done

#client.copyX2C 00:01:32:549 JESD204C/savepayload9.txt to: JESD204C/savepayload9.txt

#client.copy.end ready

#log.info 00:01:38:895 Copy done

#client.copyX2C 00:01:38:896 JESD204C/savepayload10.txt to: JESD204C/savepayload10.txt

#client.copy.end ready

#log.info 00:01:45:118 Copy done

#client.copyX2C 00:01:45:119 JESD204C/savepayload11.txt to: JESD204C/savepayload11.txt

#client.copy.end ready

#log.info 00:01:51:611 Copy done

#client.copyX2C 00:01:51:612 JESD204C/savepayload12.txt to: JESD204C/savepayload12.txt

#client.copy.end ready

#log.info 00:01:57:423 Copy done

#client.copyX2C 00:01:57:424 JESD204C/savepayload13.txt to: JESD204C/savepayload13.txt

#client.copy.end ready

#log.info 00:02:03:671 Copy done

#client.copyX2C 00:02:03:672 JESD204C/savepayload14.txt to: JESD204C/savepayload14.txt

#client.copy.end ready

#log.info 00:02:10:996 Copy done

#client.copyX2C 00:02:10:997 JESD204C/savepayload15.txt to: JESD204C/savepayload15.txt

#client.copy.end ready

#log.info 00:02:18:016 Copy done

#client.copyX2C 00:02:18:017 JESD204C/RX0_frame_file.txt to: JESD204C/RX0_frame_file.txt

#client.copy.end ready

#log.info 00:02:25:789 Copy done

#client.copyX2C 00:02:25:790 JESD204C/RX_frame_report_file.txt to: JESD204C/RX_frame_report_file.txt

#client.copy.end ready

#log.info 00:02:35:227 Copy done

#client.copyX2C 00:02:35:228 JESD204C/output_command_words.txt to: JESD204C/output_command_words.txt

#client.copy.end ready

#log.info 00:02:41:497 Copy done

#testcase.run 00:02:41:498 Done test hit 12 JESD204C_RX_Copy_Output_Files

#testcase.run 00:02:41:498 All hits run

#testcase.run 00:02:41:499 Done test case JESD204C_4Lane_1250Mbps_Rx

#log.info 00:02:41:499 Releasing license jesd204c-actor

#log.info 00:02:41:499 License released

#log.info 00:02:41:500 Releasing license xstep-runtime

#log.info 00:02:41:501 License released

#log.info 00:02:41:501 Exit from XStep pid : 1515