

If not now, when? Climate disaster and the Green vote following the 2021 Germany Floods¹

Susanna Garside² and Haoyu Zhai^{3,4}

Version: August 2022

Can first-hand experience of a climate-related natural disaster make citizens more likely to vote in favour of progressive climate politics? Leveraging the rare occurrence of a large-scale disaster just two months before a federal election, we use a difference-in-differences design to study the short-term electoral effects of the devastating 2021 Germany Floods on voter support for Germany's major environmentalist party (Alliance 90/The Greens). We find that those living in areas affected by the floods were marginally more likely to vote for the Green party (0.4 - 1.6%). The largest increases in Green vote share are observed in municipalities which were directly exposed to flooding. Contrary to expectation, we tend to find larger increases in Green party support in the less severely affected areas. Despite substantial increases in turnout in affected areas, we find that the observed increase in vote share for the Greens was rather driven by a persuasion effect on voters who previously supported other parties. In the absence of evidence that the floods led to an increase in voters' issue prioritisation of climate change, our results highlight the limited possibility for major natural disasters to induce increased localised support for Green parties.

¹ This article is based on a Pre-Analysis Plan (PAP) submitted to EGAP/OSF and registered report first submitted to Research & Politics on 25 September 2021. We submitted an updated version of the PAP on 8 December 2021. Results not reported in full in the main text can be found in appendix section "[Further Results](#)". We thank members of the EUI Political Behaviour Colloquium, EUI Laboratory on Comparative Politics, Climate Pipeline Project, and anonymous reviewers for their helpful comments. In particular, we thank Miriam Golden, Elias Dinas, Andrea Ichino, Dylan Potts, Rens Chazottes, Makoto Fukumoto, Natalia Garbiras-Diaz, Megan Mullin, and Michael Bechtel. We also thank Sascha Riaz and Hanno Hilbig for sharing their parallel work on this topic which helped us in the interpretation of our results.

² Department of Political and Social Sciences, European University Institute & Research Foundation – Flanders (FWO), susanna.garside@eui.eu (corresponding author), Twitter: @susannagarside.

³ Department of Political and Social Sciences, European University Institute, haoyu.zhai@eui.eu, Twitter: @hy_zhai.

⁴ Via della Badia dei Roccettini, 9, 50014 Fiesole FI, Italy.

Increases in the frequency and intensity of devastating climate-related natural disasters have escalated the salience of climate change as a political issue across advanced democracies. As evermore individuals become personally affected by climate-related disasters, the costs of policy inaction have become increasingly evident, and the question of whether personal experience of these events can engender public support for climate action has become more pertinent than ever.

An emerging body of literature identifies the effect of first-hand experience of natural disasters on climate change concern and political support for progressive environmental policies (Baccini and Leemann, 2021; Hazlett and Mildenberger, 2020; Howe et al., 2019). However, despite the existence of Green parties in over 100 countries across the world, few published studies consider the impact of a climate-related natural disaster on electoral support for an environmentalist party (McAllister and bin Oslan, 2021).

We leverage the rare occurrence of a large-scale natural disaster — the Germany Floods in July 2021 — which occurred just two months before the federal election on 26 September 2021. Using a difference-in-differences (DID) design we examine the short-term electoral effects of the floods on votes for Germany's major environmentalist party, Alliance 90/The Greens.⁵ In an election where the Green party won almost 15% of the vote and made substantial electoral gains across the country, we find that voters living in areas affected by the floods were marginally (0.4 - 1.6%) more likely to vote Green than those in unaffected areas.

We find considerable heterogeneity in the effects of the floods between affected states and according to the severity of flooding. We see the largest increases in Green vote share in municipalities which were directly exposed to flooding. However, we find evidence for differential effects whereby relatively larger increases in Green party support are observed in the less severely affected areas. We find no consistent evidence to suggest a particular indirect effect of the disaster on those living in neighbouring municipalities to those which were flooded.

Although we find a positive correlation between flooding and voter turnout, with directly flooded municipalities experiencing an increase in turnout as high as 4%, our analyses indicate that the marginal increase in vote share for the Greens was more likely driven by a persuasion effect on voters who previously supported other parties.

⁵ The German public perceive the Greens as the party most likely to prioritise climate policies (GLES Cross-Section Pre-Election Survey (German Longitudinal Election Study 2021: Cross-Section, 2021), authors' own analysis.

The 2021 Germany Floods

Following record rainfall in July 2021, Germany suffered catastrophic flooding which claimed more than 180 lives, left more than 800 injured, and caused around €30 billion in damages (Federal Ministry of the Interior and Finance Ministry, 2021). The floods primarily affected four states: Rhineland-Palatinate, North Rhine-Westphalia, Bavaria, and Saxony, with the most intense effects felt in areas of Rhineland-Palatinate and North Rhine-Westphalia where entire towns were inundated with water, critical infrastructure was destroyed, and thousands of households were left without power and water.⁶

These floods are not the first time an historic flooding disaster has affected a German federal election. The devastating 2002 Elbe floods which occurred in the month before the September federal election became an issue which dominated the last weeks of the election campaign, ultimately boosting support for the incumbent Social Democratic Party (SPD) (Bechtel and Hainmueller, 2011). Due to their timing and alarming severity, the 2021 floods also became a major election issue, providing a rare and important new setting for learning about the short-term electoral impacts of flooding disasters. In the German context where climate change has become an increasingly salient topic, the strong politicisation of the 2021 Floods as a climate issue during the election campaign induced considerable speculation over how the Greens would fare, particularly in flood-affected areas (Erlanger and Eddy, 2021; Solomon, 2021).

From climate concern to Green votes?

Several studies suggest a link between personal experience of temperature extremes (Bergquist and Warshaw, 2019; Brooks et al., 2014) or other extreme weather events (Demske et al., 2017; Konisky et al., 2016; Lujala, 2014; Spence et al., 2011) and increased concern about the climate.⁷ However, fewer studies have determined whether experience of climate change can affect pro-environmental political behaviour (Baccini and Leemann, 2021; Hazlett and Mildemberger, 2020; Hoffmann et al., 2022; McAllister and bin Oslan, 2021).

Theoretically, exposure to extreme weather events or climate-related natural disasters can help individuals to better understand the risks related to climate change, which otherwise

⁶ For further details on disaster management, see appendix section “[Disaster Management](#)”.

⁷ See Howe et al. (2019) for an overview of the literature which finds mixed evidence on how weather shapes climate opinions.

remain abstract (Weber, 2016). Empirically, research on the transition from attitudinal to behavioural change has identified the effects of such exposure on individuals' preparedness to take individual climate action (Demske et al., 2017; Rüttenauer, 2021; Spence et al., 2011) and hypothetical support for pro-environment politicians (Rudman et al., 2013), in both observational and experimental settings.

A consensus has emerged that voters tend to punish incumbent governments for damages caused by natural disasters, but that this effect can be offset, or indeed more than offset, when voters reward incumbent governments for effective disaster management (Gasper and Reeves, 2011; Healy and Malhotra, 2009; Masiero and Santarossa, 2020). An emerging literature now asks whether exposure to extreme weather can increase support for progressive climate politics through voter behaviour. Hazlett and Mildemberger (2020) and Baccini and Leemann (2021) find that voters living in close proximity to recent Californian wildfires (Hazlett and Mildemberger, 2020) and affected by flooding in Switzerland (Baccini and Leemann, 2021) are significantly more likely to show support for costly climate-related policy reforms. Hoffmann et al. (2022) find effects of temperature anomalies, heat episodes and dry spells on climate concern and Green voting in Europe, and McAllister and bin Oslan (2021) demonstrate a link between bushfires in Australia and increased support for the Greens.

Our main hypothesis concerns the direct effect of exposure to the 2021 Germany Floods on Green vote share:

- **H1** : Voters living in affected municipalities are more likely to vote for the Green party than those in unaffected municipalities.

We also consider three plausible heterogeneous treatment effects. The first concerns whether the effect examined in **H1** is stronger in the more severely flooded municipalities. The second concerns the indirect effect of the floods on voters living in neighbouring municipalities to those which were flooded. Related to the literature on psychological distance (Weber, 2016), we expect exposure to greater intensity and closer spatial distance to the floods to increase the strength of the main effect. The third considers a possible moderating effect of pre-existing climate change concern on the main effect.

Further to this, we examine whether any observed increase in Green vote share in affected areas is driven by a mobilisation effect on otherwise abstaining voters, or a persuasion effect on voters who have supported other parties in earlier elections. We also investigate possible mechanisms through which the Green vote could be affected by the floods by running tests to examine whether citizens in flood-affected areas demonstrate increased issue prioritisation of climate change after the floods.

Design

We use a difference-in-difference (DID) design to exploit the as-if randomly assigned nature of the flooding event, using this as a natural experiment in order to identify the causal effect of flood exposure. We conduct our main analysis at the municipality level ($N = 10,790$), the most fine-grained level for which voting data is available. We restrict attention to municipalities within affected states ($N = 5,172$), but also replicate our analyses with the full sample in appendix section “[Full Sample Results](#)”.⁸

The dependent variable, Green party vote share, is measured as the percentage share of the proportional representation vote (second vote) for the Greens in a given municipality. To measure flood exposure, we use two complimentary measures which draw on the data visualised in Figure 1. The primary measure is based on official reporting from the Federal Office for Civil Protection and Disaster (BBK), mapping flood affectedness at the level of counties (“*Landkreise/Kreisfreie Städte*”) (Federal Ministry of the Interior and Finance Ministry, 2021). Our secondary measure combines this data with satellite-based flood mapping from the Copernicus Emergency Management Service (EMS), coding areas as affected where the two measures intersect. Whilst the satellite-based secondary measure allows us to identify direct exposure to flooding at the granular local level, it is less complete than the picture given by our primary measure, only covering the areas which were requested to be mapped by the German Joint Information and Situation Centre (GMLZ) (see Figure 3 in appendix section “[Description of Variables](#)”). The combination of the two measures thus allows us to capitalise on the relative strengths of both sources. Our measure of flooding severity also draws on official reporting from the BBK: municipalities are coded as severely affected when they fall within counties which declared a flooding catastrophe.⁹

⁸ For our power analysis, see appendix section “[Simulation Analysis](#)”. For our approach to managing municipality redistricting across election years, see appendix section “[Municipality Redistricting](#)”.

⁹ For additional information on our measurement strategy see appendix section “[Description of Variables](#)”.




Figure 1: Official Flood Mapping of the 2021 Germany Floods from the Federal Office for Protection and Disaster Assistance (BKK) showing municipalities in affected counties (orange) and in counties which declared a catastrophe (red) (September 2021). Satellite-based flood mapping from the Copernicus Emergency Management Service (EMS) which is used to code the secondary measure of flood exposure is shown in blue. Boundaries of affected states are marked in black.

Covariate balance and parallel trends tests reported in the appendix section “[Randomisation Checks](#)” do not reveal any major violation of the key assumptions of random assignment.

Our main analysis consists of a set of two-period DID models, implemented as various versions of the following two-way fixed effects regression:

$$Vote_{it} = UnitFE_i + TimeFE_t + ATT \cdot Flood_{it} + X'_{it}\beta + \epsilon_{it}$$

where $Vote_{it}$ is municipality i 's vote share for the Green party at time t , $UnitFE_i$ and $TimeFE_t$ the unit and time specific effects, $Flood_{it}$ the treatment dummy as earlier introduced ($Flood_{i0} = 0 \forall i$), and X_{it} a placeholder for the full set of covariates. ϵ_{it} is the random error assumed independent of systematic elements. Our interest is in ATT , the average effect of treatment on the treated, which gives us the causal effect of flood exposure on Green voting in our sample among the flooded. Details of all further analyses can be found in the appendix under “[Further Results](#)”.

Results

Table 1 (and appendix Figure 8) present the results of the DID analysis for our main hypothesis on our core sample of the four flood-affected states.¹⁰ Using our primary measure of flood exposure, we see a very small but statistically significant increase in Green vote share of 0.3-0.4%. When we take the secondary, satellite-based measure, we observe an increase in Green vote share of 1.6-1.8%. This increase in estimated effect size is likely due to the much finer granularity of the second measure which better captures direct flooding exposure at the local level. All estimates are highly statistically significant at the 0.1% level or below. Taken together, these results indicate that exposure to flooding induced a small increase in support for the Green party.

The effect size differs according to the severity of floods. Figure 2 (and appendix Table 4) display results from our differential effects model.¹¹ It appears that more severely affected municipalities are less likely to experience any increase in support for the Green party when compared to the less affected municipalities. However, both are still more likely to vote for the Greens relative to municipalities which were not affected. The secondary measure again yields larger effect estimates for both sub-groups than the primary measure. When we break

¹⁰ For results from our full sample of all German states, see appendix section “[Full Sample Results](#)”.

¹¹ See appendix section “[Differential Effects by Severity](#)” for the model specification and full results.

down the secondary measure results by percentage of flooded area, we find the lowest effect sizes in the most highly affected areas.¹²

Direct Effect	Primary Measure		Secondary Measure	
	Base	Full	Base	Full
Post Period	0.029*** (0.0004)	0.033*** (0.001)	0.030*** (0.000)	0.034*** (0.000)
Post x Flooded	0.003** (0.001)	0.004*** (0.001)	0.018*** (0.003)	0.016*** (0.003)
FE	✓	✓	✓	✓
N Obs.	10,145	10,032	10,145	10,032
Adj. R²	0.761	0.779	0.764	0.781

Note: *** p < .001, ** p < .01, * p < .05, . p < 0.1.

Table 1: This table shows the effects of the 2021 Germany floods on municipality-level Green party second vote share in the 2021 federal election for the core sample of the four affected states (North Rhine-Westphalia, Rhineland Palatinate, Bavaria, and Saxony). The primary measure of flood exposure is based on official reporting from the Federal Office for Civil Protection and Disaster Assistance (BKK) which maps flood affectedness at the level of counties (“Landkreise/Kreisfreie Städte”). The secondary measure of flood exposure combines this measure with satellite-based flood mapping from the Copernicus Emergency Management Service (EMS), coding areas as affected where the two measures intersect. Base = baseline model without controls. Full = fully controlled model with all covariates. Heteroscedasticity-consistent standard errors clustered by municipality.

¹² See appendix section “Differential Effects by Flooded Area”.

The effect size differs according to the severity of floods. Figure 2 (and appendix Table 4) display results from our differential effects model.¹³ It appears that more severely affected municipalities are less likely to experience any increase in support for the Green party when compared to the less affected municipalities. However, both are still more likely to vote for the Greens relative to municipalities which were not affected. The secondary measure again yields larger effect estimates for both sub-groups than the primary measure. When we break down the secondary measure results by percentage of flooded area, we find the lowest effect sizes in the most highly affected areas.¹⁴

Further examination of the results suggests that the observed differential effect by severity under the secondary measure is likely driven by one state: North Rhine-Westphalia. The less severely affected areas which appear to be driving an increase in Green vote share in this state are heavily urban areas, including the cities of Bonn, Cologne, Düsseldorf, Essen, and Bochum.¹⁵

We find no clear evidence to suggest that there are spatial spillover effects among neighbouring municipalities.¹⁶ Based on survey data from the German Longitudinal Election Survey (GLES), we find limited evidence of a weak positive moderating effect of pre-existing climate change concern on the effect of flood exposure on Green vote share.¹⁷

We find a generally positive association between flood exposure and voter turnout, although the association appears to be stronger among the affected municipalities as measured by our secondary, satellite-based measure. Under this measure, there is an average 4% increase in turnout in affected municipalities. However, formal mediation analysis generates no supportive evidence for a mediating effect through turnout. Based on self-reported voting records in the previous elections and voting intentions for the current federal elections, we find evidence to suggest that the increase in Green vote share may instead be driven by a persuasion effect, with votes coming from previous supporters of both major parties: the

¹³ See appendix section “[Differential Effects by Severity](#)” for the model specification and full results.

¹⁴ See appendix section “[Differential Effects by Flooded Area](#)”.

¹⁵ See appendix sections “[Results by State](#)” and “[Population Density](#)”.

¹⁶ See appendix section “[Indirect Effect](#)”.

¹⁷ See appendix section “[Perception-induced Effect Heterogeneity](#)”.

Christian Democratic Union of Germany and the Christian Social Union in Bavaria (CDU/CSU) and SPD.¹⁸ Although we see a general pattern of flood-affected voters punishing the nationally incumbent CDU/CSU (appendix Figure 19), it is worth noting that the CDU appear to have made electoral gains in flood-affected areas of North-Rhine Westphalia (appendix Figure 20).




Figure 2: Estimated effects of flood exposure on municipality-level Green party second vote share in the 2021 federal election, by level of severity using the core sample of four affected states (North Rhine-Westphalia, Rhineland Palatinate, Bavaria, and Saxony). Municipalities are coded as severely affected when they fall within counties which declared a flooding catastrophe. Each dot represents a point estimate, and each bar represents the corresponding 95% confidence interval. The x-axis measures change in percentage vote share. The reference category is municipalities which have not been affected by the floods. Blue = baseline model estimate without controls. Red = full model estimate with controls. Circle = estimated effect for the less affected municipalities. Triangle = estimated effect for the severely affected municipalities.

¹⁸ See appendix section “Mobilisation and Persuasion Mechanisms”.

Based on pre-election survey data collected in the period between the floods and the election, we find no evidence to suggest that voters living in affected constituencies demonstrate increased issue prioritisation of climate change after experiencing the floods.¹⁹ We conjecture that this null finding may be partly due to ceiling effects in the survey answers, whereby many respondents already reported high levels of climate concern in the 2017 survey round, leaving little room for observable increase.

Remaining tables and figures can be found in the appendix section “[Further Results](#)” and the results of post-estimation tests to check the robustness of our main results can be found under “[Robustness Checks](#)”.

Discussion

Our results highlight the ability for first-hand experience of a major natural disaster to induce limited localised increases in vote shares for Green parties. We observe a relatively small effect size (0.4 - 1.6%), with the strongest effects felt in municipalities directly exposed to flooding. Interestingly, we found larger increases in Green party support in the less severely affected areas.

These findings should be considered in the context of factors which condition the likelihood of observing such effects. First, the timing and scale of the floods which occurred just two months before the 2021 federal election increase the chance of observing electoral impacts. Second, the electoral system and conditions of party competition in Germany can be seen as relatively favourable for the Greens: by comparison with Green parties in other countries, the German Greens have a history as a governing coalition party (1998-2005) and are relatively attractive to voters as a credible mainstream political party within a voting system which allows for a high degree of proportionality. Third, Germany has a high level of public awareness about climate change and sensitivity to climate change as a political issue which creates a favourable environment for pro-environment voting (Hazlett and Mildemberger, 2020).²⁰ The floods were also heavily characterised by the media as a product of global warming (Brackel, 2021; Hölzl, 2021; Rahmstorf, 2021), further increasing the salience of the floods as an election issue beyond immediate disaster management.

¹⁹ See appendix section “[Climate Change Concern](#)”.

²⁰ 28% of respondents to the latest Eurobarometer survey considered climate change to be the world’s most serious problem (a much higher proportion than the EU average at 18%) (European Commission, 2021). In the same survey, 67% of German respondents said that the German government is not doing enough to tackle the issue.

When considering the observed effect size, it is important to recognise the possibility that the floods contributed towards the nationwide increase in support for the Greens of around 6% (from 8.9% in 2017, to 14.8% in 2021). In the context of our design, this would render localised effects of the floods less visible. Indeed, when we break down our analyses by state, we find considerable heterogeneity in the effects and the results are less clear. Although we find no consistent evidence for spatial spillover effects between municipalities, our by-state analyses reported in appendix section “Results by State” reveal sizeable, generalised increases in Green party support in the two most affected states, Rhineland Palatinate (5%) and North Rhine-Westphalia (8.5%). An interpretation that the floods may have caused state-wide increases in Green support is also supported by Hilbig and Riaz (2022).

Whilst we present evidence that the increase in Green vote share is driven by a persuasion rather than mobilisation mechanism, our results do not provide for a full examination of the mechanisms for our main effect. Although we do not find evidence that citizens living in affected constituencies demonstrate increased issue prioritisation of climate change after experiencing the floods, Hilbig and Riaz (2022) present evidence that the floods had positive effects on nationwide climate change salience and reported Green Party support in the immediate aftermath of the flood. However, these effects were short-lived, lasting only around two weeks.

Our tendency to find smaller increases in Green party support in the more severely affected areas could be seen as complimentary to Hoffmann et al. (2022) who find that public support for climate action increases only under favourable economic conditions. Drawing on our evidence that the increase in Green vote share is likely driven by a persuasion rather than mobilisation mechanism, it is also worth considering that increases in Green vote share in severely affected areas could be smaller in part because voters in these areas respond to effective flood relief by rewarding incumbent parties.

Our findings also echo conclusions drawn by Hazlett and Mildemberger (2020) who find that prior beliefs about climate change and political preferences condition effect magnitude. Our evidence for a weak positive moderating effect of pre-existing climate change concern is further supported by our interpretation that the less severely affected cities in North Rhine-Westphalia (with high levels of prior Green party support) drove observed increases in Green party vote share in the 2021 election. Our finding that the floods had a non-trivial positive impact on turnout is interesting considering Rudolph and Kuhn’s (2018) findings that the 2002 and 2003 floods in Germany had a consistent negative effect on turnout in federal and state elections.

Future research could focus on linking voting behaviour to voters’ preferences over policy response to natural disasters (Bechtel & Mannino, 2022), issue prioritisation of climate

change in the aftermath of a disaster, and the abilities of Green parties to capitalise on climate-related natural disasters (Valentim, 2021). As climate-related disasters increase in frequency and in intensity over time, important questions remain over how direct (and indirect) experiences of climate-related disasters can generate support for progressive mitigation, adaptation, and disaster preparedness policies.

References

- Baccini L and Leemann L (2021) Do natural disasters help the environment? How voters respond and what that means. *Political Science Research and Methods* 9(3): 468–484. DOI: [10.1017/psrm.2020.25](https://doi.org/10.1017/psrm.2020.25).
- Bechtel MM and Hainmueller J (2011) How Lasting Is Voter Gratitude? An Analysis of the Short- and Long-Term Electoral Returns to Beneficial Policy: How Lasting Is Voter Gratitude? *American Journal of Political Science* 55(4): 852–868. DOI: [10.1111/j.1540-5907.2011.00533.x](https://doi.org/10.1111/j.1540-5907.2011.00533.x).
- Bechtel, M. M., & Mannino, M. (2022). Retrospection, fairness, and economic shocks: How do voters judge policy responses to natural disasters? *Political Science Research and Methods*, 10(2), 260–278. <https://doi.org/10.1017/psrm.2020.39>.
- Bergquist P and Warshaw C (2019) Does Global Warming Increase Public Concern about Climate Change? *The Journal of Politics* 81(2): 686–691. DOI: [10.1086/701766](https://doi.org/10.1086/701766).
- Brackel B von (2021) Klimawandel hat Hochwasser in NRW verschärft. *Süddeutsche.de*.
- Brooks J, Oxley D, Vedlitz A, et al. (2014) Abnormal Daily Temperature and Concern about Climate Change Across the United States. *Review of Policy Research* 31(3): 199–217. DOI: [10.1111/ropr.12067](https://doi.org/10.1111/ropr.12067).
- Copernicus Emergency Management Service (2021) *EMSR497: Flood in Germany*.
- Demski C, Capstick S, Pidgeon N, et al. (2017) Experience of extreme weather affects climate change mitigation and adaptation responses. *Climatic Change* 140(2): 149–164. DOI: [10.1007/s10584-016-1837-4](https://doi.org/10.1007/s10584-016-1837-4).
- Erlanger S and Eddy M (2021) Floods Thrust Climate Change to Center of German Campaign as Toll Mounts. *The New York Times*.
- European Commission (2021) *Special Eurobarometer 513: Germany*.

Federal Ministry of the Interior and Finance Ministry (2021) *Zwischenbericht zur Flutkatastrophe 2021: Katastrophenhilfe, Soforthelfen und Wiederaufbau*. September.

Gaspar JT and Reeves A (2011) Make It Rain? Retrospection and the Attentive Electorate in the Context of Natural Disasters. *American Journal of Political Science* 55(2): 340–355. DOI: [10.1111/j.1540-5907.2010.00503.x](https://doi.org/10.1111/j.1540-5907.2010.00503.x).

Hazlett C and Mildemberger M (2020) Wildfire Exposure Increases Pro-Environment Voting within Democratic but Not Republican Areas. *American Political Science Review* 114(4): 1359–1365. DOI: [10.1017/S0003055420000441](https://doi.org/10.1017/S0003055420000441).

Healy A and Malhotra N (2009) Myopic Voters and Natural Disaster Policy. *American Political Science Review* 103(3): 387–406. DOI: [10.1017/S0003055409990104](https://doi.org/10.1017/S0003055409990104).

Hilbig H and Riaz S (2022) Natural Disasters and Green Party Support. OSF Preprints. DOI: [10.31219/osf.io/3k64w](https://doi.org/10.31219/osf.io/3k64w).

Hoffmann R, Muttarak R, Peisker J, et al. (2022) Climate change experiences raise environmental concerns and promote Green voting. *Nature Climate Change* 12(2). Nature Publishing Group: 148–155. DOI: [10.1038/s41558-021-01263-8](https://doi.org/10.1038/s41558-021-01263-8).

Howe PD, Marlon JR, Mildemberger M, et al. (2019) How will climate change shape climate opinion? *Environmental Research Letters* 14(11): 113001. DOI: [10.1088/1748-9326/ab466a](https://doi.org/10.1088/1748-9326/ab466a).

Hölzl V (2021) Studie: Klimawandel macht Hochwasserkatastrophen wahrscheinlicher. *Die Zeit*. Hamburg.

Konisky DM, Hughes L and Kaylor CH (2016) Extreme weather events and climate change concern. *Climatic Change* 134(4): 533–547. DOI: [10.1007/s10584-015-1555-3](https://doi.org/10.1007/s10584-015-1555-3).

Lujala P (2014) Climate change, natural hazards, and risk perception: The role of proximity and personal experience.: 22. DOI: [10.1080/13549839.2014.887666](https://doi.org/10.1080/13549839.2014.887666).

Masiero G and Santarossa M (2020) Natural disasters and electoral outcomes. *European Journal of Political Economy*: 101983. DOI: [10.1016/j.ejpoleco.2020.101983](https://doi.org/10.1016/j.ejpoleco.2020.101983).

McAllister JH and bin Oslan A (2021) Issue ownership and salience shocks: The electoral impact of Australian bushfires. *Electoral Studies* 74: 102389. DOI: [10.1016/j.electstud.2021.102389](https://doi.org/10.1016/j.electstud.2021.102389).

Rahmstorf S (2021) Extremregen: Wie der Klimawandel mit den Überschwemmungen zusammenhängt. *Der Spiegel*.

Rudman LA, McLean MC and Bunzl M (2013) When Truth Is Personally Inconvenient, Attitudes Change: The Impact of Extreme Weather on Implicit Support for Green Politicians and Explicit Climate-Change Beliefs. *Psychological Science* 24(11). SAGE Publications Inc: 2290–2296. DOI: [10.1177/0956797613492775](https://doi.org/10.1177/0956797613492775).

Rudolph, L., & Kuhn, P. M. (2018). Natural Disasters and Political Participation: Evidence from the 2002 and 2013 Floods in Germany. *German Politics*, 27(1), 1–24. <https://doi.org/10.1080/09644008.2017.1287900>

Rüttenauer T (2021) *Extreme Weather Events Elevate Climate Change Belief but not Pro-Environmental Behaviour*. Preprint, February. SocArXiv. DOI: [10.31235/osf.io/574uf](https://doi.org/10.31235/osf.io/574uf).

Solomon E (2021) Climate anxiety fails to translate into votes as German election looms. *Financial Times*.

Spence A, Poortinga W, Butler C, et al. (2011) Perceptions of climate change and willingness to save energy related to flood experience. *Nature Climate Change* 1(1). Nature Publishing Group: 46–49. DOI: [10.1038/nclimate1059](https://doi.org/10.1038/nclimate1059).

Valentim A (2021) *Imperfect Information and Party Responsiveness: Evidence From the Green Party in England*. ID 3960045, SSRN Scholarly Paper, November. Rochester, NY: Social Science Research Network. DOI: [10.2139/ssrn.3960045](https://doi.org/10.2139/ssrn.3960045).

Weber EU (2016) What shapes perceptions of climate change? New research since 2010. *WIREs Climate Change* 7(1): 125–134. DOI: [10.1002/wcc.377](https://doi.org/10.1002/wcc.377).