

OnStream MediaPlayer+ Device Capability File (cap.xml)

Application Guide for All Platforms

VisualOn, Inc.

January, 2016

20160111

Copyright/Confidentiality Notice

© 2016 [VisualOn, Inc.](#) All rights reserved.

VisualOn Trademarks

Trademarks and service marks of VisualOn, Inc. (VisualOn) contained in this document are attributed to VisualOn with the appropriate symbol. For queries regarding VisualOn's trademarks, contact the corporate legal department from [VisualOn website](#).

VisualOn® OnStream®

All other trademarks are the property of their respective holders.

Proprietary and Confidential Information Notice

The information contained herein is the proprietary and/or confidential information, including trade secrets, of VisualOn or its licensors, and such information may not be used without prior written permission of VisualOn. Without limiting the foregoing, no part of this publication may be reproduced in whole or in part by any means (including photocopying or storage in an information storage/retrieval system) or transmitted in any form or by any means. By receiving and using the information in this document, the recipient agrees to maintain the confidentiality of the information contained herein, and to be liable for any damages resulting from the breach of confidentiality obligations. If the recipient is unauthorized to receive this document, please return it or destroy it immediately.

Information in this document is subject to change without notice and does not represent a commitment on the part of VisualOn. Except as may be explicitly set forth in an agreement between VisualOn and its customer, VisualOn does not: (a) make, and expressly disclaims, any representations or warranties as to the completeness, accuracy or usefulness of the information contained in this document; (b) warrant that use of such information will not infringe any third party rights; (c) assume any liability for damages or costs of any kind that may result from use of such information.

RESTRICTED RIGHTS LEGEND Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013.

UNPUBLISHED This document contains unpublished confidential information and is not to be disclosed or used except as authorized by prior, written permission of VisualOn. Rights reserved under the copyright laws of the United States.

Table of Contents

| | | |
|-----|--------------------------------|---|
| 1 | About This Manual | 3 |
| 1.1 | Overview | 3 |
| 1.2 | Related documents | 3 |
| 2. | Introduction | 3 |
| 2.1 | API implementation | 4 |
| 3. | XML Syntax | 4 |
| 3.1 | CodecType definitions | 4 |
| 3.2 | Example #1 | 5 |
| 4. | Recommended Bitrate Caps | 5 |

1 About This Manual

1.1 Overview

This application guide provides a reference manual for the device capability file (*cap.xml*), which can be used with the OnStream® MediaPlayer+ (referred hereafter to as OSMP+) to optimize playback of variant playlists on devices with specific characteristics.

1.2 Related documents

The following documents (included with your installation package) provide additional information related to this application guide:

- API Reference Manual.zip
- OnStream MediaPlayer+ Player SDK Integration Guide for Android.pdf
- OnStream MediaPlayer+ Player SDK Integration Guide for iOS.pdf
- OnStream MediaPlayer+ Player SDK Integration Guide for Windows.pdf
- OnStream MediaPlayer+ Player SDK Integration Guide for Mac OS.pdf

2. Introduction

The device capability file (*cap.xml*) is an Extensible Markup Language (XML) file that specifies the maximum bitrate that the SDK tries to play when targeting a variant playlist (multiple tracks of the same content) on a specific type of device. The maximum bitrate defined in the device capability file overrides the default initial bitrate selection. The maximum bitrate is also respected by the SDK bitrate adaptation algorithm.

Note: The bitrate cap defined in the *cap.xml* file applies to both H.264 and H.265/HEVC and is only applied when targeting a variant playlist. If there is only a single audio or video track, the bitrate cap does not apply. In addition, the bitrate cap defined in *cap.xml* is designed for H.264 and might not work properly for H.265/HEVC. Contact your VisualOn sales person to obtain the *cap.xml* file specific for H.265/HEVC.

Clusters or groups of devices can be identified in the device capability file by their platform characteristics that include:

- Number of cores
- CPU frequency
- Availability of optimizations

The device capability file can be packaged with the application or be downloaded at runtime, and is support across all platforms (Android, iOS, Windows browser plug-in, and Mac OS browser plug-in).

2.1 API implementation

The bitrate cap can also be implemented by using the Player API. The Player API can be used to manually get the platform characteristics and set the bitrate cap.

Note: For more information on the Player API and its integration, refer to the platform-specific *API Reference Manual* and *OnStream MediaPlayer+ Player SDK Integration Guide*.

3. XML Syntax

The device capability file uses a simple XML syntax to describe the characteristics and maximum bitrates of one or more platforms. The basic syntax is described as follows.

```
<?xml version="1.0" encoding="UTF-8"?><!--CPU Cap XML file.-->
<CapData><!--Begin cap data-->
<item><!--Begin platform configuration-->
<Core><!--Number of cores--></Core>
<Neon><!--Neon available 1:yes|0:no--></Neon>
<Frequency><!--Frequency (khz)--></Frequency>
<CodecType><!--Codec type (see next section)--></CodecType>
<BitRate><!--Bit rate (bps)--></BitRate>
<VideoWidth><!--(Optional, currently ignored) Video width
(px)--></VideoWidth>
<VideoHeight><!--(Optional, currently ignored) Video height
(px)--></VideoHeight>
<ProfileLevel><!--(Currently ignored) Profile level--></ProfileLevel>
<FPS><!--(Currently ignored) Frame rate (fps)--></FPS>
</item><!--End platform configuration-->
<!--More items-->
</CapData><!--End cap data-->
<!--End Cap XML file-->
```

3.1 CodecType definitions

The *CodecType* uses the same definitions as the *VOOSMP_VIDEO_CODINGTYPE* enumerated type as follows.

```
typedef enum {
VOOSMP_VIDEO_CodingUnused = 0, /*!< Value when coding is N/A */
VOOSMP_VIDEO_CodingMPEG2, /*!< A.K.A. H.262 */
VOOSMP_VIDEO_CodingH263, /*!< H.263 */
VOOSMP_VIDEO_CodingS263, /*!< S.263 */
VOOSMP_VIDEO_CodingMPEG4, /*!< MPEG-4 */
VOOSMP_VIDEO_CodingH264, /*!< H.264/AVC */
VOOSMP_VIDEO_CodingWMV, /*!< All versions of Windows Media Video */
VOOSMP_VIDEO_CodingRV, /*!< All versions of Real Video */
VOOSMP_VIDEO_CodingMJPEG, /*!< Motion JPEG */
VOOSMP_VIDEO_CodingDIVX, /*!< DIV3 */
VOOSMP_VIDEO_CodingVP6, /*!< VP6 */
VOOSMP_VIDEO_CodingVP8, /*!< VP8 */
VOOSMP_VIDEO_CodingVP7, /*!< VP7 */
```

```
VOOSMP_VIDEO_CodingVC1, /*VC1: WMV3, WMVA, WVC1 */
VOOSMP_VIDEO_Coding_Max = 0X7FFFFFFF
}VOOSMP_VIDEO_CODINGTYPE;
```

3.2 Example #1

Platform characteristics: two core device with Neon enabled and a frequency of 1GHz
(Codec reads these values from the device model)

Maximum bitrate: 1.5Mbps from the variant playlist (This maximum bitrate is recommended based on the platform characteristics, to ensure the best performance using the codec.)

Item definition:

```
<item>
<Core>2</Core>
<Neon>1</Neon>
<Frequency>1000000</Frequency>
<CodecType>5</CodecType>
<BitRate>1500000</BitRate>
<VideoWidth>640</VideoWidth>
<VideoHeight>480</VideoHeight>
<ProfileLevel>1</ProfileLevel>
<FPS>30</FPS>
</item>
```

4. Recommended Bitrate Caps

Table 1 lists the recommended bitrate caps for platforms without hardware acceleration.

Table 1: Recommended bitrate caps

| Core numbers | Neon optimization | Frequency (MHz) | Recommended bitrate cap (kpbs) | Resolution (width x height) | Frame rate (fps) |
|--------------|-------------------|-----------------|--------------------------------|-----------------------------|------------------|
| 1 | No | 600 | 300 | 320x240 | 30 |
| 1 | No | 800 | 500 | 480x320 | 30 |
| 1 | Yes | 1000 | 800 | 640x480 | 30 |
| 1 | Yes | 1500 | 1000 | 640x480 | 30 |
| 2 | No | 1000 | 1500 | 720x480 | 30 |
| 2 | No | 1500 | 1800 | 720x480 | 30 |
| 2 | Yes | 800 | 1400 | 720x480 | 30 |
| 2 | Yes | 1000 | 1600 | 720x480 | 30 |
| 2 | Yes | 1200 | 1800 | 720x480 | 30 |

| | | | | | |
|---|-----|------|------|----------|----|
| 2 | Yes | 1700 | 2000 | 720x480 | 30 |
| 4 | Yes | 1000 | 2500 | 1280x720 | 30 |
| 4 | Yes | 1500 | 3000 | 1280x720 | 30 |
| 4 | Yes | 2000 | 4000 | 1280x720 | 30 |

Note: These values are only recommendations only, which might vary depending on your hardware and software platform requirements. Currently, the values of video width/height and frame rate are ignored.