

Harvesting the quantum quagmire

KARL SVOZIL^{*}

*Institute of Theoretical Physics, Vienna University of Technology,
Wiedner Hauptstraße 8-10/136, A-1040 Vienna, Austria*

Received ; In final form

If the unitary quantum mechanical state evolution is universally valid, quantized systems evolve uniformly, deterministically, and reversible; that is, one-to-one. Hence, what is considered an irreversible measurement might be a purely subjective, conventional, and convenient abstraction of the situation that, although in principle totally reversible, for all practical purposes (fapp), measurements cannot be undone. If this is granted, then Schrödinger's "quantum jellification" arises because of the inevitability of the physical co-existence of classically mutually exclusive states through quantum coherence. It is suggested to take the rather unique human cognitive and perceptive experience as evidence that, at least at the level of apperception, quantum jellification does not exist at all. Otherwise the problems of how to characterize the ambivalence of perception and cognition induced by quantum coherence on a fundamental level of cognition, and why this ambivalence appears to be rather weak and can be ignored fapp, remain unsolved.

Key words: quantum measurement theory, quantum computation theory, quantum coherence, quantum entanglement

1 COMPATIBILITY BETWEEN THE TWO TYPES OF QUANTUM EVOLUTIONS

With regard to the evolution of the formal representation of any physical state there appear to be two principal dual quantum *modi operandi*: (i) on the one

^{*} email: svozil@tuwien.ac.at

hand quantum mechanics postulates a deterministic, one-to-one evolution of the state inbetween two irreversible measurements; (ii) yet on the other hand irreversible measurements are modelled by indeterministic and irreversible, many-to-one mappings. This duality has already been reflected by Born [4, p. 804] (English translation in Ref. [15, p. 302]) stating that “the motion of particles conforms to the laws of probability, but the probability itself is propagated in accordance with the law of causality. This means that knowledge of a state in all points in a given time determines the distribution of the state at all later times.”

At the time of Born’s considerations, not too many people seemed to have been concerned about the consequences of these postulates for individual quanta, let alone their intrinsic consistency. Alas, with increasing intensity Schrödinger worried about the conceptual and empirical ramifications associated with the assumption of a dual quantum evolution. Early on, in a series of centennial papers [25, 26, 27] he pointed out that, if the quantum coexistence of classically distinct and even mutually exclusive states is taken for granted, then due to the very different futures or consequences evolving from such states – futures and consequences which can have very different renditions on a macroscopic scale – seemingly mindboggling if not outrightly absurd consequences follow. The most famous such example is a cat being in a “coherent superposition between life and death.” One may intensify Schrödinger’s concerns even more by considering this situation not from an external, outside point of view, but from a quasi-conscious intrinsic [32] experience of an individual suspended in a coherent superposition between life and death. Alas, as Hilbert once pointedly stated [14, p. 163], “the conception that facts and events could contradict themselves appears to me as an exemplar of thoughtlessness.”

Later on, Schrödinger addressed related issues by pointing out that irreversible measurements (quasi conspicuously) appear to “save the day” by turning a quantum superposition he termed “jelly fish” or “quagmire” into a unique phenomenology [28, pp. 19–20]: “The idea that [[the alternate measurement outcomes]] be not alternatives but *all* really happening simultaneously seems lunatic to [[the quantum theorist]], just *impossible*. He thinks that if the laws of nature took *this* form for, let me say, a quarter of an hour, we should find our surroundings rapidly turning into a quagmire, a sort of a featureless jelly or plasma, all contours becoming blurred, we ourselves probably becoming jelly fish. It is strange that he should believe this. For I understand he grants that unobserved nature does behave this way – namely according to the wave equation. . . . according to the quantum theorist, nature

is prevented from rapid jellification only by our perceiving or observing it.”

Very similar concerns have been raised by Everett [8], who refers to Process 1 and Process 2 as “the discontinuous change brought about by the observation of a quantity,” and “the continuous, deterministic change of state of an isolated system with time according to a wave equation,” respectively. Everett then continues by considering “an isolated system consisting of an observer or measuring apparatus, plus an object system. Can the change with time of the state of the total system be described by Process 2? If so, then it would appear that no discontinuous probabilistic process like Process 1 can take place. If not, we are forced to admit that systems which contain observers are not subject to the same kind of quantum-mechanical description as we admit for all other physical systems.” And so, pointedly stated, either there is no such thing as an irreversible measurement, or quantum mechanics is invalid; at least during observations.

Presently the theoretical and empirical findings appear to corroborate the former assumption of the impossibility of an irreversible measurement. At least in principle, it is commonly believed that any measurement can be undone [19, 30, 10, 29, 45, 17, 21, 6, 12], although for all practical purposes (fapp) most measurements cannot be undone. Arguments for a rapid tendency of coherent superpositions to become effectively classical due to environmental effects resulting in the outflow of correlations and entanglement into uncontrollable regions of spacetime [47] contribute to a fapp understanding, but they are of not much help when it comes to questions of principle.

Strictly speaking, irreversible measurements do not exist. What is considered a “measurement,” and thus the subject-object partition manifesting itself through the cut between the measurement tool and the system, between observer and object, fapp is a convenient approximation, if not an outright illusion. Any such distinction, though fapp acknowledged, must inevitably be purely conventional [34]. Hence, from a principle point of view, it remains totally unclear why we are not living in a jellified universe characterized by Schrödinger’s quagmire state consisting of a coherent superposition of all possibilities and potentialities resulting from the (supposedly random) choices which have simultaneously coexisted and will remain to coexist forever. Everett’s assumption of the simultaneous existence of (conscious) observers which are capable of surfing through this quagmire by always keeping a classical view of the picture, thereby multiplying and branching off at every observation (with supposedly random outcome), appears to be a highly questionable scenario. For we have not the faintest idea how such a quasiclassical picture could be maintained within the quantum quagmire, and neither Ev-

erett nor anybody else has ever suggested how this might come about.

Another issue is related to multipartite entanglement across spatial distances. When measuring a concrete particle it cannot be excluded that this particle is not, say, a partner of a pair of particles in a singlet state; with the other partner “far away.” Moreover, interactions between two systems may create a bigger entangled supersystem. In classical physics measurement of a certain single particle property in a quasi-singlet state [18] would be totally justifiable. This is due to the fact that the states of classical compound systems can be composed from the states of the individual parts, and also due to the omniscience a classical observer can at least in principal be endowed with. From the principle of quantum complementarity as well as from Bell-, Kochen-Specker- and Greenberger-Horne-Zeilinger arguments this can no longer be assumed quantum mechanically. In contrast, the information encoded in a quantum system, through entanglement, may be distributed over some multipartite state; whereas measurement of the individual constituents would render arbitrary outcomes and might reveal nothing at all about the encoding. For instance, the singlet state of two spin-half particles is totally characterized by the joint property that, when measured along two different spatial directions, the outcomes of spin state measurements of the individual particles are exactly opposite [46, p. 640]. Any outcome of measurements on individual particles reveals no information encoded originally whatsoever; it is only after (re)combining the individual outcomes that the information encoded in the joint correlations can be extracted. It is this property of “distributive information” that is at the heart of certain speedups in quantum computation, such as Deutsch’s algorithm. Thus, in a strict sense, any entangled quantized system shall never be considered to consist of individual separated parts. Insisting on and forcing this partial view renders an improper conception of the entangled mind.

2 EPISTEMIC INCOMPLETENESS VERSUS PHENOMENOLOGICAL UNIQUENESS

In view of the conceptual difficulties discussed so far it might not be totally unreasonable to pursue another, epistemic, route. Suppose that the wave function is the optimal representation of our intrinsic knowledge of a quantized system rather than of an objective state of the universe; in Schrödinger’s own words, it is a catalogue of expectations [25]. The representation of a physical system may not be unique, and not even consistent, because, as expressed by Bohr [3], it inevitably copes with “the impossibility of any sharp sepa-

ration between the behavior of atomic objects and the interaction with the measuring instruments which serve to define the conditions under which the phenomena appear. . . . Consequently, evidence obtained under different experimental conditions cannot be comprehended within a single picture, but must be regarded as complementary in the sense that only the totality of the phenomena exhausts the possible information about the objects.” Bohr also might have suggested that [20, p. 12] “there is no quantum world. There is only an abstract physical description. It is wrong to think that the task of physics is to find out how nature *is*. Physics concerns what we can *say* about nature.”

From this point of view, quantum theory might be considered a formalization of Plato’s Allegory of the Cave. In this scenario, Schrödinger’s quagmire could be avoided by acknowledging that, while any physical system at any particular step of evolution is in a single unique state, yet fapp this state remains incomprehensible to intrinsic observers. The optimal representation of this state is given by quantum mechanics, but as we are inevitably ignorant of the “true” state, any formally “complete” representation referring to all potential measurement outcomes needs to be ambivalent from a classical point of view [14]. At the same time, the (at least fapp) apparent uniqueness of our experience both of the outside world as well as of our self image indicates that we are not quagmires or jelly fish (hence the title relating to Descartes’ Principles of Philosophy), thereby corroborating the assumptions of a unique but unknowable state of the universe.

In what follows we shall briefly mention a few phenomenological indications related to the epistemic approach just mentioned. Alas, as these are neither necessary nor sufficient for the above epistemological assumptions, they cannot be considered as either tests or proofs. One argument [39] is against quantum contextuality as exhibited by quantum mechanics itself. Bell suggested [1, p. 451] that “the result of an observation may reasonably depend . . . on the complete disposition of the apparatus.” That is, the outcome of a measurement of an observable may depend on what other commensurable observables are measured alongside of that observable. The simplest nontrivial empirical setup to test this assumption [13, 22, 36, 39] is the quantum logic L_{12} [33, 38] whose structure of propositions is depicted by the Greechie orthogonality diagram [9] (representing orthogonal one-dimensional projectors by smooth, unbroken lines) in Fig. 1.

In order to be able to use the type of counterfactual inference employed by an Einstein-Podolsky-Rosen [7] setup, a multipartite quantum state has to be chosen which satisfies the *uniqueness property* [37] with respect to the two




FIGURE 1
(Color online) Diagrammatic representation of two interlinked Kochen-Specker contexts.

interlinked contexts (or, by another synonym, subalgebras) such that knowledge of a measurement outcome of one particle entails the certainty that, if this observable were measured on the other particle(s), the outcome of the measurement would be a unique function of the outcome of the measurement actually performed. Consider the two spin-one particle singlet state

$$|\varphi_s\rangle = \frac{1}{\sqrt{3}} (-|00\rangle + |-+\rangle + |+-\rangle)$$

and identify with the spin states the directions in Hilbert space $|+\rangle = (1, 0, 0)$, $|0\rangle = (0, 1, 0)$, and $|-\rangle = (0, 0, 1)$. In the Kronecker product representation, $|\varphi_s\rangle = (1/\sqrt{3})(0, 0, 1, 0, -1, 0, 1, 0, 0)$. This singlet state is form invariant under spatial rotations (but not under all unitary transformations [23]) and thus satisfies the uniqueness property for all such operations, just as the ordinary Bell singlet state of two spin one-half quanta. Hence, it is possible to employ a similar counterfactual argument and establish two elements of physical reality according to the Einstein-Podolsky-Rosen criterion for the two interlinked contexts (i.e., maximal systems of commensurable observables [33, 38]) depicted in Fig. 1.

For the sake of modeling observables corresponding to the configuration depicted in Fig. 1, consider the maximal Kochen and Specker operators [16] defined by

$$\begin{aligned}
C(\alpha, \beta, \gamma) &= \frac{1}{2} [(\alpha + \beta - \gamma)J^2(\frac{\pi}{2}, 0) \\
&\quad + (\alpha - \beta + \gamma)J^2(\frac{\pi}{2}, \frac{\pi}{2}) + (\beta + \gamma - \alpha)J^2(0, 0)] , \\
C'(\alpha, \beta, \gamma) &= \frac{1}{2} [(\alpha + \beta - \gamma)J^2(\frac{\pi}{2}, \frac{\pi}{4}) \\
&\quad + (\alpha - \beta + \gamma)J^2(\frac{\pi}{2}, \frac{3\pi}{4}) + (\beta + \gamma - \alpha)J^2(0, 0)] ,
\end{aligned} \tag{1}$$

for some real $\alpha \neq \beta \neq \gamma \neq \alpha$, where

$$J(\theta, \phi) = \begin{pmatrix} \cos \theta & \frac{e^{-i\phi} \sin \theta}{\sqrt{2}} & 0 \\ \frac{e^{i\phi} \sin \theta}{\sqrt{2}} & 0 & \frac{e^{-i\phi} \sin \theta}{\sqrt{2}} \\ 0 & \frac{e^{i\phi} \sin \theta}{\sqrt{2}} & -\cos \theta \end{pmatrix} \tag{2}$$

stands for the spin one observables (e.g., Refs. [24, 23]) in arbitrary directions measured in spherical coordinates. $0 \leq \theta \leq \pi$ represents the polar angle in the x - z -plane taken from the z -axis, and $0 \leq \phi < 2\pi$ is the azimuthal angle in the x - y -plane taken from the x -axis.

The experimentally testable criterion for contextuality can be stated as follows: Contextuality predicts that there exist outcomes associated with α on one context C which are accompanied by the outcomes ϵ or ζ for the other context C' ; likewise δ should be accompanied by β and γ . The quantum mechanical expectation values can be obtained from

$$\text{Tr} \{ |\varphi_s\rangle \langle \varphi_s| \cdot [C(\alpha, \beta, \gamma) \otimes C'(\delta, \epsilon, \zeta)] \} = \frac{1}{6} [2\alpha\delta + (\beta + \gamma)(\epsilon + \zeta)] . \tag{3}$$

As a consequence, the outcomes α - ϵ , α - ζ , as well as β - δ and γ - δ indicating contextuality do not occur. This is in contradiction with the quantum contextuality hypothesis.

Another possibility to experimentally corroborate the assumption that quantum mechanics is an optimal epistemic theory about an inaccessible single and unique ontological state (of the universe and thus of everything physical) is to test the context translation principle [35, 40] postulating the possibility to reduce, enhance and tune at will the capacity of a measurement device to translate between the context prepared and the context measured. Here, again, a quantum mechanical context [38] (or subalgebra of the Hilbert logic) is a maximal collection of commensurable observables within the nondistributive structure of quantum propositions. It can be formalized by a single maximal self-adjoint operator, such that every collection of mutually compatible commensurable operators (such as projectors corresponding to yes-no propositions) are functions thereof [11, § 84] (cf. also Ref. [42, Sec. II.10, p. 90]).

3 SUMMARY

In summary we have briefly considered three indications or criteria that might be capable of supporting the notion of a quantum rendition of an essentially epistemic theory based on an unknowable “reality.” The first evidence comes through self-introspection in the sense of Descartes, by perceiving a rather unique and singular state of the external world, as well as of the observer’s mind with regard to one’s own conscious self-experience. The second argument is based on the independence of single outcomes from the accompanying contexts in Einstein-Podolsky-Rosen type setups, and the third suggests to consider the capability of physical systems to translate between a mismatch of preparation and measurement contexts.

The consequences for the applicability of quantum mechanical devices which might be capable of potentially outperforming classical universal computation, say by rendering true uncomputability [5], are immense. For, as stated by Zeilinger [46, p. 636], if an observable is measured which is complementary to the state of an elementary system before the measurement, and if there is no computable context translation mechanism or other causal scenario, “the result is completely random because in such a measurement the elementary system carries no information whatsoever about the measurement result. We note that, most importantly, after the measurement the system is found in a new definite state. The information carried now by the system is not in any way determined by the information it carried before the measurement. Thus we conclude that the new information the system now represents has been spontaneously created in the measurement itself.” Any such system outperforms deterministic algorithmic formalizations, such as universal Turing machines or cellular automata, by effectively yielding a model for indeterministic oracles.

REFERENCES

- [1] John S. Bell. (1966). On the problem of hidden variables in quantum mechanics. *Reviews of Modern Physics*, 38:447–452. Reprinted in Ref. [2, pp. 1-13].
- [2] John S. Bell. (1987). *Speakable and Unspeakable in Quantum Mechanics*. Cambridge University Press, Cambridge.
- [3] Niels Bohr. (1949). Discussion with Einstein on epistemological problems in atomic physics. In P. A. Schilpp, editor, *Albert Einstein: Philosopher-Scientist*, pages 200–241. The Library of Living Philosophers, Evanston, Ill.
- [4] Max Born. (1926). Quantenmechanik der Stoßvorgänge. *Zeitschrift für Physik*, 38:803–827.

- [5] Cristian S. Calude and Karl Svozil. (December 2008). Quantum randomness and value indefiniteness. *Advanced Science Letters*, 1(2):165–168.
- [6] Michael S. Chapman, Troy D. Hammond, Alan Lenef, Jörg Schmiedmayer, Richard A. Rubenstein, Edward Smith, and David E. Pritchard. (Nov 1995). Photon scattering from atoms in an atom interferometer: Coherence lost and regained. *Physical Review Letters*, 75(21):3783–3787.
- [7] Albert Einstein, Boris Podolsky, and Nathan Rosen. (May 1935). Can quantum-mechanical description of physical reality be considered complete? *Physical Review*, 47(10):777–780.
- [8] Hugh Everett. (1957). ‘relative state’ formulation of quantum mechanics. *Reviews of Modern Physics*, 29:454–462. Reprinted in Ref. [44, pp. 315–323].
- [9] J. R. Greechie. (1971). Orthomodular lattices admitting no states. *Journal of Combinatorial Theory*, 10:119–132.
- [10] Daniel M. Greenberger and Alain Aspect. (1989). “Haunted” measurements in quantum theory. *Foundation of Physics*, 19(6):679–704.
- [11] Paul R. Halmos. (1974). *Finite-dimensional Vector Spaces*. Springer, New York, Heidelberg, Berlin.
- [12] Thomas J. Herzog, Paul G. Kwiat, Harald Weinfurter, and Anton Zeilinger. (1995). Complementarity and the quantum eraser. *Physical Review Letters*, 75(17):3034–3037.
- [13] Peter Heywood and Michael L. G. Redhead. (1983). Nonlocality and the Kochen-Specker paradox. *Foundations of Physics*, 13(5):481–499.
- [14] David Hilbert. (1926). Über das Unendliche. *Mathematische Annalen*, 95(1):161–190.
- [15] Max Jammer. (1989). *The Conceptual Development of Quantum Mechanics. The History of Modern Physics, 1800-1950; v. 12*. American Institute of Physics, New York, second edition.
- [16] Simon Kochen and Ernst P. Specker. (1967). The problem of hidden variables in quantum mechanics. *Journal of Mathematics and Mechanics (now Indiana University Mathematics Journal)*, 17(1):59–87. Reprinted in Ref. [31, pp. 235–263].
- [17] Paul G. Kwiat, Aephraim M. Steinberg, and Raymond Y. Chiao. (Jun 1992). Observation of a “quantum eraser:” a revival of coherence in a two-photon interference experiment. *Physical Review A*, 45(11):7729–7739.
- [18] Asher Peres. (1978). Unperformed experiments have no results. *American Journal of Physics*, 46:745–747.
- [19] Asher Peres. (Aug 1980). Can we undo quantum measurements? *Physical Review D*, 22(4):879–883.
- [20] Aage Petersen. (September 1963). The philosophy of Niels Bohr. *Bulletin of the Atomic Scientists*, 19(7):8–14.
- [21] T. Pfau, S. Spälter, Ch. Kurtsiefer, C. R. Ekstrom, and J. Mlynek. (Aug 1994). Loss of spatial coherence by a single spontaneous emission. *Physical Review Letters*, 73(9):1223–1226.
- [22] Michael Redhead. (1990). *Incompleteness, Nonlocality, and Realism: A Prolegomenon to the Philosophy of Quantum Mechanics*. Clarendon Press, Oxford.
- [23] M. E. Rose. (1957). *Elementary Theory of Angular Momentum*. John Wiley & Sons, New York.
- [24] Leonard I. Schiff. (1955). *Quantum Mechanics*. McGraw-Hill, New York.
- [25] Erwin Schrödinger. (1935). Die gegenwärtige Situation in der Quantenmechanik. *Naturwissenschaften*, 23:807–812, 823–828, 844–849. English translation in Ref. [41] and in Ref. [44, pp. 152–167].

- [26] Erwin Schrödinger. (1935). Discussion of probability relations between separated systems. *Mathematical Proceedings of the Cambridge Philosophical Society*, 31(04):555–563.
- [27] Erwin Schrödinger. (1936). Probability relations between separated systems. *Mathematical Proceedings of the Cambridge Philosophical Society*, 32(03):446–452.
- [28] Erwin Schrödinger. (1995). *The Interpretation of Quantum Mechanics. Dublin Seminars (1949-1955) and Other Unpublished Essays*. Ox Bow Press, Woodbridge, Connecticut.
- [29] Marian O. Scully, Berthold-Georg Englert, and Herbert Walther. (May 1991). Quantum optical tests of complementarity. *Nature*, 351:111–116.
- [30] Marlan O. Scully and Kai Drühl. (Apr 1982). Quantum eraser: A proposed photon correlation experiment concerning observation and “delayed choice” in quantum mechanics. *Physical Review A*, 25(4):2208–2213.
- [31] Ernst Specker. (1990). *Selecta*. Birkhäuser Verlag, Basel.
- [32] Karl Svozil. (1994). Extrinsic-intrinsic concept and complementarity. In H. Atmanspacher and G. J. Dalenoot, editors, *Inside versus Outside*, pages 273–288. Springer, Heidelberg.
- [33] Karl Svozil. (1998). *Quantum Logic*. Springer, Singapore.
- [34] Karl Svozil. (2002). Conventions in relativity theory and quantum mechanics. *Foundations of Physics*, 32:479–502.
- [35] Karl Svozil. (2004). Quantum information via state partitions and the context translation principle. *Journal of Modern Optics*, 51:811–819.
- [36] Karl Svozil. (2005). On counterfactuals and contextuality. In Andrei Khrennikov, editor, *AIP Conference Proceedings 750. Foundations of Probability and Physics-3*, pages 351–360. Melville, NY. American Institute of Physics.
- [37] Karl Svozil. (2006). Are simultaneous Bell measurements possible? *New Journal of Physics*, 8:39, 1–8.
- [38] Karl Svozil. (2009). Contexts in quantum, classical and partition logic. In Kurt Engesser, Dov M. Gabbay, and Daniel Lehmann, editors, *Handbook of Quantum Logic and Quantum Structures*, pages 551–586. Elsevier, Amsterdam.
- [39] Karl Svozil. (2009). Proposed direct test of a certain type of noncontextuality in quantum mechanics. *Physical Review A*, 80(4):040102.
- [40] Karl Svozil. (2010). Quantum value indefiniteness. *Natural Computing*, online first:1–12.
- [41] J. D. Trimmer. (1980). The present situation in quantum mechanics: a translation of Schrödinger’s “cat paradox”. *Proceedings of the American Philosophical Society*, 124:323–338. Reprinted in Ref. [44, pp. 152-167].
- [42] John von Neumann. (1932). *Mathematische Grundlagen der Quantenmechanik*. Springer, Berlin. English translation in Ref. [43].
- [43] John von Neumann. (1955). *Mathematical Foundations of Quantum Mechanics*. Princeton University Press, Princeton, NJ.
- [44] John Archibald Wheeler and Wojciech Hubert Zurek. (1983). *Quantum Theory and Measurement*. Princeton University Press, Princeton, NJ.
- [45] A. G. Zajonc, L. J. Wang, X. Y. Zou, and L. Mandel. (October 1991). Quantum eraser. *Nature*, 353:507–508.
- [46] Anton Zeilinger. (1999). A foundational principle for quantum mechanics. *Foundations of Physics*, 29(4):631–643.
- [47] Wojciech Hubert Zurek. (May 2003). Decoherence, einselection, and the quantum origins of the classical. *Reviews of Modern Physics*, 75(3):715–775.