

**Legend:**
■ Negative
 □ Neutral
 ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (1.00)	SurroundingEnvironment	-1.08	[CLS] A passenger aircraft is nearby . [SEP]
				[CLS] Fly with caution [SEP]
				[CLS] Account not logged in . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Flight altitude and distance restricted to nnn and nnn . [SEP]
Normal	Normal (0.38)	Normal	-0.09	[CLS] Check and log in [SEP]
ParamViolation	ParamViolation (0.96)	ParamViolation	1.80	[CLS]
				ActiveTrack Flight Paused [SEP]
				[CLS] Aircraft ActiveTrack available at max speed . [SEP]
Normal	Normal (1.00)	Normal	1.49	[CLS] Obstacle Avoidance is not available [SEP]
Normal	Normal (1.00)	Normal	1.39	[CLS] Aircraft ActiveTrack available at max speed . [SEP]
Normal	Normal (1.00)	Normal	1.93	[CLS] When exceeding nnn , Obstacle Avoidance is not available [SEP]
Normal	Normal (1.00)	Normal	1.63	[CLS] Aircraft ActiveTrack available at max speed . [SEP]
Normal	Normal (1.00)	Normal	1.93	[CLS] When exceeding nnn , Obstacle Avoidance is not available [SEP]
Normal	Normal (0.99)	Normal	1.34	[CLS] Aircraft ActiveTrack max speed of

Normal	Normal (1.00)	Normal	1.81	nnn and Obstacle Avoidance functions normally [SEP] [CLS] Aircraft
HardwareFault	HardwareFault (0.99)	HardwareFault	2.09	Core Board Overheated [SEP] [CLS] Aircraft
Normal	Normal (0.99)	Normal	1.28	entered Fixed - Wing Mode . [SEP] [CLS] Current
Normal	Normal (1.00)	Normal	2.43	flight speed is nnn . [SEP]
Normal	Normal (1.00)	Normal	1.64	[CLS] Press C 2 to exit [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.57	flight control unlocked [SEP]
RegulationViolation	RegulationViolation (0.68)	RegulationViolation	1.98	[CLS] Aircraft in Restricted Zones . [SEP]
Normal	Normal (1.00)	Normal	1.79	[CLS] Check map to find Recommended Zones [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.86	is in Attitude mode , so that it will not hover . [SEP]
Normal	Normal (1.00)	Normal	1.69	[CLS] Please fly with caution . [SEP]
Normal	Normal (1.00)	Normal	1.60	[CLS] Aircraft is in Tripod Mode . [SEP]
Normal	Normal (1.00)	Normal	-0.01	[CLS] Exit this mode and try again [SEP]
Normal	Normal (1.00)	Normal	2.01	[CLS] Aircraft is returning to the starting

ParamViolation	ParamViolation (0.78)	ParamViolation	2.09	point [SEP]
				[CLS] Aircraft
				out of Range [SEP]
RegulationViolation	RegulationViolation (0.94)	RegulationViolation	1.83	[CLS]
				Approaching a No -Fly Zone .
				[SEP]
Normal	Normal (1.00)	Normal	1.79	[CLS] RTH
				may be affected .
				[SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP]
Normal	Normal (1.00)	Normal	1.98	[CLS] Arrived
				at Start Point .
				[SEP]
Normal	Normal (1.00)	Normal	1.64	[CLS] Starting
				Waypoint
				Mission [SEP]
Normal	Normal (1.00)	Normal	1.21	[CLS] Auto
				landing
				initiated [SEP]
Normal	Normal (1.00)	Normal	1.01	[CLS]
				Auxiliary
				Bottom Light
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	2.09	turned off [SEP]
				[CLS]
				Backward
HardwareFault	HardwareFault (0.96)	HardwareFault	2.01	Obstacle
				Sensing is not
				functioning .
HardwareFault	HardwareFault (0.99)	HardwareFault	2.02	[SEP]
				[CLS] Battery
				cell broken ,
Normal	Normal (1.00)	Normal	1.69	please replace
				the battery
				[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.83	[CLS] Battery
				error . [SEP]
				[CLS] Aircraft
HardwareFault	HardwareFault (1.00)	HardwareFault	1.83	returning to
				home
				automatically
HardwareFault	HardwareFault (1.00)	HardwareFault	1.83	[SEP]
				[CLS] Battery
				power low .

				[SEP]
				[CLS] Check
Normal	Normal (1.00)	Normal	1.79	battery status
				and charge or
				warm up
				battery [SEP]
				[CLS] Cache
HardwareFault	HardwareFault (0.80)	HardwareFault	0.87	Space Full
				[SEP]
				[CLS]
SurroundingEnvironment	HardwareFault (0.54)	SurroundingEnvironment	0.36	Calibration
				subject is too
				close . [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	2.22	Recalibrate
				using a
				subject that is
				farther away
				[SEP]
				[CLS] Camera
HardwareFault	SoftwareFault (0.92)	HardwareFault	-1.06	busy , cannot
				enter
				playback
				[SEP]
				[CLS] Cannot
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	1.70	enable
				Intelligent
				Flight Mode
				[SEP]
				[CLS] Low
HardwareFault	HardwareFault (0.99)	HardwareFault	1.84	Battery [SEP]
				[CLS] Cannot
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	2.55	start Return
				to Home due
				to weak GPS
				signal [SEP]
				[CLS] Cannot
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	1.80	start Self -
				Timer . [SEP]
				[CLS]
SoftwareFault	ParamViolation (0.85)	SoftwareFault	0.54	Exposure time
				is too long
				[SEP]
				[CLS] Cannot
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	2.07	switch flight
				mode . [SEP]
				[CLS] Turn on
				"Multiple

Normal	Normal (1.00)	Normal	2.35	Flight Modes "to enable Att i and Sport Modes . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.91	[CLS] Cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.56)	SurroundingEnvironment	-1.94	[CLS] No image [SEP]
Normal	Normal (0.99)	Normal	1.44	[CLS] Please retry [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.91	[CLS] Cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.98)	SurroundingEnvironment	-0.44	[CLS] Subject too Large [SEP]
Normal	Normal (1.00)	Normal	1.76	[CLS] Move Away and retry [SEP]
Normal	Normal (1.00)	Normal	1.70	[CLS] Color display in the Liveview has been enhanced . [SEP]
Normal	Normal (1.00)	Normal	1.87	[CLS] Videos and photos will still be shot in D -Log mode [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.00	[CLS] Compass abnormal . [SEP]
Normal	Normal (1.00)	Normal	1.48	[CLS] Solution : 1 . Ensure there are no magnets or metal objects near the aircraft . [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] The ground or walls may contain metal . [SEP]

				[CLS] Move away from sources of interference before attempting flight . [SEP]
Normal	Normal (1.00)	Normal	1.97	[CLS] 2 . Calibrate Compass Before Takeoff [SEP]
Normal	Normal (1.00)	Normal	1.91	[CLS] Compass Error [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.02	[CLS] Compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.94)	HardwareFault	1.48	[CLS] Compass Error . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.82	[CLS] Compass Error . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.82	[CLS] Compass Error . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.87	[CLS] Compass disconnected [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.82	[CLS] Compass Error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.84	[CLS] Magnetic Filed Interference . [SEP]
Normal	Normal (1.00)	Normal	1.64	[CLS] Exit P - GPS Mode [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.42	[CLS] Compass initialization failed . [SEP]
Normal	Normal (1.00)	Normal	1.39	[CLS] Restart aircraft [SEP]

HardwareFault	HardwareFault (0.99)	HardwareFault	1.94	[CLS] Critical low battery . [SEP]
Normal	Normal (1.00)	Normal	0.83	[CLS] Aircraft in Auto Power Off Protection . [SEP]
Normal	Normal (1.00)	Normal	1.53	[CLS] Forced landing in progress [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.94	[CLS] Critical low battery . [SEP]
Normal	Normal (1.00)	Normal	1.43	[CLS] Aircraft landing automatically [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.94	[CLS] Critical low battery . [SEP]
Normal	Normal (1.00)	Normal	1.56	[CLS] Return to home or land promptly [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	2.06	[CLS] Critically low power . [SEP]
Normal	Normal (1.00)	Normal	1.19	[CLS] Aircraft is landing [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.74	[CLS] Critically Low Power . [SEP]
Normal	Normal (1.00)	Normal	1.48	[CLS] Aircraft Landing . [SEP]
Normal	Normal (1.00)	Normal	1.48	[CLS] Aircraft Landing . [SEP]
Normal	Normal (1.00)	Normal	2.19	[CLS] Throttle up to reduce the speed of descent and use sticks to avoid obstacles [SEP]

HardwareFault	HardwareFault (0.99)	HardwareFault	1.97	[CLS] Critically Low Vol tage Warning . [SEP]
				[CLS] Aircraft will be forced to land [SEP]
				[CLS] Critically Low Vol tage . [SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] Aircraft will land [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	2.11	[CLS] Critically Low Vol tage . [SEP]
Normal	Normal (1.00)	Normal	1.38	[CLS] Aircraft will land [SEP]
Normal	Normal (1.00)	Normal	1.64	[CLS] Data Recorder File Index is 15 . [SEP]
Normal	Normal (1.00)	Normal	1.39	[CLS] Data Recorder File Index is 17 . [SEP]
Normal	Normal (1.00)	Normal	1.49	[CLS] Data Recorder File Index is 30 . [SEP]
Normal	Normal (1.00)	Normal	1.42	[CLS] Data Recorder File Index is 45 . [SEP]
Normal	Normal (1.00)	Normal	1.47	[CLS] Data Recorder File Index is 46 . [SEP]
Normal	Normal (1.00)	Normal	1.59	[CLS] Data Recorder File Index is 65 . [SEP]
Normal	Normal (1.00)	Normal	1.38	[CLS] Disable SD card read and write protection or change card [SEP]
CommunicationIssue	CommunicationIssue (0.93)	CommunicationIssue	2.31	[CLS] Downlink Lost [SEP]



				[CLS]
Normal	Normal (1.00)	Normal	2.28	Downlink Restored (after 0 m 2 . 9 s). [SEP]
Normal	Normal (1.00)	Normal	1.52	[CLS] Drone is Vibrating [SEP]
Normal	Normal (1.00)	Normal	1.27	[CLS] Entered Cruise Control mode . [SEP]
Normal	Normal (1.00)	Normal	1.91	[CLS] Press C 1 or C 2 to exit [SEP]
ParamViolation	ParamViolation (0.59)	ParamViolation	1.16	[CLS] Excessive attitude angle detected [SEP]
SoftwareFault	SoftwareFault (0.64)	SoftwareFault	2.10	[CLS] forward obstacle avoidance has stopped working [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Exit Backward Sensing system [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	2.32	[CLS] Ambient Light is too weak [SEP]
Normal	Normal (1.00)	Normal	1.50	[CLS] Exited Visual Avoidance System . [SEP]
SoftwareFault	SoftwareFault (0.97)	SoftwareFault	1.41	[CLS] Exiting GPS mode : Unknown Error [SEP]
ParamViolation	ParamViolation (0.98)	ParamViolation	1.77	[CLS] Extra payload detected . [SEP]
Normal	Normal (1.00)	Normal	1.39	[CLS] Flight performance will be affected . [SEP]

Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP] [CLS] Forward Obstacle Sensing is not functioning . [SEP] [CLS] Forward Obstacle Sensing not Responding [SEP] [CLS] Gimbal motor overloaded . [SEP] [CLS] Check whether gimbal can rotate freely [SEP] [CLS] Gimbal Pitch Limit Reached . [SEP] [CLS] Ground Plain . [SEP] [CLS] Safe to Land . [SEP] [CLS] High altitude . [SEP] [CLS] Aircraft braking distance increased and flight time decreased . [SEP] [CLS] Fly with caution [SEP] [CLS] High wind velocity . [SEP] [CLS] Ensure
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	2.07	
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	2.11	
HardwareFault	HardwareFault (0.97)	HardwareFault	1.50	
Normal	Normal (1.00)	Normal	2.02	
HardwareFault	HardwareFault (0.99)	HardwareFault	1.98	
Normal	Normal (0.99)	Normal	1.14	
Normal	Normal (1.00)	Normal	1.75	
ParamViolation	HardwareFault (0.75)	ParamViolation	0.99	
Normal	Normal (0.61)	Normal	0.54	
Normal	Normal (1.00)	Normal	1.41	
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.89	

Normal	Normal (1.00)	Normal	1.82	the aircraft remains within your line of sight and fly with caution .
				[SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.89	[CLS] High wind velocity .
				[SEP]
Normal	Normal (1.00)	Normal	1.82	[CLS] Ensure the aircraft remains within your line of sight and fly with caution .
				[SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.89	[CLS] High wind velocity .
				[SEP]
Normal	Normal (1.00)	Normal	2.15	[CLS] Fly with caution and land in a safe place ASAP .
				[SEP]
Normal	SurroundingEnvironment (0.64)	Normal	0.85	[CLS] High - altitude flight
				[SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution
				[SEP]
Normal	Normal (0.83)	Normal	0.18	[CLS] aircraft braking distance is extended
				[SEP]
Normal	Normal (0.99)	Normal	1.16	[CLS] flight time is shortened .
				[SEP]
Normal	Normal (1.00)	Normal	1.59	[CLS] Home Point Updated .
				[SEP]
ParamViolation	SoftwareFault (0.43)	ParamViolation	-0.50	[CLS] IM U attitude restricted .
				[SEP]
				[CLS] Ensure

Normal	Normal (1.00)	Normal	1.52	aircraft is level [SEP]
SoftwareFault	SoftwareFault (0.51)	SoftwareFault	1.50	[CLS] IM U not calibrated . [SEP]
Normal	Normal (1.00)	Normal	1.43	[CLS]
Normal	Normal (0.87)	Normal	0.70	Calibrate IM U [SEP]
Normal	Normal (1.00)	Normal	1.48	[CLS] Landing Canceled . [SEP]
Normal	Normal (1.00)	Normal	1.57	[CLS] Landing gear function restored [SEP]
Normal	Normal (1.00)	Normal	1.56	[CLS] Landing Gear Paused . [SEP]
Normal	Normal (1.00)	Normal	1.56	[CLS] Landing Gear Raising . [SEP]
Normal	Normal (1.00)	Normal	1.29	[CLS] Home Point Recorded [SEP]
Normal	Normal (0.94)	Normal	0.81	[CLS] Live stream video frame rate less than 9Hz . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.91	[CLS] Low Power . [SEP]
Normal	Normal (1.00)	Normal	1.80	[CLS] Aircraft is returning to the Home Point . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.91	[CLS] Low Power . [SEP]
Normal	Normal (1.00)	Normal	1.37	[CLS]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.84	Returning home . [SEP]
				[CLS]
				Magnetic Filed Interference . [SEP]

Normal	Normal (1.00)	Normal	1.76	[CLS] Exit P . GPS Mode . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.89	[CLS] Yaw Error . [SEP]
SurroundingEnvironment	Normal (0.71)	SurroundingEnvironment	0.65	[CLS] Manned aircraft detected nearby . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP]
ParamViolation	Normal (0.78)	ParamViolation	0.53	[CLS] Max Altitude Approached . [SEP]
Normal	Normal (1.00)	Normal	1.93	[CLS] Wait for the GPS satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.99)	ParamViolation	2.29	[CLS] Max Flight Altitude Reached . [SEP]
Normal	Normal (1.00)	Normal	1.57	[CLS] Adjust in Main Controller Settings if necessary [SEP]
ParamViolation	ParamViolation (0.98)	ParamViolation	1.80	[CLS] Max Flight Distance Reached . [SEP]
Normal	Normal (1.00)	Normal	1.65	[CLS] Adjust in Main Controller Settings if necessary . [SEP]
ParamViolation	ParamViolation (0.98)	ParamViolation	2.12	[CLS] Maximum flight distance reached . [SEP]  [CLS] Adjust

Normal	Normal (1.00)	Normal	1.93	the distance in MC Settings if required . [SEP]
HardwareFault	Normal (1.00)	HardwareFault	-1.66	[CLS] Mobile device CPU fully loaded . [SEP]
Normal	Normal (1.00)	Normal	1.75	[CLS] Related performance will be affected . [SEP]
SoftwareFault	Normal (0.77)	SoftwareFault	2.49	[CLS] Mobile device version too old to support HD image transmission and the image transmission mode has been switch to normal mode . [SEP]
Normal	Normal (0.98)	Normal	1.45	[CLS] Motor is Blocked . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.19	[CLS] Motor stuck . [SEP]
Normal	Normal (1.00)	Normal	1.19	[CLS] Check for objects blocking motor or contact DJ I Support for assistance [SEP]
Normal	Normal (0.99)	Normal	1.70	[CLS] Motors Started . [SEP]
SoftwareFault	SoftwareFault (0.97)	SoftwareFault	1.94	[CLS] No GPS signal . [SEP]
Normal	HardwareFault (0.58)	Normal	0.31	[CLS] Aircraft unable to hover . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP]

SoftwareFault	SoftwareFault (0.97)	SoftwareFault	1.94	[CLS] No GPS signal . [SEP]
Normal	HardwareFault (0.94)	Normal	-1.20	[CLS] Unable to hover . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP]
Normal	Normal (1.00)	Normal	1.55	[CLS] Obstacle Avoidance Disabled . [SEP]
Normal	Normal (1.00)	Normal	1.33	[CLS] Landing gear lowered . [SEP]
Normal	Normal (1.00)	Normal	1.55	[CLS] Obstacle Avoidance Disabled . [SEP]
Normal	Normal (1.00)	Normal	1.80	[CLS] Obstacle Avoidance disabled . [SEP]
Normal	Normal (1.00)	Normal	1.33	[CLS] Landing gear lowered . [SEP]
Normal	Normal (1.00)	Normal	-1.34	[CLS] Obstacle Avoidance has been disabled . [SEP]
Normal	Normal (1.00)	Normal	1.14	[CLS] Precision Landing [SEP]
Normal	Normal (1.00)	Normal	1.72	[CLS] QuickShot has ended [SEP]
Normal	Normal (1.00)	Normal	1.40	[CLS] Recenter Gimbal Pan [SEP]
Normal	Normal (1.00)	Normal	1.59	[CLS] Rectifying aircraft position [SEP]
				[CLS] Remote

SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.41	controller in high interference environment . [SEP] [CLS] Manually
Normal	Normal (1.00)	Normal	1.36	adjust flight route or return to home [SEP] [CLS] Return -
Normal	Normal (1.00)	Normal	1.93	to -Home Altitude : 65FT [SEP] [CLS] Return -
Normal	Normal (1.00)	Normal	2.07	to -Home Altitude : 98FT . [SEP] [CLS] RTH :
Normal	Normal (1.00)	Normal	1.60	Ascending to RTH altitude . [SEP] [CLS] RTH :
Normal	Normal (1.00)	Normal	1.70	Heading alignment . [SEP] [CLS] RTH
Normal	Normal (1.00)	Normal	1.63	Altitude : 65FT . [SEP] [CLS] RTH
Normal	Normal (1.00)	Normal	1.67	Altitude : 98FT . [SEP] [CLS] Signal
CommunicationIssue	CommunicationIssue (0.74)	CommunicationIssue	2.05	Lost . [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.43	returning to Home Point [SEP] [CLS] Sprayer
Normal	Normal (1.00)	Normal	1.58	turned ON [SEP] [CLS] Strong
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.60	wind warning . [SEP] [CLS] Aircraft
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	2.34	unable to return to



				home automatically . [SEP] [CLS] Lower altitude immediately and return to home manually [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.83	Switched to S (Sport)-mode . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.75	Switched to T ( Tripod)- mode . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.65	[CLS] Take off in P -Mode [SEP] [CLS]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	2.22	[CLS] Vision sensor error . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.91	[CLS] Contact DJ I Support for assistance [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.93	[CLS] Vision systems and obstacle avoidance disabled [SEP] [CLS]
Normal	Normal (0.99)	Normal	1.12	Waypoint Mission Paused [SEP] [CLS]
SoftwareFault	SoftwareFault (0.76)	SoftwareFault	1.65	[CLS] Weak GPS signal . [SEP] [CLS]
Normal	Normal (1.00)	Normal	0.89	[CLS] Aircraft is in Attitude mode and hovering may be unstable . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.77	[CLS] Fly with caution . [SEP]

CommunicationIssue	CommunicationIssue (0.94)	CommunicationIssue	1.65	[CLS] Weak signal . [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] Adjust antennas [SEP]
RegulationViolation	RegulationViolation (0.97)	RegulationViolation	2.14	[CLS] Your aircraft is flying in an Altitude Zone (nn n). [SEP]
Normal	Normal (1.00)	Normal	1.65	[CLS] Please fly with caution [SEP]