

Legend:
■ Negative
 □ Neutral
 ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (1.00)	SurroundingEnvironment	-1.13	[CLS] A passenger aircraft is nearby . [SEP]
				[CLS] Fly with caution [SEP]
				[CLS] Account not logged in . [SEP]
Normal	Normal (1.00)	Normal	1.41	
Normal	Normal (0.87)	Normal	0.55	
ParamViolation	ParamViolation (0.98)	ParamViolation	1.06	[CLS] Flight altitude and distance restricted to nnn and nnn . [SEP]
				[CLS] Check and log in [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.46	ActiveTrack Flight Paused [SEP]
Normal	Normal (1.00)	Normal	1.73	
Normal	Normal (1.00)	Normal	2.34	[CLS] Aircraft ActiveTrack available at max speed . [SEP]
				[CLS]
				Obstacle
Normal	Normal (1.00)	Normal	1.23	Avoidance is not available [SEP]
Normal	Normal (1.00)	Normal	2.34	[CLS] Aircraft ActiveTrack available at max speed . [SEP]
				[CLS] When exceeding nnn , Obstacle
				Avoidance is not available [SEP]
Normal	Normal (1.00)	Normal	0.87	
				[CLS] Aircraft ActiveTrack max speed of

Normal	Normal (1.00)	Normal	1.88	nnn and Obstacle Avoidance functions normally [SEP] [CLS] Aircraft
HardwareFault	HardwareFault (1.00)	HardwareFault	0.31	Core Board Overheated [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.19	entered Fixed - Wing Mode . [SEP] [CLS] Current
Normal	Normal (1.00)	Normal	1.36	flight speed is nnn . [SEP] [CLS] Current
Normal	Normal (1.00)	Normal	0.84	[CLS] Press C 2 to exit [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.31	flight control unlocked [SEP] [CLS] Aircraft
RegulationViolation	Normal (1.00)	RegulationViolation	-0.19	[CLS] Aircraft in Restricted Zones . [SEP] [CLS] Check
Normal	Normal (1.00)	Normal	1.65	map to find Recommended Zones [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.58	is in Attitude mode , so that it will not hover . [SEP] [CLS] Please
Normal	Normal (1.00)	Normal	1.78	fly with caution . [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.51	is in Tripod Mode . [SEP] [CLS] Exit this
Normal	Normal (1.00)	Normal	1.73	mode and try again [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.88	is returning to the starting

ParamViolation	Normal (0.99)	ParamViolation	-0.76	point [SEP]
				[CLS] Aircraft
				out of Range [SEP]
RegulationViolation	RegulationViolation (0.99)	RegulationViolation	2.90	[CLS]
				Approaching a
				No Fly Zone . [SEP]
Normal	Normal (1.00)	Normal	1.75	[CLS] RTH
				may be
				affected . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with
				caution [SEP]
				[CLS] Arrived
Normal	Normal (1.00)	Normal	1.87	at Start Point .
				[SEP]
				[CLS] Starting
Normal	Normal (1.00)	Normal	1.74	Waypoint
				Mission [SEP]
				[CLS] Auto
Normal	Normal (1.00)	Normal	1.46	landing
				initiated [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.46	Auxiliary
				Bottom Light
				turned off [SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	2.77	[CLS]
				Backward
				Obstacle
HardwareFault	HardwareFault (1.00)	HardwareFault	2.60	Sensing is not
				functioning .
				[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	2.13	[CLS] Battery
				cell broken ,
				please replace
Normal	Normal (1.00)	Normal	1.51	the battery
				[SEP]
				[CLS] Battery
HardwareFault	HardwareFault (1.00)	HardwareFault	2.01	error . [SEP]
				[CLS] Aircraft
				returning to
Normal	Normal (1.00)	Normal	1.51	home
				automatically
				[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	2.01	[CLS] Battery
				power low .

				[SEP]
				[CLS] Check
Normal	Normal (1.00)	Normal	1.81	battery status
				and charge or
				warm up
				battery [SEP]
HardwareFault	Normal (1.00)	HardwareFault	-1.60	[CLS] Cache
				Space Full
				[SEP]
				[CLS]
SurroundingEnvironment	SoftwareFault (0.97)	SurroundingEnvironment	-0.44	Calibration
				subject is too
				close . [SEP]
				[CLS]
				Recalibrate
Normal	Normal (1.00)	Normal	1.84	using a
				subject that is
				farther away
				[SEP]
				[CLS] Camera
				busy , cannot
HardwareFault	Normal (0.86)	HardwareFault	0.23	enter
				playback
				[SEP]
				[CLS] Cannot
				enable
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	2.42	Intelligent
				Flight Mode
				[SEP]
				[CLS] Low
HardwareFault	HardwareFault (1.00)	HardwareFault	1.38	Battery [SEP]
				[CLS] Cannot
				start Return
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.01	to Home due
				to weak GPS
				signal [SEP]
				[CLS] Cannot
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.56	start Self -
				Timer . [SEP]
				[CLS]
SoftwareFault	ParamViolation (0.79)	SoftwareFault	1.99	Exposure time
				is too long
				[SEP]
				[CLS] Cannot
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.93	switch flight
				mode . [SEP]
				[CLS] Turn on
				"Multiple

Normal	Normal (1.00)	Normal	2.36	Flight Modes "to enable Att i and Sport Modes . [SEP] [CLS] Cannot
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.58	track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.70)	SurroundingEnvironment	-1.61	[CLS] No image [SEP]
Normal	Normal (1.00)	Normal	1.57	[CLS] Please retry [SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.58	[CLS] Cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (1.00)	SurroundingEnvironment	-1.22	[CLS] Subject too Large [SEP]
Normal	Normal (1.00)	Normal	1.49	[CLS] Move Away and retry [SEP]
Normal	Normal (1.00)	Normal	1.81	[CLS] Color display in the Liveview has been enhanced . [SEP]
Normal	Normal (1.00)	Normal	2.83	[CLS] Videos and photos will still be shot in D -Log mode [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.25	[CLS] Compass abnormal . [SEP]
Normal	Normal (1.00)	Normal	1.16	[CLS] Solution : 1 . Ensure there are no magnets or metal objects near the aircraft . [SEP]
Normal	Normal (1.00)	Normal	1.50	[CLS] The ground or walls may contain metal . [SEP]

				[CLS] Move away from sources of interference before attempting flight . [SEP]
Normal	Normal (1.00)	Normal	1.63	[CLS] 2 . Calibrate Compass Before Takeoff [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.94	[CLS] Compass Error [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.11	[CLS] Compass error , calibration required [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	2.02	[CLS] Compass Error . [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	2.02	[CLS] Compass Error . [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.47	[CLS] Compass disconnected [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	2.02	[CLS] Compass Error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	0.98	[CLS] Magnetic Filed Interference . [SEP]
Normal	Normal (1.00)	Normal	1.78	[CLS] Exit P - GPS Mode [SEP]
SoftwareFault	HardwareFault (1.00)	SoftwareFault	-0.36	[CLS] Compass initialization failed . [SEP]
Normal	Normal (1.00)	Normal	1.57	[CLS] Restart aircraft [SEP]

HardwareFault	HardwareFault (1.00)	HardwareFault	1.82	[CLS] Critical low battery . [SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] Aircraft in Auto Power Off Protection . [SEP]
Normal	Normal (1.00)	Normal	1.62	[CLS] Forced landing in progress [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.82	[CLS] Critical low battery . [SEP]
Normal	Normal (1.00)	Normal	1.35	[CLS] Aircraft landing automatically [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.82	[CLS] Critical low battery . [SEP]
Normal	Normal (1.00)	Normal	1.59	[CLS] Return to home or land promptly [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.85	[CLS] Critically low power . [SEP]
Normal	Normal (0.99)	Normal	0.85	[CLS] Aircraft is landing [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	2.12	[CLS] Critically Low Power . [SEP]
Normal	Normal (1.00)	Normal	1.62	[CLS] Aircraft Landing . [SEP]
Normal	Normal (1.00)	Normal	1.62	[CLS] Aircraft Landing . [SEP]
Normal	Normal (1.00)	Normal	1.73	[CLS] Throttle up to reduce the speed of descent and use sticks to avoid obstacles [SEP]

HardwareFault	HardwareFault (1.00)	HardwareFault	1.80	[CLS] Critically Low Voltage Warning . [SEP]
				[CLS] Aircraft will be forced to land [SEP]
				[CLS] Critically Low Voltage . [SEP]
Normal	Normal (1.00)	Normal	1.45	[CLS] Aircraft will land [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.88	[CLS] Critically Low Voltage . [SEP]
Normal	Normal (1.00)	Normal	1.53	[CLS] Aircraft will land [SEP]
Normal	Normal (1.00)	Normal	1.76	[CLS] Data Recorder File Index is 15 . [SEP]
Normal	Normal (1.00)	Normal	1.80	[CLS] Data Recorder File Index is 17 . [SEP]
Normal	Normal (1.00)	Normal	1.75	[CLS] Data Recorder File Index is 30 . [SEP]
Normal	Normal (1.00)	Normal	1.87	[CLS] Data Recorder File Index is 45 . [SEP]
Normal	Normal (1.00)	Normal	1.74	[CLS] Data Recorder File Index is 46 . [SEP]
Normal	Normal (1.00)	Normal	1.57	[CLS] Data Recorder File Index is 65 . [SEP]
Normal	Normal (1.00)	Normal	1.04	[CLS] Disable SD card read and write protection or change card [SEP]
CommunicationIssue	CommunicationIssue (0.99)	CommunicationIssue	1.06	[CLS] Downlink Lost [SEP]

				[CLS]
Normal	Normal (1.00)	Normal	2.02	Downlink Restored (after 0 m 2 . 9 s). [SEP]
Normal	Normal (1.00)	Normal	1.54	[CLS] Drone is Vibrating [SEP]
Normal	Normal (1.00)	Normal	1.40	[CLS] Entered Cruise Control mode . [SEP]
Normal	Normal (1.00)	Normal	1.93	[CLS] Press C 1 or C 2 to exit [SEP]
ParamViolation	SurroundingEnvironment (0.65)	ParamViolation	0.03	[CLS] Excessive attitude angle detected [SEP]
SoftwareFault	Normal (1.00)	SoftwareFault	-0.39	[CLS] forward obstacle avoidance has stopped working [SEP]
Normal	Normal (1.00)	Normal	1.53	[CLS] Exit Backward Sensing system [SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	1.64	[CLS] Ambient Light is too weak [SEP]
Normal	Normal (1.00)	Normal	1.86	[CLS] Exited Visual Avoidance System . [SEP]
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	0.49	[CLS] Exiting GPS mode : Unknown Error [SEP]
ParamViolation	ParamViolation (1.00)	ParamViolation	1.82	[CLS] Extra payload detected . [SEP]
Normal	Normal (1.00)	Normal	1.62	[CLS] Flight performance will be affected . [SEP]

Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP] [CLS] Forward
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	2.57	Obstacle Sensing is not functioning . [SEP] [CLS] Forward
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	2.74	Obstacle Sensing not Responding [SEP] [CLS] Gimbal
HardwareFault	HardwareFault (0.68)	HardwareFault	0.67	motor overloaded . [SEP] [CLS] Check whether
Normal	Normal (1.00)	Normal	1.67	gimbal can rotate freely [SEP] [CLS] Gimbal
HardwareFault	HardwareFault (1.00)	HardwareFault	2.64	Pitch Limit Reached . [SEP] [CLS] Ground
Normal	Normal (1.00)	Normal	1.22	Plain . [SEP] [CLS] Safe to
Normal	Normal (1.00)	Normal	1.89	Land . [SEP] [CLS] High
ParamViolation	ParamViolation (0.49)	ParamViolation	0.47	altitude . [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	0.74	braking distance increased and flight time decreased . [SEP] [CLS] Fly with caution [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] High
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	2.00	wind velocity . [SEP] [CLS] Ensure

Normal	Normal (1.00)	Normal	1.67	the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	2.00	[CLS] High wind velocity . [SEP]
Normal	Normal (1.00)	Normal	1.67	[CLS] Ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	2.00	[CLS] High wind velocity . [SEP]
Normal	Normal (1.00)	Normal	2.26	[CLS] Fly with caution and land in a safe place ASAP . [SEP]
Normal	Normal (0.55)	Normal	0.15	[CLS] High - altitude flight [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP]
Normal	Normal (0.48)	Normal	-1.45	[CLS] aircraft braking distance is extended [SEP]
Normal	Normal (1.00)	Normal	0.98	[CLS] flight time is shortened . [SEP]
Normal	Normal (1.00)	Normal	1.82	[CLS] Home Point Updated . [SEP]
ParamViolation	Normal (1.00)	ParamViolation	-1.38	[CLS] IM U attitude restricted . [SEP]
				[CLS] Ensure

Normal	Normal (1.00)	Normal	2.00	aircraft is level [SEP]
SoftwareFault	Normal (0.79)	SoftwareFault	1.95	[CLS] IM U not calibrated . [SEP]
Normal	Normal (1.00)	Normal	1.95	[CLS] Calibrate IM U [SEP]
Normal	Normal (1.00)	Normal	1.52	[CLS] Landing Canceled . [SEP]
Normal	Normal (1.00)	Normal	1.83	[CLS] Landing gear function restored [SEP]
Normal	Normal (1.00)	Normal	1.90	[CLS] Landing Gear Paused . [SEP]
Normal	Normal (1.00)	Normal	1.70	[CLS] Landing Gear Raising . [SEP]
Normal	Normal (1.00)	Normal	1.40	[CLS] Home Point Recorded [SEP]
Normal	Normal (0.80)	Normal	0.01	[CLS] Live stream video frame rate less than 9Hz . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.20	[CLS] Low Power . [SEP]
Normal	Normal (1.00)	Normal	1.88	[CLS] Aircraft is returning to the Home Point . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.20	[CLS] Low Power . [SEP]
Normal	Normal (1.00)	Normal	1.48	[CLS] Returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	0.98	[CLS] Magnetic Filed Interference . [SEP]

Normal	Normal (1.00)	Normal	1.55	[CLS] Exit P GPS Mode . [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.96	[CLS] Yaw Error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	1.97	[CLS] Manned aircraft detected nearby . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP]
ParamViolation	Normal (1.00)	ParamViolation	-1.18	[CLS] Max Altitude Approached . [SEP]
Normal	Normal (1.00)	Normal	1.77	[CLS] Wait for the GPS satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (1.00)	ParamViolation	1.13	[CLS] Max Flight Altitude Reached . [SEP]
Normal	Normal (1.00)	Normal	1.38	[CLS] Adjust in Main Controller Settings if necessary [SEP]
ParamViolation	ParamViolation (1.00)	ParamViolation	0.60	[CLS] Max Flight Distance Reached . [SEP]
Normal	Normal (1.00)	Normal	1.49	[CLS] Adjust in Main Controller Settings if necessary . [SEP]
ParamViolation	ParamViolation (1.00)	ParamViolation	1.53	[CLS] Maximum flight distance reached . [SEP] [CLS] Adjust

Normal	Normal (1.00)	Normal	1.83	the distance in MC Settings if required . [SEP] [CLS] Mobile device CPU fully loaded . [SEP] [CLS] Related performance will be affected . [SEP] [CLS] Mobile device version too old to support HD image transmission and the image transmission mode has been switch to normal mode . [SEP]
HardwareFault	Normal (1.00)	HardwareFault	-1.73	
Normal	Normal (1.00)	Normal	1.74	
SoftwareFault	Normal (1.00)	SoftwareFault	-0.33	
Normal	Normal (1.00)	Normal	1.89	[CLS] Motor is Blocked . [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.92	[CLS] Motor stuck . [SEP] [CLS] Check for objects blocking motor or contact DJ I Support for assistance [SEP]
Normal	Normal (1.00)	Normal	1.90	
Normal	Normal (1.00)	Normal	1.91	[CLS] Motors Started . [SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	0.42	[CLS] No GPS signal . [SEP]
Normal	Normal (0.39)	Normal	1.38	[CLS] Aircraft unable to hover . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP]

SoftwareFault	SoftwareFault (1.00)	SoftwareFault	0.42	[CLS] No GPS signal . [SEP]
Normal	HardwareFault (0.98)	Normal	0.60	[CLS] Unable to hover . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Fly with caution [SEP]
Normal	Normal (1.00)	Normal	1.54	[CLS] Obstacle Avoidance Disabled . [SEP]
Normal	Normal (1.00)	Normal	1.74	[CLS] Landing gear lowered . [SEP]
Normal	Normal (1.00)	Normal	1.54	[CLS] Obstacle Avoidance Disabled . [SEP]
Normal	Normal (1.00)	Normal	1.45	[CLS] Obstacle Avoidance disabled . [SEP]
Normal	Normal (1.00)	Normal	1.74	[CLS] Landing gear lowered . [SEP]
Normal	Normal (1.00)	Normal	1.43	[CLS] Obstacle Avoidance has been disabled . [SEP]
Normal	Normal (1.00)	Normal	1.47	[CLS] Precision Landing [SEP]
Normal	Normal (1.00)	Normal	1.77	[CLS] QuickShot has ended [SEP]
Normal	Normal (1.00)	Normal	1.50	[CLS] Recenter Gimbal Pan [SEP]
Normal	Normal (1.00)	Normal	1.80	[CLS] Rectifying aircraft position [SEP]
				[CLS] Remote

SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	1.73	controller in high interference environment . [SEP] [CLS] Manually
Normal	Normal (1.00)	Normal	2.08	adjust flight route or return to home [SEP] [CLS] Return -
Normal	Normal (1.00)	Normal	2.07	to -Home Altitude : 65FT [SEP] [CLS] Return -
Normal	Normal (1.00)	Normal	2.02	to -Home Altitude : 98FT . [SEP] [CLS] RTH :
Normal	Normal (1.00)	Normal	1.74	Ascending to RTH altitude . [SEP] [CLS] RTH :
Normal	Normal (1.00)	Normal	1.67	Heading alignment . [SEP] [CLS] RTH
Normal	Normal (1.00)	Normal	2.06	Altitude : 65FT . [SEP] [CLS] RTH
Normal	Normal (1.00)	Normal	1.83	Altitude : 98FT . [SEP] [CLS] Signal
CommunicationIssue	SoftwareFault (0.97)	CommunicationIssue	0.15	Lost . [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.54	returning to Home Point [SEP] [CLS] Sprayer
Normal	Normal (1.00)	Normal	1.82	turned ON [SEP] [CLS] Strong
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	1.90	wind warning . [SEP] [CLS] Aircraft
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.89	unable to return to

				home automatically . [SEP] [CLS] Lower altitude immediately and return to home manually [SEP] [CLS]
Normal	Normal (1.00)	Normal	2.16	Switched to S (Sport)-mode . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.52	Switched to T (Tripod)- mode . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.49	Take off in P -Mode [SEP] [CLS]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.33	Vision sensor error . [SEP] [CLS]
Normal	Normal (1.00)	Normal	2.07	Contact DJ I Support for assistance [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.51	Vision systems and obstacle avoidance disabled [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.58	Waypoint Mission Paused [SEP] [CLS]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.16	Weak GPS signal . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.61	Aircraft is in Attitude mode and hovering may be unstable . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.60	Fly with caution . [SEP]

CommunicationIssue	CommunicationIssue (0.99)	CommunicationIssue	2.03	[CLS] Weak signal . [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] Adjust antennas [SEP]
RegulationViolation	RegulationViolation (0.95)	RegulationViolation	2.52	[CLS] Your aircraft is flying in an Altitude Zone (nn n). [SEP]
Normal	Normal (1.00)	Normal	1.71	[CLS] Please fly with caution [SEP]