

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.23)	Normal	-0.41	#s a <span style="color: green;">■</span>
				passenger
				aircraft is <span style="color: green;">■</span>
Normal	Normal (0.23)	Normal	1.37	nearby. <span style="color: red;">■</span> #/s
				#s fly with <span style="color: green;">■</span>
				caution <span style="color: green;">■</span> #/s
Normal	Normal (0.23)	Normal	-0.42	#s account
				not logged in <span style="color: red;">■</span> <span style="color: green;">■</span>
				. #/s <span style="color: red;">■</span>
ParamViolation	ParamViolation (0.44)	ParamViolation	1.16	#s flight
				altitude and
				distance
Normal	Normal (0.23)	Normal	1.80	restricted to
				nnn and <span style="color: green;">■</span> nnn. <span style="color: green;">■</span>
				#/s
Normal	Normal (0.23)	Normal	1.81	#s check and <span style="color: green;">■</span>
				log in <span style="color: green;">■</span> #/s
				#s
Normal	Normal (0.23)	Normal	2.15	<span style="color: green;">■</span> activetrack <span style="color: green;">■</span>
				flight paused
				#/s
Normal	Normal (0.23)	Normal	1.41	#s aircraft
				<span style="color: green;">■</span> activetrack <span style="color: green;">■</span>
				available at
Normal	Normal (0.23)	Normal	2.15	max <span style="color: green;">■</span> speed. <span style="color: green;">■</span>
				#/s
				#s obstacle <span style="color: green;">■</span>
Normal	Normal (0.23)	Normal	1.41	avoidance is <span style="color: red;">■</span>
				not available
				#/s
Normal	Normal (0.23)	Normal	2.15	#s aircraft
				<span style="color: green;">■</span> activetrack <span style="color: green;">■</span>
				available at
Normal	Normal (0.23)	Normal	2.15	max <span style="color: green;">■</span> speed. <span style="color: green;">■</span>
				#/s
				#s when <span style="color: green;">■</span>
Normal	ParamViolation (0.44)	ParamViolation	-0.28	exceeding <span style="color: red;">■</span>
				nnn , obstacle
				avoidance is <span style="color: red;">■</span>
Normal	Normal (0.24)	Normal	1.82	not available
				#/s <span style="color: red;">■</span>
				#s aircraft
Normal	Normal (0.24)	Normal	1.82	<span style="color: green;">■</span> activetrack <span style="color: green;">■</span>
				max speed of
				nnn <span style="color: green;">■</span> and

HardwareFault	HardwareFault (0.43)	HardwareFault	1.98	obstacle avoidance functions normally #/s #s aircraft core board overheated #/s
				#s aircraft entered fixed wing mode . #/s
				#s current flight speed is nnn . #/s
				#s press c2 to exit #/s
				#s aircraft flight control unlocked #/s
RegulationViolation	RegulationViolation (0.28)	RegulationViolation	1.18	#s aircraft in restricted zones . #/s
Normal	Normal (0.24)	Normal	2.03	#s check map to find recommended zones #/s
Normal	Normal (0.24)	Normal	2.07	#s aircraft is in attitude mode , so that it will not hover . #/s
Normal	Normal (0.23)	Normal	1.61	#s please fly with caution . #/s
Normal	Normal (0.23)	Normal	2.10	#s aircraft is in tripod mode . #/s
Normal	Normal (0.24)	Normal	1.46	#s exit this mode and try again #/s
Normal	Normal (0.24)	Normal	2.15	#s aircraft is returning to the starting point #/s
ParamViolation	ParamViolation (0.44)	ParamViolation	1.40	#s aircraft out of range #/s

RegulationViolation	RegulationViolation (0.28)	RegulationViolation	2.45	#s approaching a no - fly zone . #/s
Normal	Normal (0.23)	Normal	1.65	#s rth may be affected . #/s
Normal	Normal (0.23)	Normal	1.37	#s fly with caution #/s
Normal	Normal (0.23)	Normal	1.08	#s arrived at start point . #/s
Normal	Normal (0.23)	Normal	1.56	#s starting waypoint mission #/s
Normal	Normal (0.23)	Normal	1.41	#s auto landing initiated #/s
Normal	Normal (0.23)	Normal	2.01	#s auxiliary bottom light turned off #/s
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.72	#s backward obstacle sensing is not functioning . #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.17	#s battery cell broken , please replace the battery #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.28	#s battery error . #/s
Normal	Normal (0.23)	Normal	1.64	#s aircraft returning to home automatically #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.61	#s battery power low . #/s
Normal	Normal (0.24)	Normal	2.38	#s check battery status and charge or warm up battery #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.42	#s cache space full #/s

SurroundingEnvironment	SurroundingEnvironment (0.25)	SurroundingEnvironment	0.42	#s calibration subject is too close . #/s
Normal	Normal (0.24)	Normal	0.44	#s recalibrate using a subject that is farther away #/s
HardwareFault	HardwareFault (0.42)	HardwareFault	1.41	#s camera busy , cannot enter playback #/s
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.17	#s cannot enable intelligent flight mode #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.51	#s low battery #/s
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	-0.03	#s cannot start return to home due to weak gps signal #/s
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.31	#s cannot start self - timer . #/s
SoftwareFault	ParamViolation (0.44)	ParamViolation	-0.23	#s exposure time is too long #/s
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	0.36	#s cannot switch flight mode . #/s
Normal	Normal (0.24)	Normal	2.03	#s turn on " multiple flight modes " to enable atti and sport modes . #/s
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.67	#s cannot track subject #/s
SurroundingEnvironment	SoftwareFault (0.37)	SoftwareFault	-1.19	#s no image #/s
Normal	Normal (0.23)	Normal	1.52	#s please retry #/s
				#s cannot

SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.67	track subject #/s
SurroundingEnvironment	SoftwareFault (0.37)	SoftwareFault	-1.22	#s subject too large #/s
Normal	Normal (0.23)	Normal	1.98	#s move away and retry #/s
Normal	Normal (0.24)	Normal	1.50	#s color display in the liveview has been enhanced . #/s
Normal	Normal (0.24)	Normal	2.04	#s videos and photos will still be shot in d - log mode #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.38	#s compass abnormal . #/s
Normal	Normal (0.24)	Normal	-0.26	#s solution : 1 . ensure there are no magnets or metal objects near the aircraft . #/s
Normal	Normal (0.23)	Normal	2.02	#s the ground or walls may contain metal . #/s
Normal	Normal (0.23)	Normal	-0.46	#s move away from sources of interference before attempting flight . #/s
Normal	Normal (0.24)	Normal	2.34	#s 2 . calibrate compass before takeoff #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.48	#s compass error #/s  #s compass

HardwareFault	HardwareFault (0.42)	HardwareFault	0.26	error, calibration required #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.51	#s compass error. #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.51	#s compass error. #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.54	#s compass disconnected #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.51	#s compass error. #/s
SurroundingEnvironment	SurroundingEnvironment (0.34)	SurroundingEnvironment	1.23	#s magnetic filed interference. #/s
Normal	Normal (0.23)	Normal	1.41	#s exit p-gps mode #/s
SoftwareFault	HardwareFault (0.43)	HardwareFault	-0.52	#s compass initialization failed. #/s
Normal	Normal (0.22)	Normal	1.21	#s restart aircraft #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	-0.32	#s critical low battery. #/s
Normal	Normal (0.23)	Normal	-0.69	#s aircraft in auto power off protection. #/s
Normal	Normal (0.23)	Normal	1.41	#s forced landing in progress #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	-0.32	#s critical low battery. #/s
Normal	Normal (0.23)	Normal	1.34	#s aircraft landing automatically #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	-0.32	#s critical low battery. #/s
Normal	Normal (0.24)	Normal	1.95	#s return to home or land promptly #/s
				#s critically

HardwareFault	HardwareFault (0.43)	HardwareFault	1.74	low power . #/s
Normal	Normal (0.23)	Normal	1.26	#s aircraft is landing #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.74	#s critically low power . #/s
Normal	Normal (0.22)	Normal	1.26	#s aircraft landing . #/s
Normal	Normal (0.22)	Normal	1.26	#s aircraft landing . #/s
Normal	Normal (0.24)	Normal	2.96	#s throttle up to reduce the speed of descent and use sticks to avoid obstacles #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.72	#s critically low voltage warning . #/s
Normal	Normal (0.23)	Normal	1.16	#s aircraft will be forced to land #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.71	#s critically low voltage . #/s
Normal	Normal (0.23)	Normal	1.55	#s aircraft will land #/s
Normal	Normal (0.23)	Normal	0.09	#s data recorder file index is 15 . #/s
Normal	Normal (0.23)	Normal	1.88	#s data recorder file index is 17 . #/s
Normal	Normal (0.23)	Normal	2.32	#s data recorder file index is 30 . #/s
Normal	Normal (0.23)	Normal	1.09	#s data recorder file index is 45 . #/s
Normal	Normal (0.23)	Normal	1.37	#s data recorder file index is 46 .

				#/s
Normal	Normal (0.23)	Normal	1.31	#s data recorder file index is 65 . #/s
				#s disable sd card read and write protection or change card #/s
CommunicationIssue	CommunicationIssue (0.41)	CommunicationIssue	1.87	#s downlink lost . #/s
Normal	Normal (0.24)	Normal	1.69	#s downlink restored ( after 0m 2 . 9s ) . #/s
Normal	Normal (0.23)	Normal	1.07	#s drone is vibrating #/s
Normal	Normal (0.23)	Normal	1.44	#s entered cruise control mode . #/s
Normal	Normal (0.24)	Normal	1.05	#s press c1 or c2 to exit #/s
ParamViolation	ParamViolation (0.44)	ParamViolation	1.69	#s excessive attitude angle detected #/s
SoftwareFault	SoftwareFault (0.36)	SoftwareFault	1.53	#s forward obstacle avoidance has stopped working #/s
Normal	Normal (0.23)	Normal	1.65	#s exit backward sensing system #/s
SurroundingEnvironment	SurroundingEnvironment (0.34)	SurroundingEnvironment	1.04	#s ambient light is too weak #/s
Normal	Normal (0.23)	Normal	2.07	#s exited visual avoidance system . #/s
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.01	#s exiting gps mode : unknown



				error #/s
ParamViolation	ParamViolation (0.44)	ParamViolation	1.85	#s extra payload detected . #/s
Normal	Normal (0.23)	Normal	0.97	#s flight performance will be affected . #/s
Normal	Normal (0.23)	Normal	1.37	#s fly with caution #/s
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.63	#s forward obstacle sensing is not functioning . #/s
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.65	#s forward obstacle sensing not responding #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	2.23	#s gimbal motor overloaded . #/s
Normal	Normal (0.24)	Normal	0.47	#s check whether gimbal can rotate freely #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.25	#s gimbal pitch limit reached . #/s
Normal	Normal (0.22)	Normal	1.47	#s ground plain . #/s
Normal	Normal (0.22)	Normal	1.65	#s safe to land . #/s
ParamViolation	SurroundingEnvironment (0.33)	SurroundingEnvironment	1.05	#s high altitude . #/s
Normal	Normal (0.23)	Normal	1.75	#s aircraft braking distance increased and flight time decreased . #/s
Normal	Normal (0.23)	Normal	1.37	#s fly with caution #/s
	SurroundingEnvironment			#s high wind

SurroundingEnvironment	(0.34)	SurroundingEnvironment	1.67	velocity . #/s
Normal	Normal (0.24)	Normal	-1.90	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	SurroundingEnvironment (0.34)	SurroundingEnvironment	1.67	#s high wind velocity . #/s
Normal	Normal (0.24)	Normal	-1.90	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	SurroundingEnvironment (0.34)	SurroundingEnvironment	1.67	#s high wind velocity . #/s
Normal	Normal (0.24)	Normal	-2.16	#s fly with caution and land in a safe place asap . #/s
Normal	ParamViolation (0.27)	ParamViolation	-1.70	#s high - altitude flight #/s
Normal	Normal (0.23)	Normal	1.37	#s fly with caution #/s
Normal	Normal (0.23)	Normal	1.50	#s aircraft braking distance is extended #/s
Normal	Normal (0.23)	Normal	0.90	#s flight time is shortened . #/s
Normal	Normal (0.22)	Normal	1.08	#s home point updated . #/s
ParamViolation	ParamViolation (0.43)	ParamViolation	1.07	#s imu attitude restricted . #/s
Normal	Normal (0.23)	Normal	1.14	#s ensure aircraft is level #/s
SoftwareFault	Normal (0.23)	Normal	-1.18	#s imu not

				calibrated.
				#/s
Normal	Normal (0.23)	Normal	1.47	#s calibrate imu #/s
Normal	Normal (0.22)	Normal	1.34	#s landing canceled . #/s
Normal	Normal (0.23)	Normal	1.87	#s landing gear function restored #/s
Normal	Normal (0.22)	Normal	1.59	#s landing gear paused.
				#/s
Normal	Normal (0.22)	Normal	1.48	#s landing gear raising . #/s
Normal	Normal (0.23)	Normal	1.52	#s home point recorded #/s
Normal	ParamViolation (0.38)	ParamViolation	0.62	#s live stream video frame rate less than 9hz . #/s
Normal	Normal (0.23)	Normal	1.37	#s fly with caution #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.53	#s low power . #/s
Normal	Normal (0.23)	Normal	2.15	#s aircraft is returning to the home point . #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.53	#s low power . #/s
Normal	Normal (0.22)	Normal	1.51	#s returning home . #/s
SurroundingEnvironment	SurroundingEnvironment (0.34)	SurroundingEnvironment	1.23	#s magnetic filed interference . #/s
Normal	Normal (0.23)	Normal	0.62	#s exit p - gps mode . #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.67	#s yaw error . #/s
SurroundingEnvironment	SurroundingEnvironment (0.34)	SurroundingEnvironment	0.94	#s manned aircraft detected

				nearby . #/s
Normal	Normal (0.23)	Normal	1.37	#s fly with caution #/s
ParamViolation	ParamViolation (0.44)	ParamViolation	1.29	#s max altitude approached . #/s
Normal	Normal (0.24)	Normal	1.57	#s wait for the gps satellite signal recovery before ascend #/s
ParamViolation	ParamViolation (0.44)	ParamViolation	1.35	#s max flight altitude reached . #/s
Normal	Normal (0.24)	Normal	1.02	#s adjust in main controller settings if necessary #/s
ParamViolation	ParamViolation (0.44)	ParamViolation	1.30	#s max flight distance reached . #/s
Normal	Normal (0.23)	Normal	0.76	#s adjust in main controller settings if necessary . #/s
ParamViolation	ParamViolation (0.44)	ParamViolation	1.50	#s maximum flight distance reached . #/s
Normal	Normal (0.23)	Normal	2.07	#s adjust the distance in mc settings if required . #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.84	#s mobile device cpu fully loaded . #/s
Normal	Normal (0.23)	Normal	1.57	#s related performance will be affected . #/s
				#s mobile

SoftwareFault	CommunicationIssue (0.27)	CommunicationIssue	-1.42	device
				version too
				old to support
				hd image
				transmission
Normal	Normal (0.22)	Normal	1.59	and the
				image
				transmission
				mode has
				been switch
HardwareFault	HardwareFault (0.43)	HardwareFault	1.47	to normal
				mode . #/s
				#s motor is
				blocked . #/s
				#s motor
Normal	Normal (0.24)	Normal	1.08	stuck . #/s
				#s check for
				objects
				blocking
				motor or
Normal	Normal (0.22)	Normal	1.53	contact dji
				support for
				assistance
				#/s
				#s motors
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.52	started . #/s
				#s no gps
				signal . #/s
				#s aircraft
				unable to
Normal	HardwareFault (0.43)	HardwareFault	-0.55	hover . #/s
				#s fly with
				caution #/s
				#s no gps
				signal . #/s
Normal	Normal (0.23)	Normal	1.37	#s unable to
				hover . #/s
				#s fly with
				caution #/s
				#s obstacle
Normal	Normal (0.22)	Normal	1.34	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
Normal	Normal (0.22)	Normal	1.58	#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.22)	Normal	1.34	

Normal	Normal (0.22)	Normal	1.34	#s obstacle avoidance disabled . #/s
Normal	Normal (0.22)	Normal	1.58	#s landing gear lowered . #/s
Normal	Normal (0.23)	Normal	-1.62	#s obstacle avoidance has been disabled . #/s
Normal	Normal (0.22)	Normal	1.06	#s precision landing #/s
Normal	Normal (0.23)	Normal	0.87	#s quickshot has ended #/s
Normal	Normal (0.24)	Normal	1.78	#s recenter gimbal pan #/s
Normal	Normal (0.23)	Normal	1.91	#s rectifying aircraft position #/s
SurroundingEnvironment	SurroundingEnvironment (0.34)	SurroundingEnvironment	1.88	#s remote controller in high interference environment . #/s
Normal	Normal (0.24)	Normal	1.14	#s manually adjust flight route or return to home #/s
Normal	Normal (0.24)	Normal	1.68	#s return - to - home altitude : 65ft #/s
Normal	Normal (0.24)	Normal	1.49	#s return - to - home altitude : 98ft . #/s
Normal	Normal (0.23)	Normal	2.16	#s rth : ascending to rth altitude . #/s
Normal	Normal (0.23)	Normal	1.23	#s rth : heading alignment . #/s

Normal	Normal (0.23)	Normal	1.28	#s rth altitude : 65ft . #/s
Normal	Normal (0.23)	Normal	1.19	#s rth altitude : 98ft . #/s
CommunicationIssue	CommunicationIssue (0.41)	CommunicationIssue	0.41	#s signal lost . #/s
Normal	Normal (0.23)	Normal	-0.11	#s aircraft returning to home point #/s
Normal	Normal (0.23)	Normal	1.50	#s sprayer turned on #/s
SurroundingEnvironment	SurroundingEnvironment (0.34)	SurroundingEnvironment	1.55	#s strong wind warning . #/s
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.39	#s aircraft unable to return to home automatically . #/s
Normal	Normal (0.24)	Normal	1.65	#s lower altitude immediately and return to home manually #/s
Normal	Normal (0.23)	Normal	2.73	#s switched to s ( sport ) - mode . #/s
Normal	Normal (0.24)	Normal	2.11	#s switched to t ( tripod ) - mode . #/s
Normal	Normal (0.24)	Normal	2.07	#s take off in p - mode #/s
SoftwareFault	HardwareFault (0.43)	HardwareFault	-1.66	#s vision sensor error . #/s
Normal	Normal (0.24)	Normal	0.97	#s contact dji support for assistance #/s
Normal	Normal (0.24)	Normal	1.39	#s vision systems and obstacle avoidance

Normal	Normal (0.23)	Normal	1.35	disabled #/s
				#s waypoint
				mission
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.08	paused #/s
				#s weak gps
				signal . #/s
Normal	Normal (0.24)	Normal	1.94	#s aircraft is
				in attitude
				mode and
Normal	Normal (0.22)	Normal	1.39	hovering may
				be unstable .
				#/s
CommunicationIssue	CommunicationIssue (0.41)	CommunicationIssue	1.37	#s fly with
				caution . #/s
				#s weak
Normal	Normal (0.22)	Normal	1.30	signal . #/s
				#s adjust
				antennas #/s
RegulationViolation	RegulationViolation (0.28)	RegulationViolation	3.18	#s your
				aircraft is
				flying in an
Normal	Normal (0.23)	Normal	1.49	altitude zone
				( nnn ) . #/s
				#s please fly
Normal	Normal (0.23)	Normal	1.49	with caution
				#/s