

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.94)	Normal	1.21	[CLS] a passenger aircraft is nearby . [SEP]
				[CLS] fly with caution [SEP]
				[CLS] account not logged in . [SEP]
				[CLS] flight altitude and distance restricted to nnn and nnn . [SEP]
ParamViolation	ParamViolation (0.88)	ParamViolation	2.40	[CLS] check and log in [SEP]
Normal	Normal (0.94)	Normal	0.90	[CLS] activetrack flight paused [SEP]
Normal	Normal (0.94)	Normal	0.71	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.94)	Normal	1.03	[CLS] obstacle avoidance is not available [SEP]
Normal	Normal (0.94)	Normal	0.15	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.94)	Normal	1.03	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.94)	Normal	0.21	[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
Normal	Normal (0.94)	Normal	0.21	[CLS] aircraft

Normal	Normal (0.94)	Normal	0.25	activetrack
				max speed of
				nnn and
				obstacle
				avoidance
HardwareFault	HardwareFault (0.93)	HardwareFault	2.49	functions
				normally
				[SEP]
				[CLS] aircraft
				core board
Normal	Normal (0.94)	Normal	0.66	overheated
				[SEP]
				[CLS] aircraft
				entered fixed
				- wing mode .
Normal	Normal (0.77)	Normal	-2.12	[SEP]
				[CLS] current
				flight speed is
				nnn . [SEP]
				[CLS] press
Normal	Normal (0.94)	Normal	0.92	c2 to exit
				[SEP]
				[CLS] aircraft
				flight control
				unlocked
RegulationViolation	RegulationViolation (0.80)	RegulationViolation	1.78	[SEP]
				[CLS] aircraft
				in restricted
				zones . [SEP]
				[CLS] check
Normal	Normal (0.94)	Normal	0.75	map to find
				recommended
				zones [SEP]
				[CLS] aircraft
				is in attitude
Normal	Normal (0.94)	Normal	0.48	mode , so that
				it will not
				hover . [SEP]
				[CLS] please
				fly with
Normal	Normal (0.94)	Normal	0.72	caution .
				[SEP]
				[CLS] aircraft
				is in tripod
				mode . [SEP]
Normal	Normal (0.94)	Normal	0.60	[CLS] exit
				this mode and
				try again
Normal	Normal (0.94)	Normal	1.07	

				[SEP]
Normal	Normal (0.94)	Normal	0.85	[CLS] aircraft is returning to the starting point [SEP]
ParamViolation	ParamViolation (0.88)	ParamViolation	2.12	[CLS] aircraft out of range [SEP]
RegulationViolation	RegulationViolation (0.79)	RegulationViolation	2.27	[CLS] approaching a no - fly zone . [SEP]
Normal	Normal (0.94)	Normal	0.22	[CLS] rth may be affected . [SEP]
Normal	Normal (0.94)	Normal	0.95	[CLS] fly with caution [SEP]
Normal	Normal (0.94)	Normal	0.53	[CLS] arrived at start point . [SEP]
Normal	Normal (0.94)	Normal	0.75	[CLS] starting waypoint mission [SEP]
Normal	Normal (0.94)	Normal	0.90	[CLS] auto landing initiated [SEP]
Normal	Normal (0.94)	Normal	0.57	[CLS] auxiliary bottom light turned off [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.87	[CLS] backward obstacle sensing is not functioning . [SEP]
HardwareFault	HardwareFault (0.92)	HardwareFault	1.82	[CLS] battery cell broken , please replace the battery [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.05	[CLS] battery error . [SEP]
				[CLS] aircraft returning to

Normal	Normal (0.94)	Normal	0.76	home automatically [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.94	[CLS] battery power low . [SEP]
Normal	Normal (0.94)	Normal	1.12	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	Normal (0.86)	Normal	1.74	[CLS] cache space full [SEP]
SurroundingEnvironment	SoftwareFault (0.92)	SoftwareFault	-1.05	[CLS] calibration subject is too close . [SEP]
Normal	Normal (0.94)	Normal	0.56	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.58	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.09	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.72	[CLS] low battery [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.53	[CLS] cannot start return to home due to weak gps signal [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.25	[CLS] cannot start self - timer . [SEP]
SoftwareFault	ParamViolation (0.67)	ParamViolation	-0.12	[CLS] exposure time is too long [SEP]

SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.11	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (0.94)	Normal	1.23	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.17	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.91)	SoftwareFault	-1.23	[CLS] no image [SEP]
Normal	Normal (0.94)	Normal	0.64	[CLS] please retry [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.17	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.92)	SoftwareFault	-0.84	[CLS] subject too large [SEP]
Normal	Normal (0.94)	Normal	0.77	[CLS] move away and retry [SEP]
Normal	Normal (0.94)	Normal	0.97	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (0.94)	Normal	0.85	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.46	[CLS] compass abnormal . [SEP]
Normal	Normal (0.94)	Normal	0.10	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (0.94)	Normal	0.34	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (0.94)	Normal	0.56	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (0.94)	Normal	0.75	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.09	[CLS] compass error [SEP]
HardwareFault	HardwareFault (0.42)	HardwareFault	0.85	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.14	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.14	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.57	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.14	[CLS] compass error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.86)	SurroundingEnvironment	1.36	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.94)	Normal	0.76	[CLS] exit p - gps mode [SEP]

SoftwareFault	HardwareFault (0.84)	HardwareFault	0.09	[CLS]
				compass
				initialization
Normal	Normal (0.94)	Normal	0.73	failed . [SEP]
				[CLS] restart
				aircraft [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.81	[CLS] critical
				low battery .
				[SEP]
Normal	Normal (0.94)	Normal	0.87	[CLS] aircraft
				in auto power
				off protection
Normal	Normal (0.94)	Normal	0.67	. [SEP]
				[CLS] forced
				landing in
HardwareFault	HardwareFault (0.93)	HardwareFault	1.81	progress
				[SEP]
				[CLS] critical
Normal	Normal (0.94)	Normal	0.74	low battery .
				[SEP]
				[CLS] aircraft
HardwareFault	HardwareFault (0.93)	HardwareFault	1.81	landing
				automatically
				[SEP]
Normal	Normal (0.94)	Normal	0.87	[CLS] critical
				low battery .
				[SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	2.04	[CLS] return
				to home or
				land promptly
Normal	Normal (0.94)	Normal	0.79	[SEP]
				[CLS]
				critically low
HardwareFault	HardwareFault (0.93)	HardwareFault	2.04	power . [SEP]
				[CLS] aircraft
				is landing
Normal	Normal (0.94)	Normal	0.53	[SEP]
				[CLS]
				critically low
Normal	Normal (0.94)	Normal	0.53	power . [SEP]
				[CLS] aircraft
				landing .
Normal	Normal (0.94)	Normal	0.53	[SEP]
				[CLS] aircraft
				landing .
				[SEP]
				[CLS] throttle
				up to reduce

Normal	Normal (0.94)	Normal	0.87	the speed of descent and use sticks to avoid obstacles [SEP] [CLS]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.63	critically low voltage warning . [SEP] [CLS] aircraft
Normal	Normal (0.94)	Normal	0.36	will be forced to land [SEP] [CLS]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.98	critically low voltage . [SEP] [CLS] aircraft
Normal	Normal (0.94)	Normal	0.63	will land [SEP] [CLS] data
Normal	Normal (0.94)	Normal	0.56	recorder file index is 15 . [SEP] [CLS] data
Normal	Normal (0.94)	Normal	0.52	recorder file index is 17 . [SEP] [CLS] data
Normal	Normal (0.94)	Normal	0.59	recorder file index is 30 . [SEP] [CLS] data
Normal	Normal (0.94)	Normal	0.51	recorder file index is 45 . [SEP] [CLS] data
Normal	Normal (0.94)	Normal	0.52	recorder file index is 46 . [SEP] [CLS] data
Normal	Normal (0.94)	Normal	0.60	recorder file index is 65 . [SEP] [CLS] disable
Normal	Normal (0.94)	Normal	1.04	sd card read and write

CommunicationIssue	CommunicationIssue (0.84)	CommunicationIssue	1.73	protection or change card [SEP]
				[CLS]
				downlink lost . [SEP]
Normal	Normal (0.94)	Normal	0.66	[CLS]
				downlink restored (after 0m 2 . 9s) . [SEP]
				[CLS] drone is vibrating [SEP]
Normal	HardwareFault (0.89)	HardwareFault	-1.88	[CLS] entered
				cruise control mode . [SEP]
				[CLS] press
Normal	Normal (0.94)	Normal	0.69	c1 or c2 to exit [SEP]
				[CLS]
				excessive
ParamViolation	ParamViolation (0.82)	ParamViolation	2.10	attitude angle detected [SEP]
				[CLS] forward
				obstacle
SoftwareFault	SoftwareFault (0.84)	SoftwareFault	1.24	avoidance has stopped working [SEP]
				[CLS] exit
				backward sensing system [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.86)	SurroundingEnvironment	1.62	[CLS]
				ambient light is too weak [SEP]
				[CLS] exited
Normal	Normal (0.94)	Normal	0.64	visual
				avoidance system . [SEP]
				[CLS] exiting
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.13	gps mode : unknown error [SEP]

ParamViolation	ParamViolation (0.88)	ParamViolation	1.90	[CLS] extra payload detected . [SEP]
Normal	Normal (0.94)	Normal	0.31	[CLS] flight performance will be affected . [SEP]
Normal	Normal (0.94)	Normal	0.95	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.74	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.82	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.92)	HardwareFault	1.90	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (0.94)	Normal	0.70	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	HardwareFault (0.92)	HardwareFault	2.12	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (0.93)	Normal	-0.35	[CLS] ground plain . [SEP]
Normal	Normal (0.94)	Normal	0.60	[CLS] safe to land . [SEP]
ParamViolation	ParamViolation (0.86)	ParamViolation	1.61	[CLS] high altitude . [SEP]
Normal	ParamViolation (0.53)	ParamViolation	-2.57	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (0.94)	Normal	0.95	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.86)	SurroundingEnvironment	1.62	[CLS] high wind velocity . [SEP]
Normal	Normal (0.94)	Normal	0.85	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.86)	SurroundingEnvironment	1.62	[CLS] high wind velocity . [SEP]
Normal	Normal (0.94)	Normal	0.85	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.86)	SurroundingEnvironment	1.62	[CLS] high wind velocity . [SEP]
Normal	Normal (0.94)	Normal	1.00	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	ParamViolation (0.82)	ParamViolation	-2.11	[CLS] high - altitude flight [SEP]
Normal	Normal (0.94)	Normal	0.95	[CLS] fly with caution [SEP]
Normal	Normal (0.45)	Normal	-0.83	[CLS] aircraft braking distance is extended [SEP]
Normal	ParamViolation (0.67)	ParamViolation	-2.01	[CLS] flight time is shortened . [SEP]
Normal	Normal (0.94)	Normal	0.53	[CLS] home

ParamViolation	ParamViolation (0.50)	ParamViolation	1.63	point updated
				. [SEP]
				[CLS] imu
Normal	Normal (0.94)	Normal	0.73	attitude
				restricted .
				[SEP]
SoftwareFault	Normal (0.94)	Normal	-0.27	[CLS] ensure
				aircraft is
				level [SEP]
Normal	Normal (0.94)	Normal	0.53	[CLS] imu not
				calibrated .
				[SEP]
Normal	Normal (0.93)	Normal	-0.12	[CLS]
				calibrate imu
				[SEP]
Normal	Normal (0.94)	Normal	0.73	[CLS] landing
				canceled .
				[SEP]
Normal	Normal (0.94)	Normal	0.46	[CLS] landing
				gear function
				restored
Normal	Normal (0.94)	Normal	0.78	[SEP]
				[CLS] landing
				gear paused .
Normal	Normal (0.94)	Normal	0.78	[SEP]
				[CLS] landing
				gear raising .
Normal	Normal (0.94)	Normal	0.78	[SEP]
				[CLS] home
				point
Normal	Normal (0.59)	Normal	-2.24	recorded
				[SEP]
				[CLS] live
Normal	Normal (0.94)	Normal	0.95	stream video
				frame rate
				less than 9hz
HardwareFault	HardwareFault (0.93)	HardwareFault	1.78	. [SEP]
				[CLS] fly with
				caution [SEP]
Normal	Normal (0.94)	Normal	0.82	[CLS] low
				power . [SEP]
				[CLS] aircraft
HardwareFault	HardwareFault (0.93)	HardwareFault	1.78	is returning
				to the home
				point . [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.78	[CLS] low
				power . [SEP]

Normal	Normal (0.94)	Normal	0.67	[CLS] returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.86)	SurroundingEnvironment	1.36	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.94)	Normal	0.67	[CLS] exit p - gps mode . [SEP]
HardwareFault	HardwareFault (0.93)	HardwareFault	1.78	[CLS] yaw error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.45)	SurroundingEnvironment	1.34	[CLS] manned aircraft detected nearby . [SEP]
Normal	Normal (0.94)	Normal	0.95	[CLS] fly with caution [SEP]
ParamViolation	ParamViolation (0.80)	ParamViolation	1.32	[CLS] max altitude approached . [SEP]
Normal	Normal (0.94)	Normal	0.35	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.89)	ParamViolation	1.99	[CLS] max flight altitude reached . [SEP]
Normal	Normal (0.94)	Normal	0.95	[CLS] adjust in main controller settings if necessary [SEP]
ParamViolation	ParamViolation (0.88)	ParamViolation	2.06	[CLS] max flight distance reached . [SEP]
				[CLS] adjust

Normal	Normal (0.94)	Normal	0.84	in main controller settings if necessary . [SEP]
				[CLS] maximum
ParamViolation	ParamViolation (0.88)	ParamViolation	2.17	flight distance reached . [SEP]
				[CLS] adjust the distance in mc settings if required . [SEP]
Normal	Normal (0.94)	Normal	0.90	[CLS] mobile device cpu fully loaded . [SEP]
				[CLS] related performance
HardwareFault	HardwareFault (0.87)	HardwareFault	2.04	will be affected . [SEP]
				[CLS] mobile device version too old to support hd image transmission and the image transmission mode has been switch to normal mode . [SEP]
SoftwareFault	Normal (0.86)	Normal	0.31	[CLS] motor is blocked . [SEP]
				[CLS] motor stuck . [SEP]
Normal	Normal (0.94)	Normal	0.37	[CLS] check for objects blocking motor or contact dji support for
HardwareFault	HardwareFault (0.93)	HardwareFault	1.66	
Normal	Normal (0.94)	Normal	0.85	

				assistance [SEP]
Normal	HardwareFault (0.90)	HardwareFault	-1.91	[CLS] motors started . [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.66	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.92)	HardwareFault	-1.01	[CLS] aircraft unable to hover . [SEP]
Normal	Normal (0.94)	Normal	0.95	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.66	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.91)	HardwareFault	-1.23	[CLS] unable to hover . [SEP]
Normal	Normal (0.94)	Normal	0.95	[CLS] fly with caution [SEP]
Normal	Normal (0.94)	Normal	0.35	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.94)	Normal	0.64	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.94)	Normal	0.35	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.94)	Normal	0.35	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.94)	Normal	0.64	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.94)	Normal	0.35	[CLS] obstacle avoidance has been disabled . [SEP]
Normal	Normal (0.94)	Normal	1.43	[CLS] precision

Normal	Normal (0.94)	Normal	0.60	landing [SEP]
				[CLS]
				quickshot has ended [SEP]
Normal	Normal (0.94)	Normal	0.56	[CLS]
				recenter
				gimbal pan [SEP]
Normal	Normal (0.94)	Normal	0.63	[CLS]
				rectifying
				aircraft position [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.86)	SurroundingEnvironment	1.65	[CLS] remote controller in high
				interference environment .
				[SEP]
Normal	Normal (0.94)	Normal	1.12	[CLS]
				manually
				adjust flight route or return to home [SEP]
Normal	Normal (0.94)	Normal	0.97	[CLS] return -
				to - home altitude : 65ft
				[SEP]
Normal	Normal (0.94)	Normal	0.75	[CLS] return -
				to - home altitude : 98ft
				. [SEP]
Normal	Normal (0.94)	Normal	0.93	[CLS] rth :
				ascending to rth altitude .
				[SEP]
Normal	Normal (0.94)	Normal	0.81	[CLS] rth :
				heading alignment .
				[SEP]
Normal	Normal (0.94)	Normal	0.77	[CLS] rth
				altitude : 65ft
				. [SEP]
Normal	Normal (0.94)	Normal	0.64	[CLS] rth
				altitude : 98ft
				. [SEP]
CommunicationIssue	CommunicationIssue (0.83)	CommunicationIssue	1.45	[CLS] signal

				lost . [SEP]
				[CLS] aircraft
Normal	Normal (0.94)	Normal	0.73	returning to home point [SEP]
				[CLS] sprayer
Normal	Normal (0.94)	Normal	1.04	turned on [SEP]
				[CLS] strong
SurroundingEnvironment	SurroundingEnvironment (0.86)	SurroundingEnvironment	1.39	wind warning . [SEP]
				[CLS] aircraft
				unable to
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.32	return to home automatically . [SEP]
				[CLS] lower
				altitude
				immediately
Normal	Normal (0.94)	Normal	1.05	and return to home manually [SEP]
				[CLS]
Normal	Normal (0.94)	Normal	0.93	switched to s (sport) - mode . [SEP]
				[CLS]
Normal	Normal (0.94)	Normal	0.75	switched to t (tripod) - mode . [SEP]
				[CLS] take off
Normal	Normal (0.94)	Normal	0.57	in p - mode [SEP]
				[CLS] vision
SoftwareFault	HardwareFault (0.85)	HardwareFault	0.04	sensor error . [SEP]
				[CLS] contact
Normal	Normal (0.94)	Normal	0.61	dji support for assistance [SEP]
				[CLS] vision
				systems and
Normal	Normal (0.94)	Normal	0.40	obstacle avoidance disabled [SEP]

Normal	Normal (0.94)	Normal	0.48	[CLS] waypoint mission paused [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.65	[CLS] weak gps signal . [SEP]
Normal	Normal (0.94)	Normal	0.73	[CLS] aircraft is in attitude mode and hovering may be unstable . [SEP]
Normal	Normal (0.94)	Normal	0.67	[CLS] fly with caution . [SEP]
CommunicationIssue	CommunicationIssue (0.84)	CommunicationIssue	1.46	[CLS] weak signal . [SEP]
Normal	Normal (0.94)	Normal	1.03	[CLS] adjust antennas [SEP]
RegulationViolation	RegulationViolation (0.79)	RegulationViolation	2.73	[CLS] your aircraft is flying in an altitude zone (nnn) . [SEP]
Normal	Normal (0.94)	Normal	0.89	[CLS] please fly with caution [SEP]