

Legend:
■ Negative
 □ Neutral
 ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.49)	SurroundingEnvironment	1.56	[CLS] A passenger aircraft is nearby . [SEP]
				[CLS] Fly with caution [SEP]
				[CLS] Account not logged in . [SEP]
Normal	Normal (0.94)	Normal	-0.17	[CLS] Flight altitude and distance restricted to nnn and nnn . [SEP]
Normal	Normal (0.40)	Normal	-0.03	[CLS] Check and log in [SEP]
ParamViolation	Normal (0.80)	ParamViolation	-0.20	[CLS]
				ActiveTrack Flight Paused [SEP]
				[CLS] Aircraft ActiveTrack available at max speed . [SEP]
Normal	Normal (0.87)	Normal	1.30	[CLS] Obstacle Avoidance is not available [SEP]
Normal	Normal (0.55)	Normal	-0.96	[CLS] Aircraft ActiveTrack available at max speed . [SEP]
Normal	Normal (0.56)	Normal	2.34	[CLS] When exceeding nnn , Obstacle Avoidance is not available [SEP]
Normal	Normal (0.75)	Normal	1.62	[CLS] Aircraft ActiveTrack max speed of
Normal	Normal (0.56)	Normal	2.34	
Normal	Normal (0.78)	Normal	-0.05	

Normal	Normal (0.82)	Normal	0.38	nnn and Obstacle Avoidance functions normally [SEP] [CLS] Aircraft
HardwareFault	HardwareFault (0.40)	HardwareFault	1.61	Core Board Overheated [SEP] [CLS] Aircraft
Normal	Normal (0.62)	Normal	1.59	entered Fixed - Wing Mode . [SEP]
Normal	Normal (0.71)	Normal	1.15	[CLS] Current flight speed is nnn . [SEP]
Normal	Normal (0.83)	Normal	-0.58	[CLS] Press C 2 to exit [SEP]
Normal	Normal (0.63)	Normal	0.68	[CLS] Aircraft flight control unlocked [SEP]
RegulationViolation	Normal (0.76)	RegulationViolation	-0.24	[CLS] Aircraft in Restricted Zones . [SEP]
Normal	Normal (0.84)	Normal	1.71	[CLS] Check map to find Recommended Zones [SEP]
Normal	Normal (0.75)	Normal	-0.02	[CLS] Aircraft is in Attitude mode , so that it will not hover . [SEP]
Normal	Normal (0.87)	Normal	1.66	[CLS] Please fly with caution . [SEP]
Normal	Normal (0.64)	Normal	0.68	[CLS] Aircraft is in Tripod Mode . [SEP]
Normal	Normal (0.83)	Normal	1.31	[CLS] Exit this mode and try again [SEP]
Normal	Normal (0.75)	Normal	1.36	[CLS] Aircraft is returning to the starting

ParamViolation	Normal (0.54)	ParamViolation	2.03	point [SEP]
				[CLS] Aircraft
				out of Range [SEP]
RegulationViolation	Normal (0.62)	RegulationViolation	-0.21	[CLS]
				Approaching a No -Fly Zone . [SEP]
				[CLS] RTH
Normal	Normal (0.71)	Normal	-1.58	may be affected . [SEP]
				[CLS] Fly with caution [SEP]
				[CLS] Arrived at Start Point . [SEP]
Normal	Normal (0.94)	Normal	-0.17	[CLS] Starting Waypoint Mission [SEP]
				[CLS] Auto landing initiated [SEP]
				[CLS]
Normal	Normal (0.68)	Normal	1.49	Auxiliary
				Bottom Light turned off [SEP]
				[CLS]
Normal	Normal (0.59)	Normal	-0.45	Backward
				Obstacle Sensing is not functioning . [SEP]
				[CLS]
SoftwareFault	Normal (0.61)	SoftwareFault	1.80	[CLS] Battery cell broken , please replace the battery [SEP]
				[CLS] Battery error . [SEP]
				[CLS] Aircraft
HardwareFault	Normal (0.44)	HardwareFault	1.51	returning to home automatically [SEP]
				[CLS] Battery
				power low .
HardwareFault	HardwareFault (0.60)	HardwareFault	1.66	
HardwareFault	HardwareFault (0.62)	HardwareFault	1.48	
Normal	Normal (0.77)	Normal	2.09	

				[SEP]
				[CLS] Check
Normal	Normal (0.81)	Normal	1.34	battery status and charge or warm up
				battery [SEP]
HardwareFault	Normal (0.69)	HardwareFault	-1.75	[CLS] Cache
				Space Full
				[SEP]
				[CLS]
SurroundingEnvironment	Normal (0.25)	SurroundingEnvironment	1.56	Calibration
				subject is too
				close . [SEP]
				[CLS]
				Recalibrate
Normal	Normal (0.91)	Normal	0.31	using a
				subject that is
				farther away
				[SEP]
				[CLS] Camera
HardwareFault	Normal (0.51)	HardwareFault	0.12	busy , cannot
				enter
				playback
				[SEP]
				[CLS] Cannot
				enable
SoftwareFault	Normal (0.76)	SoftwareFault	1.38	Intelligent
				Flight Mode
				[SEP]
				[CLS] Low
HardwareFault	HardwareFault (0.37)	HardwareFault	1.40	Battery [SEP]
				[CLS] Cannot
				start Return
SoftwareFault	Normal (0.57)	SoftwareFault	1.04	to Home due
				to weak GPS
				signal [SEP]
				[CLS] Cannot
SoftwareFault	SoftwareFault (0.37)	SoftwareFault	1.66	start Self -
				Timer . [SEP]
				[CLS]
SoftwareFault	Normal (0.47)	SoftwareFault	0.83	Exposure time
				is too long
				[SEP]
				[CLS] Cannot
SoftwareFault	Normal (0.51)	SoftwareFault	0.74	switch flight
				mode . [SEP]
				[CLS] Turn on
				"Multiple

Normal	Normal (0.93)	Normal	2.63	Flight Modes "to enable Att i and Sport Modes . [SEP]
SoftwareFault	SoftwareFault (0.40)	SoftwareFault	2.11	[CLS] Cannot track subject [SEP]
SurroundingEnvironment	Normal (0.47)	SurroundingEnvironment	-1.75	[CLS] No image [SEP]
Normal	Normal (0.66)	Normal	-0.09	[CLS] Please retry [SEP]
SoftwareFault	SoftwareFault (0.40)	SoftwareFault	2.11	[CLS] Cannot track subject [SEP]
SurroundingEnvironment	Normal (0.36)	SurroundingEnvironment	-0.49	[CLS] Subject too Large [SEP]
Normal	Normal (0.91)	Normal	1.52	[CLS] Move Away and retry [SEP]
Normal	Normal (0.83)	Normal	-0.05	[CLS] Color display in the Liveview has been enhanced . [SEP]
Normal	Normal (0.88)	Normal	1.32	[CLS] Videos and photos will still be shot in D -Log mode [SEP]
HardwareFault	HardwareFault (0.55)	HardwareFault	-0.15	[CLS] Compass abnormal . [SEP]
Normal	Normal (0.84)	Normal	0.01	[CLS] Solution : 1 . Ensure there are no magnets or metal objects near the aircraft . [SEP]
Normal	Normal (0.76)	Normal	0.47	[CLS] The ground or walls may contain metal . [SEP]

Normal	Normal (0.88)	Normal	-1.31	[CLS] Move away from sources of interference before attempting flight . [SEP]
				[CLS] 2 . Calibrate
				Compass Before Takeoff [SEP]
HardwareFault	HardwareFault (0.47)	HardwareFault	0.89	[CLS]
				Compass Error [SEP]
				[CLS]
HardwareFault	HardwareFault (0.44)	HardwareFault	1.01	Compass error , calibration required [SEP]
				[CLS]
				Compass Error . [SEP]
HardwareFault	HardwareFault (0.59)	HardwareFault	0.81	[CLS]
				Compass Error . [SEP]
				[CLS]
HardwareFault	HardwareFault (0.59)	HardwareFault	0.81	Compass Error . [SEP]
				[CLS]
				Compass disconnected [SEP]
HardwareFault	HardwareFault (0.43)	HardwareFault	2.02	[CLS]
				Compass Error . [SEP]
				[CLS]
SurroundingEnvironment	Normal (0.33)	SurroundingEnvironment	1.62	Magnetic Filed Interference . [SEP]
				[CLS]
				Exit P .
Normal	Normal (0.73)	Normal	2.05	GPS Mode [SEP]
				[CLS]
				Compass initialization failed . [SEP]
SoftwareFault	HardwareFault (0.40)	SoftwareFault	1.78	[CLS]
				Restart aircraft [SEP]

HardwareFault	HardwareFault (0.48)	HardwareFault	1.52	[CLS] Critical low battery . [SEP]
Normal	Normal (0.55)	Normal	1.45	[CLS] Aircraft in Auto Power Off Protection . [SEP]
Normal	Normal (0.66)	Normal	-1.28	[CLS] Forced landing in progress [SEP]
HardwareFault	HardwareFault (0.48)	HardwareFault	1.52	[CLS] Critical low battery . [SEP]
Normal	Normal (0.50)	Normal	-1.27	[CLS] Aircraft landing automatically [SEP]
HardwareFault	HardwareFault (0.48)	HardwareFault	1.52	[CLS] Critical low battery . [SEP]
Normal	Normal (0.90)	Normal	-0.13	[CLS] Return to home or land promptly [SEP]
HardwareFault	HardwareFault (0.27)	HardwareFault	1.35	[CLS] Critically low power . [SEP]
Normal	Normal (0.44)	Normal	1.49	[CLS] Aircraft is landing [SEP]
HardwareFault	HardwareFault (0.31)	HardwareFault	1.32	[CLS] Critically Low Power . [SEP]
Normal	Normal (0.55)	Normal	0.37	[CLS] Aircraft Landing . [SEP]
Normal	Normal (0.55)	Normal	0.37	[CLS] Aircraft Landing . [SEP]
Normal	Normal (0.88)	Normal	2.33	[CLS] Throttle up to reduce the speed of descent and use sticks to avoid obstacles [SEP]

HardwareFault	HardwareFault (0.38)	HardwareFault	1.25	[CLS] Critically Low Vol tage Warning . [SEP]
				[CLS] Aircraft will be forced to land [SEP]
				[CLS] Critically Low Vol tage . [SEP]
Normal	Normal (0.80)	Normal	-1.83	[CLS] Aircraft will land [SEP]
HardwareFault	HardwareFault (0.33)	HardwareFault	1.31	[CLS] Data Recorder File Index is 15 . [SEP]
Normal	Normal (0.67)	Normal	0.40	[CLS] Data Recorder File Index is 17 . [SEP]
Normal	Normal (0.79)	Normal	1.22	[CLS] Data Recorder File Index is 30 . [SEP]
Normal	Normal (0.78)	Normal	1.36	[CLS] Data Recorder File Index is 45 . [SEP]
Normal	Normal (0.79)	Normal	-0.97	[CLS] Data Recorder File Index is 46 . [SEP]
Normal	Normal (0.80)	Normal	1.65	[CLS] Data Recorder File Index is 65 . [SEP]
Normal	Normal (0.79)	Normal	0.85	[CLS] Disable SD card read and write protection or change card [SEP]
Normal	Normal (0.78)	Normal	1.52	[CLS] Downlink Lost . [SEP]
Normal	Normal (0.89)	Normal	1.02	
CommunicationIssue	Normal (0.32)	CommunicationIssue	-0.16	

Normal	Normal (0.88)	Normal	2.08	[CLS] Downlink Restored (after 0 m 2 . 9 s). [SEP]
				[CLS] Drone is Vibrating [SEP]
				[CLS] Entered Cruise Control mode . [SEP]
				[CLS] Press C 1 or C 2 to exit [SEP]
ParamViolation	Normal (0.90)	Normal	0.32	[CLS] Excessive attitude angle detected [SEP]
				[CLS] forward obstacle avoidance has stopped working [SEP]
				[CLS] Exit Backward Sensing system [SEP]
				[CLS] Ambient Light is too weak [SEP]
SoftwareFault	SurroundingEnvironment (0.33)	SurroundingEnvironment	1.70	[CLS] Exited Visual Avoidance System . [SEP]
				[CLS] Exiting GPS mode : Unknown Error [SEP]
				[CLS] Extra payload detected . [SEP]
				[CLS] Flight performance will be affected . [SEP]
Normal	Normal (0.61)	Normal	1.22	[CLS] Ambient Light is too weak [SEP]
				[CLS] Exited Visual Avoidance System . [SEP]
				[CLS] Exiting GPS mode : Unknown Error [SEP]
				[CLS] Extra payload detected . [SEP]
ParamViolation	Normal (0.60)	SoftwareFault	1.07	[CLS] Flight performance will be affected . [SEP]
				[CLS] Ambient Light is too weak [SEP]
				[CLS] Exited Visual Avoidance System . [SEP]
				[CLS] Exiting GPS mode : Unknown Error [SEP]
Normal	Normal (0.27)	ParamViolation	-0.34	[CLS] Extra payload detected . [SEP]
				[CLS] Flight performance will be affected . [SEP]
				[CLS] Ambient Light is too weak [SEP]
				[CLS] Exited Visual Avoidance System . [SEP]
SoftwareFault	Normal (0.70)	Normal	-0.78	[CLS] Ambient Light is too weak [SEP]
				[CLS] Exited Visual Avoidance System . [SEP]
				[CLS] Exiting GPS mode : Unknown Error [SEP]
				[CLS] Extra payload detected . [SEP]

Normal	Normal (0.94)	Normal	-0.17	[CLS] Fly with caution [SEP]
SoftwareFault	Normal (0.50)	SoftwareFault	1.36	[CLS] Forward Obstacle
				Sensing is not functioning . [SEP]
				[CLS] Forward Obstacle
SoftwareFault	Normal (0.61)	SoftwareFault	1.11	Sensing not Responding [SEP]
HardwareFault	HardwareFault (0.41)	HardwareFault	-0.80	[CLS] Gimbal motor overloaded . [SEP]
				[CLS] Check whether gimbal can rotate freely [SEP]
HardwareFault	Normal (0.46)	HardwareFault	0.02	[CLS] Gimbal Pitch Limit Reached . [SEP]
Normal	Normal (0.32)	Normal	1.66	[CLS] Ground Plain . [SEP]
Normal	Normal (0.56)	Normal	-0.16	[CLS] Safe to Land . [SEP]
ParamViolation	Normal (0.24)	ParamViolation	-0.92	[CLS] High altitude . [SEP]
				[CLS] Aircraft braking distance
Normal	Normal (0.72)	Normal	-1.21	increased and flight time decreased . [SEP]
Normal	Normal (0.94)	Normal	-0.17	[CLS] Fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.23)	SurroundingEnvironment	0.16	[CLS] High wind velocity . [SEP]
				[CLS] Ensure

Normal	Normal (0.89)	Normal	1.62	the aircraft remains within your line of sight and fly with caution .
				[SEP]
SurroundingEnvironment	SurroundingEnvironment (0.23)	SurroundingEnvironment	0.16	[CLS] High wind velocity .
				[SEP]
Normal	Normal (0.89)	Normal	1.62	[CLS] Ensure the aircraft remains within your line of sight and fly with caution .
				[SEP]
SurroundingEnvironment	SurroundingEnvironment (0.23)	SurroundingEnvironment	0.16	[CLS] High wind velocity .
				[SEP]
Normal	Normal (0.95)	Normal	1.65	[CLS] Fly with caution and land in a safe place ASAP .
				[SEP]
Normal	Normal (0.43)	Normal	1.01	[CLS] High - altitude flight
				[SEP]
Normal	Normal (0.94)	Normal	-0.17	[CLS] Fly with caution
				[SEP]
Normal	Normal (0.75)	Normal	0.46	[CLS] aircraft braking distance is extended
				[SEP]
Normal	Normal (0.57)	Normal	0.56	[CLS] flight time is shortened .
				[SEP]
Normal	Normal (0.68)	Normal	-0.91	[CLS] Home Point Updated .
				[SEP]
ParamViolation	Normal (0.48)	ParamViolation	0.11	[CLS] IM U attitude restricted .
				[SEP]
				[CLS] Ensure

Normal	Normal (0.74)	Normal	-0.47	aircraft is level [SEP]
SoftwareFault	Normal (0.40)	SoftwareFault	0.75	[CLS] IM U not calibrated . [SEP]
Normal	Normal (0.79)	Normal	1.95	[CLS] Calibrate IM U [SEP]
Normal	Normal (0.67)	Normal	1.02	[CLS] Landing Canceled . [SEP]
Normal	Normal (0.80)	Normal	0.96	[CLS] Landing gear function restored [SEP]
Normal	Normal (0.64)	Normal	-0.33	[CLS] Landing Gear Paused . [SEP]
Normal	Normal (0.83)	Normal	0.79	[CLS] Landing Gear Raising . [SEP]
Normal	Normal (0.80)	Normal	0.31	[CLS] Home Point Recorded [SEP]
Normal	Normal (0.57)	Normal	1.11	[CLS] Live stream video frame rate less than 9Hz . [SEP]
Normal	Normal (0.94)	Normal	-0.17	[CLS] Fly with caution [SEP]
HardwareFault	HardwareFault (0.25)	HardwareFault	1.45	[CLS] Low Power . [SEP]
Normal	Normal (0.79)	Normal	2.13	[CLS] Aircraft is returning to the Home Point . [SEP]
HardwareFault	HardwareFault (0.25)	HardwareFault	1.45	[CLS] Low Power . [SEP]
Normal	Normal (0.70)	Normal	-0.09	[CLS] Returning home . [SEP]
SurroundingEnvironment	Normal (0.33)	SurroundingEnvironment	1.62	[CLS] Magnetic Filed Interference . [SEP]

Normal	Normal (0.67)	Normal	1.75	[CLS] Exit P GPS Mode . [SEP]
HardwareFault	Normal (0.46)	HardwareFault	1.76	[CLS] Yaw Error . [SEP]
SurroundingEnvironment	Normal (0.50)	SurroundingEnvironment	-1.34	[CLS] Manned aircraft detected nearby . [SEP]
Normal	Normal (0.94)	Normal	-0.17	[CLS] Fly with caution [SEP]
ParamViolation	Normal (0.51)	ParamViolation	-0.22	[CLS] Max Altitude Approached . [SEP]
Normal	Normal (0.85)	Normal	1.33	[CLS] Wait for the GPS satellite signal recovery before ascend [SEP]
ParamViolation	Normal (0.55)	ParamViolation	-0.29	[CLS] Max Flight Altitude Reached . [SEP]
Normal	Normal (0.90)	Normal	0.84	[CLS] Adjust in Main Controller Settings if necessary [SEP]
ParamViolation	Normal (0.53)	ParamViolation	-1.32	[CLS] Max Flight Distance Reached . [SEP]
Normal	Normal (0.88)	Normal	1.91	[CLS] Adjust in Main Controller Settings if necessary . [SEP]
ParamViolation	Normal (0.51)	ParamViolation	-0.23	[CLS] Maximum flight distance reached . [SEP]
				[CLS] Adjust

Normal	Normal (0.91)	Normal	2.27	the distance in MC Settings if required . [SEP] [CLS] Mobile device CPU fully loaded . [SEP] [CLS] Related performance
HardwareFault	Normal (0.42)	HardwareFault	2.20	will be affected . [SEP] [CLS] Mobile device version too old to support HD image transmission and the image transmission mode has been switch to normal mode . [SEP]
Normal	Normal (0.76)	Normal	0.83	[CLS] Motor is Blocked . [SEP] [CLS] Motor stuck . [SEP] [CLS] Check for objects blocking motor or contact DJ I Support for assistance [SEP]
SoftwareFault	Normal (0.82)	SoftwareFault	0.91	[CLS] Motors Started . [SEP] [CLS] No GPS signal . [SEP] [CLS] Aircraft unable to hover . [SEP]
Normal	Normal (0.61)	Normal	1.57	[CLS] Fly with caution [SEP]
HardwareFault	Normal (0.47)	HardwareFault	-0.23	
Normal	Normal (0.89)	Normal	1.34	
Normal	Normal (0.59)	Normal	1.06	
SoftwareFault	Normal (0.27)	SoftwareFault	-1.22	
Normal	Normal (0.42)	Normal	1.99	
Normal	Normal (0.94)	Normal	-0.17	

SoftwareFault	Normal (0.27)	SoftwareFault	-1.22	[CLS] No GPS signal . [SEP]
Normal	SoftwareFault (0.43)	Normal	-1.61	[CLS] Unable to hover . [SEP]
Normal	Normal (0.94)	Normal	-0.17	[CLS] Fly with caution [SEP]
Normal	Normal (0.64)	Normal	1.08	[CLS] Obstacle Avoidance Disabled . [SEP]
Normal	Normal (0.60)	Normal	0.93	[CLS] Landing gear lowered . [SEP]
Normal	Normal (0.64)	Normal	1.08	[CLS] Obstacle Avoidance Disabled . [SEP]
Normal	Normal (0.59)	Normal	0.73	[CLS] Obstacle Avoidance disabled . [SEP]
Normal	Normal (0.60)	Normal	0.93	[CLS] Landing gear lowered . [SEP]
Normal	Normal (0.58)	Normal	1.78	[CLS] Obstacle Avoidance has been disabled . [SEP]
Normal	Normal (0.78)	Normal	0.63	[CLS] Precision Landing [SEP]
Normal	Normal (0.58)	Normal	-0.91	[CLS] QuickShot has ended [SEP]
Normal	Normal (0.61)	Normal	0.51	[CLS] Recenter Gimbal Pan [SEP]
Normal	Normal (0.72)	Normal	-1.32	[CLS] Rectifying aircraft position [SEP]
				[CLS] Remote

SurroundingEnvironment	Normal (0.47)	SurroundingEnvironment	0.37	controller in high interference environment .
				[SEP]
				[CLS]
Normal	Normal (0.97)	Normal	-0.18	Manually adjust flight route or return to home
				[SEP]
				[CLS] Return -
Normal	Normal (0.83)	Normal	1.58	to -Home Altitude : 65FT
				[SEP]
				[CLS] Return -
Normal	Normal (0.82)	Normal	1.55	to -Home Altitude : 98FT
				[SEP]
				[CLS] RTH :
Normal	Normal (0.81)	Normal	-0.27	Ascending to RTH altitude .
				[SEP]
				[CLS] RTH :
Normal	Normal (0.63)	Normal	-0.47	Heading alignment .
				[SEP]
				[CLS] RTH
Normal	Normal (0.65)	Normal	-1.11	Altitude : 65FT
				[SEP]
				[CLS] RTH
Normal	Normal (0.67)	Normal	2.03	Altitude : 98FT
				[SEP]
				[CLS] Signal
CommunicationIssue	SoftwareFault (0.30)	CommunicationIssue	-0.64	Lost .
				[SEP]
				[CLS] Aircraft
Normal	Normal (0.77)	Normal	0.14	returning to Home Point
				[SEP]
				[CLS] Sprayer
Normal	Normal (0.58)	Normal	1.39	turned ON
				[SEP]
				[CLS] Strong
SurroundingEnvironment	SurroundingEnvironment (0.26)	SurroundingEnvironment	1.59	wind warning .
				[SEP]
				[CLS] Aircraft
SoftwareFault	Normal (0.73)	SoftwareFault	0.81	unable to return to

Normal	Normal (0.96)	Normal	1.87	home automatically . [SEP] [CLS] Lower altitude immediately and return to home manually [SEP] [CLS]
				Switched to S (Sport)-mode . [SEP] [CLS]
				Switched to T (Tripod)- mode . [SEP] [CLS]
				[CLS] Take off in P -Mode [SEP] [CLS]
SoftwareFault	HardwareFault (0.54)	SoftwareFault	1.50	[CLS] Vision sensor error . [SEP] [CLS]
Normal	Normal (0.89)	Normal	-0.23	Contact DJ I Support for assistance [SEP] [CLS]
Normal	Normal (0.70)	Normal	1.17	Vision systems and obstacle avoidance disabled [SEP] [CLS]
Normal	Normal (0.49)	Normal	0.21	Waypoint Mission Paused [SEP] [CLS]
SoftwareFault	HardwareFault (0.29)	SoftwareFault	1.82	[CLS] Weak GPS signal . [SEP] [CLS]
Normal	Normal (0.68)	Normal	1.20	Aircraft is in Attitude mode and hovering may be unstable . [SEP] [CLS]
Normal	Normal (0.81)	Normal	-1.43	Fly with caution . [SEP]

CommunicationIssue	SoftwareFault (0.27)	CommunicationIssue	1.04	[CLS] Weak signal . [SEP]
Normal	Normal (0.60)	Normal	-0.21	[CLS] Adjust antennas [SEP]
RegulationViolation	Normal (0.73)	RegulationViolation	0.82	[CLS] Your aircraft is flying in an Altitude Zone (nn n). [SEP]
Normal	Normal (0.94)	Normal	-0.40	[CLS] Please fly with caution [SEP]