

Legend:
■ Negative
 □ Neutral
 ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.83)	SurroundingEnvironment	-0.43	[CLS] A passenger aircraft is nearby . [SEP]
				[CLS] Fly with caution [SEP]
				[CLS] Account not logged in . [SEP]
Normal	Normal (1.00)	Normal	1.42	[CLS] Flight altitude and distance restricted to nnn and nnn . [SEP]
Normal	SoftwareFault (0.68)	Normal	0.32	[CLS] Check and log in [SEP]
				[CLS]
				ActiveTrack Flight Paused [SEP]
ParamViolation	ParamViolation (0.95)	ParamViolation	1.81	[CLS] Aircraft ActiveTrack available at max speed . [SEP]
				[CLS]
				Obstacle Avoidance is not available [SEP]
Normal	Normal (1.00)	Normal	1.65	[CLS] Aircraft ActiveTrack available at max speed . [SEP]
Normal	Normal (1.00)	Normal	1.20	[CLS]
Normal	Normal (1.00)	Normal	0.96	Obstacle Avoidance is not available [SEP]
Normal	Normal (1.00)	Normal	1.42	[CLS] Aircraft ActiveTrack available at max speed . [SEP]
				[CLS]
				When exceeding nnn , Obstacle Avoidance is not available [SEP]
Normal	Normal (0.64)	Normal	0.54	[CLS] Aircraft ActiveTrack max speed of

Normal	Normal (0.98)	Normal	0.96	nnn and Obstacle Avoidance functions normally [SEP] [CLS] Aircraft
HardwareFault	HardwareFault (0.97)	HardwareFault	0.57	Core Board Overheated [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	0.56	entered Fixed - Wing Mode . [SEP] [CLS] Current
Normal	Normal (1.00)	Normal	-0.44	flight speed is nnn . [SEP]
Normal	Normal (1.00)	Normal	1.24	[CLS] Press C 2 to exit [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.00	flight control unlocked [SEP]
RegulationViolation	Normal (0.66)	RegulationViolation	0.92	[CLS] Aircraft in Restricted Zones . [SEP] [CLS] Check map to find Recommended Zones [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.98	is in Attitude mode , so that it will not hover . [SEP] [CLS] Please
Normal	Normal (1.00)	Normal	1.34	fly with caution . [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.29	is in Tripod Mode . [SEP] [CLS] Exit this
Normal	Normal (1.00)	Normal	1.21	mode and try again [SEP] [CLS] Aircraft
Normal	Normal (1.00)	Normal	1.43	is returning to the starting

ParamViolation	Normal (0.43)	ParamViolation	0.20	point [SEP]
				[CLS] Aircraft
				out of Range [SEP]
RegulationViolation	RegulationViolation (0.62)	RegulationViolation	1.97	[CLS]
				Approaching a No -Fly Zone .
				[SEP]
Normal	Normal (1.00)	Normal	1.75	[CLS] RTH
				may be affected .
				[SEP]
Normal	Normal (1.00)	Normal	1.42	[CLS] Fly with
				caution [SEP]
				[CLS] Arrived
Normal	Normal (1.00)	Normal	1.44	at Start Point .
				[SEP]
				[CLS] Starting
Normal	Normal (1.00)	Normal	1.29	Waypoint
				Mission [SEP]
				[CLS] Auto
Normal	Normal (1.00)	Normal	1.25	landing
				initiated [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.32	Auxiliary
				Bottom Light
				turned off [SEP]
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	2.16	[CLS]
				Backward
				Obstacle
HardwareFault	HardwareFault (0.94)	HardwareFault	2.19	Sensing is not
				functioning .
				[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	0.67	[CLS] Battery
				cell broken ,
				please replace
HardwareFault	HardwareFault (1.00)	HardwareFault	0.67	the battery
				[SEP]
				[CLS] Battery
Normal	Normal (1.00)	Normal	1.19	error . [SEP]
				[CLS] Aircraft
				returning to
HardwareFault	HardwareFault (1.00)	HardwareFault	1.85	home
				automatically
				[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.85	[CLS] Battery
				power low .
				[SEP]

				[SEP]
				[CLS] Check
Normal	Normal (1.00)	Normal	1.44	battery status
				and charge or
				warm up
				battery [SEP]
HardwareFault	Normal (0.99)	HardwareFault	-0.42	[CLS] Cache
				Space Full
				[SEP]
				[CLS]
SurroundingEnvironment	ParamViolation (0.47)	SurroundingEnvironment	0.14	Calibration
				subject is too
				close . [SEP]
				[CLS]
				Recalibrate
Normal	Normal (1.00)	Normal	1.77	using a
				subject that is
				farther away
				[SEP]
				[CLS] Camera
HardwareFault	HardwareFault (0.69)	HardwareFault	0.98	busy , cannot
				enter
				playback
				[SEP]
				[CLS] Cannot
				enable
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.70	Intelligent
				Flight Mode
				[SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.54	[CLS] Low
				Battery [SEP]
				[CLS] Cannot
				start Return
SoftwareFault	SoftwareFault (0.95)	SoftwareFault	2.77	to Home due
				to weak GPS
				signal [SEP]
				[CLS] Cannot
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	1.86	start Self -
				Timer . [SEP]
				[CLS]
SoftwareFault	ParamViolation (0.85)	SoftwareFault	1.27	Exposure time
				is too long
				[SEP]
				[CLS] Cannot
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	1.71	switch flight
				mode . [SEP]
				[CLS] Turn on
				"Multiple

Normal	Normal (1.00)	Normal	2.02	Flight Modes "to enable Att i and Sport Modes . [SEP] [CLS] Cannot track subject [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.65	[CLS] No image [SEP]
SurroundingEnvironment	SoftwareFault (0.84)	SurroundingEnvironment	-0.80	[CLS] Please retry [SEP]
Normal	Normal (1.00)	Normal	1.27	[CLS] Cannot track subject [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.65	[CLS] Subject too Large [SEP]
SurroundingEnvironment	SoftwareFault (0.99)	SurroundingEnvironment	0.81	[CLS] Move Away and retry [SEP]
Normal	Normal (1.00)	Normal	1.24	[CLS] Color display in the Liveview has been enhanced . [SEP]
Normal	Normal (1.00)	Normal	1.79	[CLS] Videos and photos will still be shot in D -Log mode [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.52	[CLS] Compass abnormal . [SEP]
Normal	Normal (1.00)	Normal	1.32	[CLS] Solution : 1 . Ensure there are no magnets or metal objects near the aircraft . [SEP]
Normal	Normal (1.00)	Normal	1.40	[CLS] The ground or walls may contain metal . [SEP]

				[CLS] Move away from sources of interference before attempting flight . [SEP]
Normal	Normal (0.99)	Normal	1.12	[CLS] 2 . Calibrate
Normal	Normal (1.00)	Normal	1.48	Compass Before Takeoff [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.60	[CLS] Compass Error [SEP]
				[CLS] Compass
HardwareFault	HardwareFault (0.98)	HardwareFault	-0.50	error , calibration required [SEP]
				[CLS]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.66	Compass Error . [SEP]
				[CLS]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.66	Compass Error . [SEP]
				[CLS]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.86	Compass disconnected [SEP]
				[CLS]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.66	Compass Error . [SEP]
				[CLS]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	0.67	Magnetic Filed Interference . [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.55	[CLS] Exit P - GPS Mode [SEP]
				[CLS]
SoftwareFault	HardwareFault (0.98)	SoftwareFault	1.63	Compass initialization failed . [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.46	[CLS] Restart aircraft [SEP]

HardwareFault	HardwareFault (1.00)	HardwareFault	1.28	[CLS] Critical low battery . [SEP]
Normal	Normal (1.00)	Normal	0.88	[CLS] Aircraft in Auto Power Off Protection . [SEP]
Normal	Normal (1.00)	Normal	2.01	[CLS] Forced landing in progress [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.28	[CLS] Critical low battery . [SEP]
Normal	Normal (0.99)	Normal	0.64	[CLS] Aircraft landing automatically [SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.28	[CLS] Critical low battery . [SEP]
Normal	Normal (1.00)	Normal	1.52	[CLS] Return to home or land promptly [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	0.95	[CLS] Critically low power . [SEP]
Normal	Normal (0.97)	Normal	0.42	[CLS] Aircraft is landing [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.41	[CLS] Critically Low Power . [SEP]
Normal	Normal (1.00)	Normal	1.24	[CLS] Aircraft Landing . [SEP]
Normal	Normal (1.00)	Normal	1.24	[CLS] Aircraft Landing . [SEP]
Normal	Normal (1.00)	Normal	1.83	[CLS] Throttle up to reduce the speed of descent and use sticks to avoid obstacles [SEP]

HardwareFault	HardwareFault (0.99)	HardwareFault	1.27	[CLS] Critically Low Vol tage Warning . [SEP]
				[CLS] Aircraft will be forced to land [SEP]
				[CLS] Critically Low Vol tage . [SEP]
Normal	Normal (1.00)	Normal	1.29	[CLS] Aircraft will land [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.48	[CLS] Data Recorder File Index is 15 . [SEP]
				[CLS] Aircraft will land [SEP]
				[CLS] Data Recorder File Index is 17 . [SEP]
Normal	Normal (1.00)	Normal	1.34	[CLS] Data Recorder File Index is 15 . [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.48	[CLS] Data Recorder File Index is 17 . [SEP]
				[CLS] Aircraft will land [SEP]
				[CLS] Data Recorder File Index is 17 . [SEP]
Normal	Normal (1.00)	Normal	1.34	[CLS] Data Recorder File Index is 17 . [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.48	[CLS] Data Recorder File Index is 30 . [SEP]
				[CLS] Aircraft will land [SEP]
				[CLS] Data Recorder File Index is 30 . [SEP]
Normal	Normal (1.00)	Normal	1.34	[CLS] Data Recorder File Index is 30 . [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.48	[CLS] Data Recorder File Index is 45 . [SEP]
				[CLS] Aircraft will land [SEP]
				[CLS] Data Recorder File Index is 45 . [SEP]
Normal	Normal (1.00)	Normal	1.34	[CLS] Data Recorder File Index is 45 . [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.48	[CLS] Data Recorder File Index is 46 . [SEP]
				[CLS] Aircraft will land [SEP]
				[CLS] Data Recorder File Index is 46 . [SEP]
Normal	Normal (1.00)	Normal	1.34	[CLS] Data Recorder File Index is 46 . [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.48	[CLS] Data Recorder File Index is 65 . [SEP]
				[CLS] Aircraft will land [SEP]
				[CLS] Data Recorder File Index is 65 . [SEP]
Normal	Normal (1.00)	Normal	1.34	[CLS] Data Recorder File Index is 65 . [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.48	[CLS] Disable SD card read and write protection or change card [SEP]
				[CLS] Aircraft will land [SEP]
				[CLS] Disable SD card read and write protection or change card [SEP]
Normal	Normal (1.00)	Normal	1.34	[CLS] Disable SD card read and write protection or change card [SEP]
CommunicationIssue	CommunicationIssue (0.93)	CommunicationIssue	1.59	[CLS] Downlink Lost [SEP]
				[CLS] Aircraft will land [SEP]
				[CLS] Downlink Lost [SEP]

				[CLS]
Normal	Normal (1.00)	Normal	2.23	Downlink Restored (after 0 m 2 . 9 s). [SEP]
Normal	Normal (1.00)	Normal	1.23	[CLS] Drone is Vibrating [SEP]
Normal	Normal (1.00)	Normal	0.52	[CLS] Entered Cruise Control mode . [SEP]
Normal	Normal (1.00)	Normal	1.46	[CLS] Press C 1 or C 2 to exit [SEP]
ParamViolation	ParamViolation (0.26)	ParamViolation	0.06	[CLS] Excessive attitude angle detected [SEP]
SoftwareFault	Normal (1.00)	SoftwareFault	0.62	[CLS] forward obstacle avoidance has stopped working [SEP]
Normal	Normal (1.00)	Normal	1.16	[CLS] Exit Backward Sensing system [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	2.11	[CLS] Ambient Light is too weak [SEP]
Normal	Normal (1.00)	Normal	1.84	[CLS] Exited Visual Avoidance System . [SEP]
SoftwareFault	Normal (0.97)	SoftwareFault	0.20	[CLS] Exiting GPS mode : Unknown Error [SEP]
ParamViolation	ParamViolation (0.98)	ParamViolation	1.77	[CLS] Extra payload detected . [SEP]
Normal	Normal (1.00)	Normal	1.45	[CLS] Flight performance will be affected . [SEP]

Normal	Normal (1.00)	Normal	1.42	[CLS] Fly with caution [SEP] [CLS] Forward Obstacle Sensing is not functioning . [SEP] [CLS] Forward Obstacle Sensing not Responding [SEP] [CLS] Gimbal motor overloaded . [SEP] [CLS] Check whether gimbal can rotate freely [SEP] [CLS] Gimbal Pitch Limit Reached . [SEP]
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	2.07	
SoftwareFault	SoftwareFault (0.93)	SoftwareFault	1.77	
HardwareFault	HardwareFault (0.64)	HardwareFault	1.13	
Normal	Normal (1.00)	Normal	1.09	
HardwareFault	HardwareFault (0.97)	HardwareFault	-2.06	
Normal	Normal (0.99)	Normal	0.88	
Normal	Normal (1.00)	Normal	1.78	
ParamViolation	SurroundingEnvironment (0.63)	ParamViolation	0.31	[CLS] High altitude . [SEP] [CLS] Aircraft braking distance increased and flight time decreased . [SEP]
Normal	ParamViolation (0.94)	Normal	0.15	
Normal	Normal (1.00)	Normal	1.42	[CLS] Fly with caution [SEP] [CLS] High wind velocity . [SEP] [CLS] Ensure
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.79	

Normal	Normal (1.00)	Normal	1.66	the aircraft remains within your line of sight and fly with caution .
				[SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.79	[CLS] High wind velocity .
				[SEP]
Normal	Normal (1.00)	Normal	1.66	[CLS] Ensure the aircraft remains within your line of sight and fly with caution .
				[SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.79	[CLS] High wind velocity .
				[SEP]
Normal	Normal (1.00)	Normal	1.78	[CLS] Fly with caution and land in a safe place ASAP .
				[SEP]
Normal	SurroundingEnvironment (0.45)	Normal	-0.51	[CLS] High - altitude flight
				[SEP]
Normal	Normal (1.00)	Normal	1.42	[CLS] Fly with caution
				[SEP]
Normal	Normal (0.40)	Normal	0.11	[CLS] aircraft braking distance is extended
				[SEP]
Normal	ParamViolation (0.66)	Normal	-0.32	[CLS] flight time is shortened .
				[SEP]
Normal	Normal (1.00)	Normal	1.51	[CLS] Home Point Updated .
				[SEP]
ParamViolation	Normal (0.93)	ParamViolation	-0.33	[CLS] IM U attitude restricted .
				[SEP]
				[CLS] Ensure

Normal	Normal (1.00)	Normal	1.08	aircraft is level [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.10	[CLS] IM U not calibrated . [SEP]
Normal	Normal (1.00)	Normal	1.81	[CLS] Calibrate IM U [SEP]
Normal	Normal (1.00)	Normal	1.94	[CLS] Landing Canceled . [SEP]
Normal	Normal (1.00)	Normal	1.54	[CLS] Landing gear function restored [SEP]
Normal	Normal (1.00)	Normal	1.39	[CLS] Landing Gear Paused . [SEP]
Normal	Normal (1.00)	Normal	1.67	[CLS] Landing Gear Raising . [SEP]
Normal	Normal (1.00)	Normal	1.25	[CLS] Home Point Recorded [SEP]
Normal	ParamViolation (0.34)	Normal	-0.28	[CLS] Live stream video frame rate less than 9Hz . [SEP]
Normal	Normal (1.00)	Normal	1.42	[CLS] Fly with caution [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.65	[CLS] Low Power . [SEP]
Normal	Normal (1.00)	Normal	1.80	[CLS] Aircraft is returning to the Home Point . [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.65	[CLS] Low Power . [SEP]
Normal	Normal (1.00)	Normal	1.34	[CLS] Returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	0.67	[CLS] Magnetic Filed Interference . [SEP]

Normal	Normal (1.00)	Normal	1.13	[CLS] Exit P - GPS Mode . [SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	1.31	[CLS] Yaw Error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.95)	SurroundingEnvironment	1.99	[CLS] Manned aircraft detected nearby . [SEP]
Normal	Normal (1.00)	Normal	1.42	[CLS] Fly with caution [SEP]
ParamViolation	Normal (0.98)	ParamViolation	-0.18	[CLS] Max Altitude Approached . [SEP]
Normal	Normal (1.00)	Normal	1.31	[CLS] Wait for the GPS satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.99)	ParamViolation	2.58	[CLS] Max Flight Altitude Reached . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Adjust in Main Controller Settings if necessary [SEP]
ParamViolation	ParamViolation (0.99)	ParamViolation	1.45	[CLS] Max Flight Distance Reached . [SEP]
Normal	Normal (1.00)	Normal	1.25	[CLS] Adjust in Main Controller Settings if necessary . [SEP]
ParamViolation	ParamViolation (0.98)	ParamViolation	1.40	[CLS] Maximum flight distance reached . [SEP]
				[CLS] Adjust

Normal	Normal (1.00)	Normal	1.21	the distance in MC Settings if required . [SEP] [CLS] Mobile device CPU fully loaded . [SEP] [CLS] Related performance will be affected . [SEP] [CLS] Mobile device version too old to support HD image transmission and the image transmission mode has been switch to normal mode . [SEP]
HardwareFault	Normal (0.96)	HardwareFault	-1.03	[CLS] Motor is Blocked . [SEP] [CLS] Motor stuck . [SEP] [CLS] Check for objects blocking motor or contact DJ I Support for assistance [SEP]
Normal	Normal (1.00)	Normal	1.67	[CLS] Motors Started . [SEP] [CLS] No GPS signal . [SEP] [CLS] Aircraft unable to hover . [SEP]
SoftwareFault	Normal (0.83)	SoftwareFault	2.05	[CLS] Fly with caution [SEP]
Normal	Normal (0.99)	Normal	1.23	
HardwareFault	HardwareFault (0.97)	HardwareFault	1.59	
Normal	Normal (1.00)	Normal	1.89	
Normal	Normal (0.97)	Normal	1.40	
SoftwareFault	SoftwareFault (0.95)	SoftwareFault	1.45	
Normal	HardwareFault (0.67)	Normal	0.46	
Normal	Normal (1.00)	Normal	1.42	

SoftwareFault	SoftwareFault (0.95)	SoftwareFault	1.45	[CLS] No GPS signal . [SEP]
Normal	HardwareFault (0.79)	Normal	-1.87	[CLS] Unable to hover . [SEP]
Normal	Normal (1.00)	Normal	1.42	[CLS] Fly with caution [SEP]
Normal	Normal (1.00)	Normal	1.67	[CLS] Obstacle Avoidance Disabled . [SEP]
Normal	Normal (1.00)	Normal	0.87	[CLS] Landing gear lowered . [SEP]
Normal	Normal (1.00)	Normal	1.67	[CLS] Obstacle Avoidance Disabled . [SEP]
Normal	Normal (1.00)	Normal	1.40	[CLS] Obstacle Avoidance disabled . [SEP]
Normal	Normal (1.00)	Normal	0.87	[CLS] Landing gear lowered . [SEP]
Normal	Normal (1.00)	Normal	1.29	[CLS] Obstacle Avoidance has been disabled . [SEP]
Normal	Normal (1.00)	Normal	1.56	[CLS] Precision Landing [SEP]
Normal	Normal (1.00)	Normal	1.29	[CLS] QuickShot has ended [SEP]
Normal	Normal (1.00)	Normal	1.15	[CLS] Recenter Gimbal Pan [SEP]
Normal	Normal (1.00)	Normal	1.64	[CLS] Rectifying aircraft position [SEP]
				[CLS] Remote

SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	2.60	controller in high interference environment . [SEP]
Normal	Normal (1.00)	Normal	0.04	[CLS] Manually adjust flight route or return to home [SEP]
Normal	Normal (1.00)	Normal	1.38	[CLS] Return - to -Home Altitude : 65FT [SEP]
Normal	Normal (1.00)	Normal	1.54	[CLS] Return - to -Home Altitude : 98FT . [SEP]
Normal	Normal (1.00)	Normal	0.77	[CLS] RTH : Ascending to RTH altitude . [SEP]
Normal	Normal (1.00)	Normal	1.17	[CLS] RTH : Heading alignment . [SEP]
Normal	Normal (1.00)	Normal	1.53	[CLS] RTH Altitude : 65FT . [SEP]
Normal	Normal (1.00)	Normal	1.09	[CLS] RTH Altitude : 98FT . [SEP]
CommunicationIssue	SoftwareFault (0.89)	CommunicationIssue	-0.33	[CLS] Signal Lost . [SEP]
Normal	Normal (1.00)	Normal	1.20	[CLS] Aircraft returning to Home Point [SEP]
Normal	Normal (1.00)	Normal	1.89	[CLS] Sprayer turned ON [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.91	[CLS] Strong wind warning . [SEP]
SoftwareFault	HardwareFault (0.46)	SoftwareFault	1.15	[CLS] Aircraft unable to return to

				home automatically . [SEP] [CLS] Lower altitude immediately and return to home manually [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.24	Switched to S (Sport)-mode . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.72	Switched to T (Tripod)- mode . [SEP] [CLS] Take off
Normal	Normal (1.00)	Normal	1.53	in P -Mode [SEP]
Normal	Normal (1.00)	Normal	1.34	[CLS] Vision sensor error . [SEP]
SoftwareFault	SoftwareFault (0.90)	SoftwareFault	1.92	[CLS] Contact DJ I Support for assistance [SEP]
Normal	Normal (1.00)	Normal	1.94	[CLS] Vision systems and obstacle avoidance disabled [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.52	Waypoint Mission Paused [SEP] [CLS] Weak
Normal	Normal (1.00)	Normal	1.17	GPS signal . [SEP]
SoftwareFault	SoftwareFault (0.83)	SoftwareFault	1.53	[CLS] Aircraft is in Attitude mode and hovering may be unstable . [SEP]
Normal	Normal (1.00)	Normal	0.98	[CLS] Fly with caution . [SEP]
Normal	Normal (1.00)	Normal	1.49	

CommunicationIssue	CommunicationIssue (0.92)	CommunicationIssue	1.53	[CLS] Weak signal . [SEP]
Normal	Normal (1.00)	Normal	1.69	[CLS] Adjust antennas [SEP]
RegulationViolation	RegulationViolation (0.77)	RegulationViolation	2.77	[CLS] Your aircraft is flying in an Altitude Zone (nn n). [SEP]
Normal	Normal (1.00)	Normal	1.45	[CLS] Please fly with caution [SEP]