

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.88)	Normal	0.97	[CLS] a passenger aircraft is nearby . [SEP]
				[CLS] fly with caution [SEP]
				[CLS] account not logged in in . [SEP]
Normal	Normal (0.88)	Normal	1.32	[CLS] flight altitude and distance restricted to nnn and nnn . [SEP]
				[CLS] check and log in [SEP]
				[CLS] activetrack flight paused [SEP]
Normal	Normal (0.86)	Normal	-0.36	[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
				[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
ParamViolation	ParamViolation (0.89)	ParamViolation	2.32	[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
				[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
Normal	Normal (0.89)	Normal	1.39	[CLS] check and log in [SEP]
				[CLS] activetrack flight paused [SEP]
				[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.89)	Normal	0.62	[CLS] activetrack flight paused [SEP]
				[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
Normal	Normal (0.89)	Normal	0.35	[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
				[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
Normal	Normal (0.89)	Normal	0.35	[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
				[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
Normal	Normal (0.89)	Normal	0.11	[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
				[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]

Normal	Normal (0.89)	Normal	0.02	activetrack
				max speed of
				nnn and
				obstacle
				avoidance
HardwareFault	HardwareFault (0.90)	HardwareFault	2.55	functions
				normally
				[SEP]
				[CLS] aircraft
				core board
Normal	Normal (0.89)	Normal	0.43	overheated
				[SEP]
				[CLS] aircraft
				entered fixed
				- wing mode .
Normal	Normal (0.68)	Normal	-2.07	[SEP]
				[CLS] current
				flight speed is
				nnn . [SEP]
				[CLS] press
Normal	Normal (0.89)	Normal	1.10	c2 to exit
				[SEP]
				[CLS] aircraft
				flight control
				unlocked
RegulationViolation	RegulationViolation (0.71)	RegulationViolation	1.79	[SEP]
				[CLS] aircraft
				in restricted
				zones . [SEP]
				[CLS] check
Normal	Normal (0.89)	Normal	0.61	map to find
				recommended
				zones [SEP]
				[CLS] aircraft
				is in attitude
Normal	Normal (0.89)	Normal	0.23	mode , so that
				it will not
				hover . [SEP]
				[CLS] please
				fly with
Normal	Normal (0.89)	Normal	0.71	caution .
				[SEP]
				[CLS] aircraft
				is in tripod
				mode . [SEP]
Normal	Normal (0.89)	Normal	0.34	[CLS] exit
				this mode and
				try again
Normal	Normal (0.89)	Normal	1.58	

Normal	Normal (0.89)	Normal	1.19	[SEP]
				[CLS] aircraft
				is returning
ParamViolation	ParamViolation (0.89)	ParamViolation	1.93	to the
				starting point
				[SEP]
RegulationViolation	RegulationViolation (0.65)	RegulationViolation	2.18	[CLS] aircraft
				out of range
				[SEP]
Normal	Normal (0.89)	Normal	0.67	[CLS]
				approaching
				a no - fly zone
Normal	Normal (0.88)	Normal	1.32	. [SEP]
				[CLS] rth may
				be affected .
Normal	Normal (0.89)	Normal	0.62	[SEP]
				[CLS] fly with
				caution [SEP]
Normal	Normal (0.89)	Normal	0.72	[CLS] arrived
				at start point
				. [SEP]
Normal	Normal (0.88)	Normal	1.53	[CLS] starting
				waypoint
				mission [SEP]
Normal	Normal (0.89)	Normal	0.15	[CLS] auto
				landing
				initiated
SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.80	[SEP]
				[CLS]
				auxiliary
HardwareFault	HardwareFault (0.90)	HardwareFault	1.95	bottom light
				turned off
				[SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.41	[CLS]
				backward
				obstacle
HardwareFault	HardwareFault (0.90)	HardwareFault	1.95	sensing is not
				functioning .
				[SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.95	[CLS] battery
				cell broken ,
				please
HardwareFault	HardwareFault (0.90)	HardwareFault	1.41	replace the
				battery [SEP]
				[CLS] battery
HardwareFault	HardwareFault (0.90)	HardwareFault	1.41	error . [SEP]
				[CLS] aircraft
				returning to

Normal	Normal (0.89)	Normal	1.55	home automatically [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.70	[CLS] battery power low . [SEP]
Normal	Normal (0.89)	Normal	1.10	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	HardwareFault (0.62)	HardwareFault	1.80	[CLS] cache space full [SEP]
SurroundingEnvironment	SoftwareFault (0.86)	SoftwareFault	-1.14	[CLS] calibration subject is too close . [SEP]
Normal	Normal (0.89)	Normal	0.06	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	HardwareFault (0.83)	HardwareFault	2.07	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.01	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.54	[CLS] low battery [SEP]
SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.40	[CLS] cannot start return to home due to weak gps signal [SEP]
SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.22	[CLS] cannot start self - timer . [SEP]
SoftwareFault	ParamViolation (0.69)	ParamViolation	-0.44	[CLS] exposure time is too long [SEP]

SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.07	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (0.89)	Normal	1.28	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.12	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.84)	SoftwareFault	-1.01	[CLS] no image [SEP]
Normal	Normal (0.88)	Normal	1.08	[CLS] please retry [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.12	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.85)	SoftwareFault	-0.66	[CLS] subject too large [SEP]
Normal	Normal (0.89)	Normal	0.90	[CLS] move away and retry [SEP]
Normal	Normal (0.89)	Normal	0.84	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (0.89)	Normal	0.80	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.52	[CLS] compass abnormal . [SEP]
Normal	Normal (0.89)	Normal	0.02	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (0.89)	Normal	-0.33	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (0.89)	Normal	0.14	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (0.89)	Normal	0.66	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.31	[CLS] compass error [SEP]
HardwareFault	SoftwareFault (0.62)	SoftwareFault	1.36	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.46	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.46	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.48	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.46	[CLS] compass error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.90)	SurroundingEnvironment	1.44	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.89)	Normal	1.19	[CLS] exit p - gps mode [SEP]

SoftwareFault	HardwareFault (0.85)	HardwareFault	0.12	[CLS]
				compass
				initialization
Normal	Normal (0.88)	Normal	0.50	failed . [SEP]
				[CLS] restart
				aircraft [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.88	[CLS] critical
				low battery .
				[SEP]
Normal	Normal (0.89)	Normal	0.77	[CLS] aircraft
				in auto power
				off protection
Normal	Normal (0.89)	Normal	1.41	. [SEP]
				[CLS] forced
				landing in
HardwareFault	HardwareFault (0.90)	HardwareFault	1.88	progress
				[SEP]
				[CLS] critical
Normal	Normal (0.88)	Normal	0.85	low battery .
				[SEP]
				[CLS] aircraft
HardwareFault	HardwareFault (0.90)	HardwareFault	1.88	landing
				automatically
				[SEP]
Normal	Normal (0.89)	Normal	0.95	[CLS] critical
				low battery .
				[SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	2.06	[CLS] return
				to home or
				land promptly
Normal	Normal (0.88)	Normal	0.93	[SEP]
				[CLS]
				critically low
HardwareFault	HardwareFault (0.90)	HardwareFault	2.06	power . [SEP]
				[CLS] aircraft
				is landing
Normal	Normal (0.88)	Normal	0.74	[SEP]
				[CLS]
				critically low
HardwareFault	HardwareFault (0.90)	HardwareFault	2.06	power . [SEP]
				[CLS] aircraft
				landing .
Normal	Normal (0.88)	Normal	0.74	[SEP]
				[CLS] aircraft
				landing .
Normal	Normal (0.88)	Normal	0.74	[SEP]
				[CLS] throttle
				up to reduce

Normal	Normal (0.89)	Normal	0.44	the speed of descent and use sticks to avoid obstacles [SEP] [CLS] critically low
HardwareFault	HardwareFault (0.90)	HardwareFault	2.03	voltage warning . [SEP] [CLS] aircraft will be forced to land [SEP] [CLS] critically low
Normal	Normal (0.89)	Normal	0.51	voltage . [SEP] [CLS] aircraft will land [SEP] [CLS] data
HardwareFault	HardwareFault (0.90)	HardwareFault	2.08	recorder file index is 15 . [SEP] [CLS] data
Normal	Normal (0.88)	Normal	1.14	recorder file index is 17 . [SEP] [CLS] data
Normal	Normal (0.89)	Normal	0.70	recorder file index is 30 . [SEP] [CLS] data
Normal	Normal (0.89)	Normal	0.87	recorder file index is 45 . [SEP] [CLS] data
Normal	Normal (0.89)	Normal	0.79	recorder file index is 46 . [SEP] [CLS] data
Normal	Normal (0.89)	Normal	0.62	recorder file index is 65 . [SEP] [CLS] disable
Normal	Normal (0.89)	Normal	0.66	sd card read and write
Normal	Normal (0.89)	Normal	0.80	
Normal	Normal (0.89)	Normal	0.70	

				protection or change card [SEP]
CommunicationIssue	CommunicationIssue (0.78)	CommunicationIssue	1.66	[CLS] downlink lost [SEP]
Normal	Normal (0.89)	Normal	0.37	[CLS] downlink restored (after 0m 2 9s) [SEP]
Normal	HardwareFault (0.88)	HardwareFault	-1.67	[CLS] drone is vibrating [SEP]
Normal	Normal (0.89)	Normal	1.07	[CLS] entered cruise control mode [SEP]
Normal	Normal (0.89)	Normal	0.58	[CLS] press c1 or c2 to exit [SEP]
ParamViolation	ParamViolation (0.88)	ParamViolation	2.03	[CLS] excessive attitude angle detected [SEP]
SoftwareFault	SoftwareFault (0.81)	SoftwareFault	1.44	[CLS] forward obstacle avoidance has stopped working [SEP]
Normal	Normal (0.88)	Normal	0.83	[CLS] exit backward sensing system [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.91)	SurroundingEnvironment	1.70	[CLS] ambient light is too weak [SEP]
Normal	Normal (0.89)	Normal	0.79	[CLS] exited visual avoidance system [SEP]
SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.16	[CLS] exiting gps mode : unknown error [SEP]

ParamViolation	ParamViolation (0.89)	ParamViolation	1.77	[CLS] extra payload detected . [SEP]
Normal	Normal (0.89)	Normal	0.80	[CLS] flight performance will be affected . [SEP]
Normal	Normal (0.88)	Normal	1.32	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.57	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.61	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	2.19	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (0.89)	Normal	0.55	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.98	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (0.88)	Normal	0.08	[CLS] ground plain . [SEP]
Normal	Normal (0.89)	Normal	0.74	[CLS] safe to land . [SEP]
ParamViolation	ParamViolation (0.88)	ParamViolation	1.70	[CLS] high altitude . [SEP]
Normal	ParamViolation (0.79)	ParamViolation	-2.48	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (0.88)	Normal	1.32	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.91)	SurroundingEnvironment	1.62	[CLS] high wind velocity . [SEP]
Normal	Normal (0.89)	Normal	0.43	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.91)	SurroundingEnvironment	1.62	[CLS] high wind velocity . [SEP]
Normal	Normal (0.89)	Normal	0.43	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.91)	SurroundingEnvironment	1.62	[CLS] high wind velocity . [SEP]
Normal	Normal (0.89)	Normal	0.76	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	ParamViolation (0.87)	ParamViolation	-2.20	[CLS] high - altitude flight [SEP]
Normal	Normal (0.88)	Normal	1.32	[CLS] fly with caution [SEP]
Normal	ParamViolation (0.55)	ParamViolation	-1.82	[CLS] aircraft braking distance is extended [SEP]
Normal	ParamViolation (0.86)	ParamViolation	-2.00	[CLS] flight time is shortened . [SEP]
Normal	Normal (0.89)	Normal	0.83	[CLS] home

ParamViolation	ParamViolation (0.61)	ParamViolation	1.36	point updated
				. [SEP]
				[CLS] imu
Normal	Normal (0.89)	Normal	0.71	attitude
				restricted .
				[SEP]
SoftwareFault	Normal (0.89)	Normal	-0.50	[CLS] ensure
				aircraft is
				level [SEP]
Normal	Normal (0.89)	Normal	1.08	[CLS] imu not
				calibrated .
				[SEP]
Normal	Normal (0.85)	Normal	-0.86	[CLS]
				calibrate imu
				[SEP]
Normal	Normal (0.89)	Normal	1.33	[CLS] landing
				gear function
				restored
Normal	Normal (0.89)	Normal	0.60	[SEP]
				[CLS] landing
				gear paused .
Normal	Normal (0.89)	Normal	0.77	[SEP]
				[CLS] landing
				gear raising .
Normal	Normal (0.88)	Normal	1.35	[SEP]
				[CLS] home
				point
Normal	Normal (0.88)	Normal	-1.87	recorded
				[SEP]
				[CLS] live
Normal	Normal (0.88)	Normal	1.32	stream video
				frame rate
				less than 9hz
HardwareFault	HardwareFault (0.90)	HardwareFault	1.78	. [SEP]
				[CLS] fly with
				caution [SEP]
Normal	Normal (0.89)	Normal	0.74	[CLS] low
				power . [SEP]
				[CLS] aircraft
HardwareFault	HardwareFault (0.90)	HardwareFault	1.78	is returning
				to the home
				point . [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.78	[CLS] low
				power . [SEP]

Normal	Normal (0.88)	Normal	0.91	[CLS] returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.90)	SurroundingEnvironment	1.44	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.89)	Normal	0.81	[CLS] exit p - gps mode . [SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	2.09	[CLS] yaw error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.86)	SurroundingEnvironment	1.20	[CLS] manned aircraft detected nearby . [SEP]
Normal	Normal (0.88)	Normal	1.32	[CLS] fly with caution [SEP]
ParamViolation	ParamViolation (0.86)	ParamViolation	1.33	[CLS] max altitude approached . [SEP]
Normal	Normal (0.89)	Normal	0.20	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.89)	ParamViolation	1.96	[CLS] max flight altitude reached . [SEP]
Normal	Normal (0.89)	Normal	1.14	[CLS] adjust in main controller settings if necessary [SEP]
ParamViolation	ParamViolation (0.89)	ParamViolation	2.04	[CLS] max flight distance reached . [SEP]
				[CLS] adjust

Normal	Normal (0.89)	Normal	0.91	in main controller settings if necessary . [SEP] [CLS] maximum
ParamViolation	ParamViolation (0.89)	ParamViolation	2.15	flight distance reached . [SEP] [CLS] adjust the distance in mc settings if required . [SEP] [CLS] mobile device cpu fully loaded . [SEP] [CLS] related performance
Normal	Normal (0.89)	Normal	0.69	will be affected . [SEP] [CLS] mobile device version too old to support hd image transmission and the image transmission mode has been switch to normal mode . [SEP] [CLS] motor is blocked . [SEP]
HardwareFault	HardwareFault (0.88)	HardwareFault	2.11	[CLS] motor stuck . [SEP] [CLS] check for objects blocking motor or contact dji support for
Normal	Normal (0.89)	Normal	0.90	
SoftwareFault	Normal (0.89)	Normal	-0.08	
Normal	Normal (0.89)	Normal	0.38	
HardwareFault	HardwareFault (0.90)	HardwareFault	1.79	
Normal	Normal (0.89)	Normal	0.73	

Normal	HardwareFault (0.89)	HardwareFault	-1.97	assistance [SEP]
				[CLS] motors started . [SEP]
SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.59	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.90)	HardwareFault	-1.24	[CLS] aircraft unable to hover . [SEP]
				[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.59	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.90)	HardwareFault	-1.44	[CLS] unable to hover . [SEP]
				[CLS] fly with caution [SEP]
Normal	Normal (0.89)	Normal	0.54	[CLS] obstacle avoidance disabled . [SEP]
				[CLS] landing gear lowered . [SEP]
Normal	Normal (0.89)	Normal	0.54	[CLS] obstacle avoidance disabled . [SEP]
				[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.89)	Normal	0.76	[CLS] landing gear lowered . [SEP]
				[CLS] obstacle avoidance has been disabled . [SEP]
Normal	Normal (0.88)	Normal	1.13	[CLS] precision

Normal	Normal (0.89)	Normal	1.42	landing [SEP]
				[CLS]
Normal	Normal (0.89)	Normal	0.54	quickshot has ended [SEP]
				[CLS]
Normal	Normal (0.89)	Normal	0.31	recenter
				gimbal pan [SEP]
Normal	Normal (0.89)	Normal	0.31	[CLS]
				rectifying aircraft
SurroundingEnvironment	SurroundingEnvironment (0.91)	SurroundingEnvironment	1.66	position [SEP]
				[CLS] remote controller in high interference environment . [SEP]
Normal	Normal (0.89)	Normal	1.14	[CLS]
				manually adjust flight route or return to home [SEP]
Normal	Normal (0.89)	Normal	0.55	[CLS] return - to - home
				altitude : 65ft [SEP]
Normal	Normal (0.89)	Normal	0.43	[CLS] return - to - home
				altitude : 98ft . [SEP]
Normal	Normal (0.89)	Normal	0.62	[CLS] rth :
				ascending to rth altitude . [SEP]
Normal	Normal (0.89)	Normal	0.84	[CLS] rth :
				heading alignment . [SEP]
Normal	Normal (0.89)	Normal	0.38	[CLS] rth
				altitude : 65ft . [SEP]
Normal	Normal (0.89)	Normal	0.32	[CLS] rth
				altitude : 98ft . [SEP]
CommunicationIssue	CommunicationIssue (0.79)	CommunicationIssue	1.63	[CLS] signal

				lost . [SEP]
				[CLS] aircraft
Normal	Normal (0.89)	Normal	1.25	returning to home point [SEP]
Normal	Normal (0.89)	Normal	1.43	[CLS] sprayer turned on [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.91)	SurroundingEnvironment	1.43	[CLS] strong wind warning . [SEP]
				[CLS] aircraft
SoftwareFault	SoftwareFault (0.86)	SoftwareFault	1.25	unable to return to home automatically . [SEP]
				[CLS] lower altitude immediately
Normal	Normal (0.89)	Normal	1.10	and return to home manually [SEP]
				[CLS]
Normal	Normal (0.89)	Normal	0.63	switched to s (sport) - mode . [SEP]
				[CLS]
Normal	Normal (0.89)	Normal	0.36	switched to t (tripod) - mode . [SEP]
				[CLS] take off
Normal	Normal (0.89)	Normal	0.93	in p - mode [SEP]
				[CLS] vision
SoftwareFault	SoftwareFault (0.51)	SoftwareFault	0.68	sensor error . [SEP]
				[CLS] contact
Normal	Normal (0.89)	Normal	0.65	dji support for assistance [SEP]
				[CLS] vision
				systems and obstacle
Normal	Normal (0.89)	Normal	0.38	avoidance disabled [SEP]

Normal	Normal (0.89)	Normal	0.78	[CLS]
				waypoint
				mission
				paused [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.72	[CLS] weak
				gps signal .
				[SEP]
				[CLS] aircraft
Normal	Normal (0.89)	Normal	0.59	is in attitude
				mode and
				hovering may
				be unstable .
Normal	Normal (0.89)	Normal	0.74	[SEP]
				[CLS] fly with
				caution .
				[SEP]
CommunicationIssue	CommunicationIssue (0.78)	CommunicationIssue	1.55	[CLS] weak
				signal . [SEP]
				[CLS] adjust
				antennas
Normal	Normal (0.88)	Normal	1.08	[SEP]
				[CLS] your
				aircraft is
				flying in an
RegulationViolation	RegulationViolation (0.72)	RegulationViolation	2.75	altitude zone
				(nnn) . [SEP]
				[CLS] please
				fly with
Normal	Normal (0.89)	Normal	1.01	caution [SEP]