

Image-Based Plant Diseases Detection using Deep Learning

Naga Sudheer Bandlamudi, Tipparthi Sai Swaroop, Gowtham Sai Bodduluri, Guduru Bhanu Prakash

Abstract:-

The early detection of plant leaves is crucial for maintaining a prosperous agricultural economy in India. This not only ensures the stability of the agri-based economy, but also helps secure a sufficient food supply for the country's large population. To prevent losses and maintain a healthy agriculture system, it is necessary to implement predictive measures for disease detection. The objective of this research is to employ image analysis methods that involve the clustering, segmentation, and deployment of free algorithms to identify diseases found in the leaves of tomato plants. The goal is to create a dependable and precise system for leaf disease detection specifically for tomato plants.

Keywords: Clustering, Agricultural, Healthy Agriculture System, Segmentation, Disease Detection.

I. INTRODUCTION

The primary means by which humans exist is through agriculture. Crop yield needs to be increased, especially in developing nations like India. India is a financial powerhouse that is rapidly expanding, and more than 65% of the population is immediately involved in agriculture or the production of agricultural goods. For greater health, good quality is required for more than just products. Plant diseases and insect damage generate the greatest losses to crops. The spread of illnesses affects food quality and quantity equally. A large number of diseases cause agricultural harm.

Farmers in India cannot keep up with the excessive demands due to the huge geographic spread of their lands, the low levels of education of the farmers, and the absence of study pathologists. Humans should have technology awareness in order to solve this issue. Farmers should have access to uncomplicated, cost-effective, and precise machine-aided diagnosis. Significant progress has been accomplished in applying robotics and computer vision technology to address complex problems within the realm of agriculture. Future advances in image processing will support more precise agricultural methods, plant growth monitoring, and plant management. The tonnages of annual productivity lost due to various pests globally are included in the approximations at the beginning of the twenty-first century.

However the improvement today's plant disease detection continues to be essential modern-day the numerous plant ailment can be discovered through plant pathologists by way of our bare eye physical signs like modifications in colour and look modern spots at the leaf and so on. while compared to investing in human fitness and education are greater than making an investment in bridging agriculture. recent inventory modern the fields like cellular generation, Cloud Computing and synthetic Intelligence are developed by means of best opportunity at low-cost for disorder detection. In growing international locations inclusive of India, cell telephones with net connectivity have come to be omnipresent. Inexpensive mobile phones equipped with GPS and digital camera capabilities are readily accessible to the contemporary population, allowing individuals to incorporate geotagged photographs into their resources. They are able to use modern cloud services that can handle complex computations, maintain a centralized database and conduct data analytics, all accessible via cell networks.

Besides accuracy, AI has advanced and come to be greater low-priced and reachable with open supply structures together with TensorFlow. They are able to use modern cloud services that can handle complex computations, maintain a centralized database and conduct data analytics, all accessible via cell networks.

Previously, texture features were a recognized approach in utilizing Neural Networks for plant disease recognition. Our conviction leverages the progress in mobile technology, Cloud computing, and AI to expand a comprehensive crop assessment solution that emulates the expertise ("intelligence") of plant pathologists and makes it available to farmers. Furthermore, it promotes a teamwork approach in continuously expanding the database of diseases and seeking specialized guidance as necessary to improve the accuracy of NN categorization and monitor outbreaks.




Fig.1 Agriculture Losses

II. LITERATURE REVIEW

[1] In these paper, One of the main agricultural products in India is paddy. However many paddy crop illnesses are reducing the crop's yield and prominence. Early disease exposure on the paddy crop will help to minimise both significant crop loss and severe disease spread. Drone technologies with cameras and sensors have recently been employed in agriculture for crop monitoring and data collection. Recent developments in deep learning techniques allow for the detection and diagnosis of crop illnesses using images captured with a high-resolution digital camera. This allows for the identification and classification of many different types of crop diseases. This essay provides a thorough explanation for recognising several paddy crop diseases.

[2] The aim of this research is to detect Leaf disorders specific to Tomato plants in a dependable, secure, and precise manner using image processing techniques that utilize photo segmentation, clustering, and open-source algorithms.

[3] This article presents unique approaches in the fields of image processing, machine learning, deep learning, and swarm intelligence to identify plant leaf diseases. Understanding and being aware of the different ailments that can affect plant leaves is essential in effectively managing them. This article provides a detailed classification of various plant ailments and the commonly used datasets in multiple approaches for teaching and evaluating the detection and categorization of plant leaf disease.

[4] Through the incorporation of techniques such as Canny Edge Detection, Blurring, and Flipping, the apple leaf disease dataset was improved through data augmentation and image annotation methodologies on the given document. By utilizing an expanded dataset, novel models implementing EfficientNetB7 and DenseNet are suggested for improved accuracy, achieving 99.8% and 99.75% respectively, while also addressing known pitfalls of convolutional neural networks.

[5] In this document, a strategy based on a Convolutional Neural Network (CNN) model and a Learning Vector Quantization (LVQ) set of rules is introduced for detecting and categorizing disorders in tomato leaves. In the dataset, there are 500 pictures of tomato foliage that exhibit four different indications and manifestations of diseases. Our approach involves creating a Convolutional Neural Network (CNN) that is capable of automatically extracting features and categorizing them. Studies on plant leaf disorders heavily rely on the utilization of color data. The filters in our rendition are applied to a limited number of channels that are determined by the RGB elements. The network's training was accomplished by providing the LVQ with the convolution element's output function vector. The validity of the proposed method in identifying four distinct types of tomato leaf diseases has been confirmed through experimental data.

[6] This article presents a novel solution to identifying various illnesses in a range of plant species using an untested method. The machine was created with the capability to detect and comprehend various types of plants, specifically including apples, corn, grapes, potatoes, sugarcane, and tomatoes. The tool is capable of detecting multiple diseases that affect plants.

By utilizing 35,000 images of disease-free and infected plant leaves, experts have effectively trained advanced machine learning models to identify and comprehend the presence or absence of plant ailments. After being trained, the version achieved an impressive accuracy rate of 96.5%, enabling it to detect and categorize both the type of plant and the extent of infection with 100% accuracy during testing.

III. MATERIAL AND METHODS

Convolutional layer:- Convolutional layers are dissimilar which includes a stable variety of weights directed via the best wide variety of filters however now not dependent on the scale of enter. For each filter out there is an man or woman weight for every position of its form. So the usage of $2(3 \times 3 \times 3)$ filters, have 54 weights in total with out counting the prejudice once more. Figure 2 and figure 3 indicates convolution layer operation for an input picture (5×5) with a resulted filter out (3×3) a good way to be comprised right into a smaller size by means of various the higher left corner clear out of the given picture. Then the obtained values are accelerated by using the values of filter out so one can be the very last end result. Finally, a brand new compact sized matrix is designed based on the enter picture.

Pooling layer:- A pooling layer is one of the massive constructing blocks of a Convolutional Neural network. The primary objective of the pooling layer is to frequently shrink the spatial dimensions of the image, thereby reducing the number of parameters and computational burden in the network. The pooling layer operates on each feature map in a non-traditional manner. Figure 5 elucidates the max pooling operation and figure 6 represents the inception module.

Activation layer:- We follow a nonlinear activation function, along with ReLU, ELU, or any of the opposite Leaky ReLU editions.

Fully connected layer: The input for this completely related layer could be the output from the very last pooling operation or convolutional layer, that is compacted after which fed into the completely related layer.




Fig.2 Building a Convolutional Neural Network

IV. APPROACH

Image acquisition: A dataset is prepared based on our own image database, which involves image acquisition from different farms along with some available datasets.

Image preprocessing: For best results, image preprocessing is essential for the reason that dirt, pest's mucks on the leaves which falls under the category of image noise. Moreover, the images which we captured may have some distortion of shadow effect, lighting problems and water droplets will generate complications in the process of segmentation and required feature extraction. We can remove such types of distortion with the help of different noise removal filters and for the captured images which are of low contrast can be improved by using image contrast enhancement algorithms. All of this Pre-processing enhances the image to its desirable color scale.

Image segmentation: Image segmentation is very much essential in detecting plant diseases. In this, the main task is to split the image into individual regions for analyzing the data for extracting the required features. The image segmentation is constructed on either discontinuities or similarities.

Feature extraction: In this extraction, the main focus is to identify features of objects present within an image based on color, shape, texture and contrast. Based on the color and contrast it will be easy to distinguish one disease from other. Moreover, these diseases have dissimilar shape which helps the system to segregate diseases using shape features and different color patterns.





Fig.3 Plant leaf detection process and disease recognition

Image classification: Classification makes use of a fully connected layers for extracting the required features with the help of convolutional and pooling layers. In this classification process, we can able to classify the rice plant leaf whether it is infected with the disease or not and also recognizes the disease type.

V. RESULTS



Predict Tomato Leaf Disease & Get Cure



Tomato - Early Blight Disease

Treatment :

Tomatoes that have early blight require immediate attention before the disease takes over the plants. Thoroughly spray the plant (bottoms of leaves also) with Bonide Liquid Copper Fungicide concentrate or Bonide Tomato & Vegetable. Both of these treatments are organic..

VI.CONCLUSION

In this study, a Convolutional Neural Network with Learning Vector Quantization algorithm-based method for the detection and classification of tomato leaf diseases is provided. 500 photos of tomato leaves make up the dataset. For each image in the dataset, three distinct input matrices for the R, G, and B channels have been obtained. The input picture matrices have all been twisted. The output matrix has been inferred to include the reLU activation function and max pooling. The LVQ method has employed a total of 500 feature vectors that were extracted from the original images for training and testing purposes. For the classification trials, photos of both healthy and sick leaves were used. The proposed method successfully distinguishes between four different types of tomato leaf diseases, it is concluded. Different filters or convolutions of various sizes can also be utilised to increase the classification process' recognition rate.