

# Cucumber Report

17 Dec 2023, 22:16:15

**Start : Dec 17, 10:14:10.167 pm**

**End : Dec 17, 10:16:13.916 pm**

**Duration : 2 m 3.749 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 5**

**SKIPPED - 0**

**PASSED - 0**




**FAILED - 11**

**SKIPPED - 0**

**PASSED - 12**

**FAILED - 11**

**SKIPPED - 87**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktops Page Test Feature</u>	25.896 s	2	0	2	0	21	0	2	19
<u>Laptops And Notebooks Page Test Feature</u>	19.174 s	2	0	2	0	33	0	2	31
<u>MyAccount Login Page Test Feature</u>	3.938 s	1	0	1	0	12	0	1	11
<u>MyAccount Register Page Test Feature</u>	23.991 s	3	0	3	0	29	0	3	26
<u>TopMenu Test Feature</u>	50.708 s	3	0	3	0	15	12	3	0


#	Feature Name	Scenario Name
1	<u>Desktops Page Test Feature</u>	<u>Verify Product Arrange In Alphabetical Order</u>
2		<u>Verify Product Added To Shopping Cart Successfully</u>
3	<u>Laptops And Notebooks Page Test Feature</u>	<u>User should see the Product price display in High to Low order from Sort by</u>
4		<u>Verify That User Place Order Successfully</u>
5	<u>MyAccount Login Page Test Feature</u>	<u>Verify That User Should Login And Logout Successfully</u>
6	<u>MyAccount Register Page Test Feature</u>	<u>Verify User Should Navigate To Register Page Successfully</u>
7		<u>Verify User Should Navigate To Login Page Successfully</u>
8		<u>Verify That User Register Account Successfully</u>
9	<u>TopMenu Test Feature</u>	<u>Verify User Should Navigate To Desktops Page Successfully</u>
10		<u>Verify User Should Navigate To Laptops And Notebooks Page Successfully</u>

#	Feature Name	Scenario Name
11	<u>TopMenu Test Feature</u>	<u>Verify User Should Navigate To Components Page Successfully</u>


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Smoke	9	0	9	0	5	0	5	0
@Sanity	5	0	5	0	5	0	5	0
@Asha	11	0	11	0	5	0	5	0
@Regression	11	0	11	0	5	0	5	0



#	Feature Name	T	P	F	S	Duration
1	<u>Desktops Page Test Feature</u>	2	0	2	0	25.896 s
2	<u>Laptops And Notebooks Page Test Feature</u>	2	0	2	0	19.174 s
3	<u>MyAccount Login Page Test Feature</u>	1	0	1	0	3.938 s
4	<u>MyAccount Register Page Test Feature</u>	3	0	3	0	23.991 s
5	<u>TopMenu Test Feature</u>	3	0	3	0	50.708 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktops Page Test Feature</u>	<u>Verify Product Arrange In Alphabetical Order</u>	6	0	1	5	21.744 s
2		<u>Verify Product Added To Shopping Cart Successfully</u>	15	0	1	14	4.115 s
3	<u>Laptops And Notebooks Page Test Feature</u>	<u>User should see the Product price display in High to Low order from Sort by</u>	6	0	1	5	3.919 s
4		<u>Verify That User Place Order Successfully</u>	27	0	1	26	15.238 s
5	<u>MyAccount Login Page Test Feature</u>	<u>Verify That User Should Login And Logout Successfully</u>	12	0	1	11	3.938 s
6	<u>MyAccount Register Page Test Feature</u>	<u>Verify User Should Navigate To Register Page Successfully</u>	5	0	1	4	3.992 s
7		<u>Verify User Should Navigate To Login Page Successfully</u>	5	0	1	4	4.061 s
8		<u>Verify That User Register Account Successfully</u>	19	0	1	18	15.928 s
9	<u>TopMenu Test Feature</u>	<u>Verify User Should Navigate To Desktops Page Successfully</u>	5	4	1	0	22.201 s
10		<u>Verify User Should Navigate To Laptops And Notebooks Page Successfully</u>	5	4	1	0	6.228 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>TopMenu Test Feature</u>	<u>Verify User Should Navigate To Components Page Successfully</u>	5	4	1	0	22.272 s



## Desktops Page Test Feature



<b>FAILED</b>	DURATION - 25.896 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 21 Pass - 0 Fail - 2 Skip - 19	
/ 10:14:10.167 pm // 10:14:36.063 pm /					

## Verify Product Arrange In Alphabetical Order

<div>FAILED</div> <div>DURATION - 21.744 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 10:14:10.170 pm // 10:14:31.914 pm /				
Desktops Page Test Feature				
@Smoke @Sanity @Asha @Regression				



#	Step / Hook Details	Status	Duration
1	When User mouse hover on Currency Dropdown and click on it	FAILED	0.003 s
	Step undefined		
2	And User mouse hover on £Pound Sterling and click on it	SKIPPED	0.000 s
3	When User mouse hover on Desktops tab and click on it	SKIPPED	0.000 s
4	And User click on Show All Desktops Option	SKIPPED	0.000 s
5	And User click on sort By Position Name: Z to A	SKIPPED	0.000 s
6	Then User should see products are arranged in Descending order	SKIPPED	0.000 s

## Verify Product Added To Shopping Cart Successfully


<div>FAILED</div>	<div>DURATION - 4.115 s</div>	<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 14</div>	<div></div>
<div>/ 10:14:31.948 pm // 10:14:36.063 pm /</div>				
<div>Desktops Page Test Feature</div>				
<div>@Smoke @Asha @Regression</div>				

#	Step / Hook Details	Status	Duration
1	When User mouse hover on Currency Dropdown and click on it	FAILED	0.003 s
	Step undefined		
2	And User mouse hover on £Pound Sterling and click on it	SKIPPED	0.000 s
3	When User mouse hover on Desktops tab and click on it	SKIPPED	0.000 s
4	And User click on Show All Desktops Option	SKIPPED	0.000 s
5	And User click on sort By Position Name: A to Z	SKIPPED	0.001 s
6	And User select the product "<product>"	SKIPPED	0.000 s
7	Then User should navigate to the product page and see text for the product's name	SKIPPED	0.002 s
8	And User enter the Qty require as "<qty>"	SKIPPED	0.001 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message "Success: You have added "<product>" to your shopping cart!"	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s
12	Then User should able to verify the text "Shopping Cart"	SKIPPED	0.000 s
13	Then User should able to verify the product name "<product>"	SKIPPED	0.001 s
14	Then User should able to verify the Model "<model>"	SKIPPED	0.000 s
15	Then User should able to verify the Total "<price>"	SKIPPED	0.000 s

## Laptops And Notebooks Page Test Feature


<div>FAILED</div> <div>DURATION - 19.174 s</div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 33</div> <div>Pass - 0</div> <div>Fail - 2</div> <div>Skip - 31</div>	<div></div>
/ 10:14:36.079 pm // 10:14:55.253 pm /					

### User should see the Product price display in High to Low order from Sort by



#	Step / Hook Details	Status	Duration
1	When User mouse hover on Currency Dropdown and click on it	FAILED	0.002 s
	Step undefined		
2	And User mouse hover on £Pound Sterling and click on it	SKIPPED	0.000 s
3	When User mouse hover on Laptops & Notebooks tab and click on it	SKIPPED	0.001 s
4	And User click on Show All Laptops & Notebooks Option	SKIPPED	0.000 s
5	And User Select Sort By Price (High > Low)	SKIPPED	0.001 s
6	Then User should see Product price is arrange in High to Low order.	SKIPPED	0.000 s



### Verify That User Place Order Successfully



#	Step / Hook Details	Status	Duration
1	When User mouse hover on Currency Dropdown and click on it	FAILED	0.001 s
	Step undefined		
2	And User mouse hover on £Pound Sterling and click on it	SKIPPED	0.001 s
3	When User mouse hover on Laptops & Notebooks tab and click on it	SKIPPED	0.000 s
4	And User click on Show All Laptops & Notebooks Option	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
5	And User Select Sort By Price (High > Low)	SKIPPED	0.000 s
6	And User Select Product MacBook	SKIPPED	0.000 s
7	Then User should able to verify the Product name MacBook	SKIPPED	0.000 s
8	And User Click on Add To Cart button	SKIPPED	0.000 s
9	Then User should see the message "Success: You have added MacBook to your shopping cart!"	SKIPPED	0.000 s
10	And User click on link shopping cart display into success message	SKIPPED	0.000 s
11	Then User should able to see "Shopping Cart"	SKIPPED	0.000 s
12	And user should able to see Product name is "MacBook"	SKIPPED	0.000 s
13	And User Change Quantity to 2	SKIPPED	0.000 s
14	And User click on Update tab	SKIPPED	0.000 s
15	Then User should see message "Success: You have modified your shopping cart!"	SKIPPED	0.000 s
16	And User should see the updated total price "£737.45"	SKIPPED	0.001 s
17	And user click on Checkout button	SKIPPED	0.000 s
18	Then User should see text Checkout	SKIPPED	0.000 s
19	And user should see text New Customer	SKIPPED	0.000 s
20	And User click on Guest Checkout radio button	SKIPPED	0.000 s
21	And User click on Continue tab	SKIPPED	0.000 s
22	Then user fill all the mandatory fields	SKIPPED	0.000 s
23	And User click on Continue	SKIPPED	0.001 s
24	And User enter Comments about order into text field	SKIPPED	0.000 s
25	And User Click on check the Terms & Conditions check box	SKIPPED	0.001 s
26	And User Click on Continues	SKIPPED	0.000 s
27	Then User should see message "Warning: Payment method required"	SKIPPED	0.001 s

## MyAccount Login Page Test Feature

<b>FAILED</b>	DURATION - 3.938 s	Scenarios		Steps	
/ 10:14:55.261 pm // 10:14:59.199 pm /		Total - 1		Total - 12	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

Verify That User Should Login And Logout Successfully



<b>FAILED</b>	<b>DURATION - 3.938 s</b>		<b>Steps</b> Total - 12 Pass - 0 Fail - 1 Skip - 11	
/ 10:14:55.261 pm // 10:14:59.199 pm /				
MyAccount Login Page Test Feature				
@Smoke @Sanity @Asha @Regression				

#	Step / Hook Details	Status	Duration
1	When User mouse hover on Currency Dropdown and click on it	FAILED	0.001 s
	Step undefined		
2	And User mouse hover on £Pound Sterling and click on it	SKIPPED	0.000 s
3	When User click on My Account Link	SKIPPED	0.000 s
4	And User Click on Login link	SKIPPED	0.000 s
5	And User Enter First Name	SKIPPED	0.000 s
6	And User Enter an Email	SKIPPED	0.000 s
7	And User enter password	SKIPPED	0.000 s
8	And User click on Login button	SKIPPED	0.000 s
9	Then User should be able to login successfully and Verify the text "My Account"	SKIPPED	0.001 s
10	And User click On "LogOut" link	SKIPPED	0.000 s
11	Then User should be able to logout successfully and Verify the text "Account Logout"	SKIPPED	0.000 s
12	And User click on continue buttonThree	SKIPPED	0.000 s

### MyAccount Register Page Test Feature



<b>FAILED</b>	<b>DURATION - 23.991 s</b>	<b>Scenarios</b> Total - 3 Pass - 0 Fail - 3 Skip - 0		<b>Steps</b> Total - 29 Pass - 0 Fail - 3 Skip - 26	
/ 10:14:59.209 pm // 10:15:23.200 pm /					

**Verify User Should Navigate To Register Page Successfully**

<b>FAILED</b>	<b>DURATION - 3.992 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 10:14:59.209 pm // 10:15:03.201 pm /				
MyAccount Register Page Test Feature				
@Smoke @Sanity @Asha @Regression				

#	Step / Hook Details	Status	Duration
1	When User mouse hover on Currency Dropdown and click on it Step undefined	FAILED	0.001 s
2	And User mouse hover on £Pound Sterling and click on it	SKIPPED	0.002 s
3	When User click on My Account Link	SKIPPED	0.001 s
4	And User Click on Register link	SKIPPED	0.000 s
5	Then User should verify the text "Register Account"	SKIPPED	0.000 s

### Verify User Should Navigate To Login Page Successfully

<b>FAILED</b>	<b>DURATION - 4.061 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 10:15:03.205 pm // 10:15:07.266 pm /				
MyAccount Register Page Test Feature				
@Smoke @Asha @Regression				



#	Step / Hook Details	Status	Duration
1	When User mouse hover on Currency Dropdown and click on it Step undefined	FAILED	0.002 s
2	And User mouse hover on £Pound Sterling and click on it	SKIPPED	0.000 s
3	When User click on My Account Link	SKIPPED	0.000 s
4	And User Click on Login link	SKIPPED	0.000 s
5	Then User should verify the text "Returning Customer"	SKIPPED	0.000 s

## Verify That User Register Account Successfully



<div>FAILED</div> <div>DURATION - 15.928 s</div>		<table border="1"><caption>Line Graph Data</caption><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.000</td></tr><tr><td>2</td><td>0.000</td></tr><tr><td>3</td><td>0.000</td></tr><tr><td>4</td><td>0.000</td></tr><tr><td>5</td><td>0.000</td></tr><tr><td>6</td><td>0.000</td></tr><tr><td>7</td><td>0.000</td></tr><tr><td>8</td><td>0.000</td></tr><tr><td>9</td><td>0.000</td></tr><tr><td>10</td><td>0.000</td></tr><tr><td>11</td><td>0.000</td></tr><tr><td>12</td><td>0.000</td></tr><tr><td>13</td><td>0.000</td></tr><tr><td>14</td><td>0.000</td></tr><tr><td>15</td><td>0.000</td></tr></tbody></table>	Step	Value	1	0.000	2	0.000	3	0.000	4	0.000	5	0.000	6	0.000	7	0.000	8	0.000	9	0.000	10	0.000	11	0.000	12	0.000	13	0.000	14	0.000	15	0.000	<div>Steps</div> <div>Total - 19</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 18</div>	<table border="1"><caption>Donut Chart Data</caption><thead><tr><th>Category</th><th>Count</th></tr></thead><tbody><tr><td>Pass</td><td>18</td></tr><tr><td>Fail</td><td>1</td></tr><tr><td>Skip</td><td>0</td></tr></tbody></table>	Category	Count	Pass	18	Fail	1	Skip	0
Step	Value																																											
1	0.000																																											
2	0.000																																											
3	0.000																																											
4	0.000																																											
5	0.000																																											
6	0.000																																											
7	0.000																																											
8	0.000																																											
9	0.000																																											
10	0.000																																											
11	0.000																																											
12	0.000																																											
13	0.000																																											
14	0.000																																											
15	0.000																																											
Category	Count																																											
Pass	18																																											
Fail	1																																											
Skip	0																																											
/ 10:15:07.272 pm // 10:15:23.200 pm /																																												
MyAccount Register Page Test Feature																																												
@Asha @Regression																																												

#	Step / Hook Details	Status	Duration
1	When User mouse hover on Currency Dropdown and click on it	FAILED	0.000 s
	Step undefined		
2	And User mouse hover on £Pound Sterling and click on it	SKIPPED	0.001 s
3	When User click on My Account Link	SKIPPED	0.000 s
4	And User Click on Register link	SKIPPED	0.000 s
5	And User Enter First Name	SKIPPED	0.000 s
6	And User enter Last Name	SKIPPED	0.000 s
7	And User Enter an Email	SKIPPED	0.000 s
8	And User enter Telephone Number	SKIPPED	0.000 s
9	And User enter password	SKIPPED	0.000 s
10	And User enter confirm password	SKIPPED	0.000 s
11	And User Select subscribe radio button as "Yes"	SKIPPED	0.000 s
12	And User click on privacy policy check box	SKIPPED	0.000 s
13	And User click on continue button	SKIPPED	0.000 s
14	Then User should able to verify the message "Your Account Has Been Created!"	SKIPPED	0.000 s
15	And User click on continue buttonOne	SKIPPED	0.000 s
16	And User click on My Account Link	SKIPPED	0.000 s
17	And User click on "Logout" button	SKIPPED	0.000 s
18	Then User should able to verify the text "Account Logout"	SKIPPED	0.001 s
19	And User click on continue buttonTwo	SKIPPED	0.000 s

## TopMenu Test Feature


<b>FAILED</b>	<b>DURATION - 50.708 s</b>	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 15 Pass - 12 Fail - 3 Skip - 0	
/ 10:15:23.208 pm // 10:16:13.916 pm /					

### Verify User Should Navigate To Desktops Page Successfully



<div>FAILED</div> <div>DURATION - 22.201 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:15:23.208 pm // 10:15:45.409 pm /				
TopMenu Test Feature				
@Smoke @Sanity @Asha @Regression				

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.189 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.806 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.195 s
4	And User click on Show All Desktops Option	PASSED	2.449 s
5	Then User should See text Desktops on page  io.cucumber.core.exception.CucumberException: Step [User should See text Desktops on page] is defined with 1 parameters at 'com.tutorialninja.demo.steps.TopMenuTestSteps.userShouldSeeTextDesktopsOnPage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should See text Desktops on page at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)	FAILED	0.001 s




#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.446 s
	Verify User Should Navigate To Desktops Page Successfully		
			



**Verify User Should Navigate To Laptops And Notebooks Page Successfully**

<div>FAILED</div> <div>DURATION - 6.228 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:15:45.414 pm // 10:15:51.642 pm /				
TopMenu Test Feature				
@Smoke @Asha @Regression				

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.151 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.813 s
3	When User mouse hover on Laptops & Notebooks tab and click on it	PASSED	0.176 s
4	And User click on Show All Laptops & Notebooks Option	PASSED	0.767 s
5	Then User should See text Laptops & Notebooks on page  io.cucumber.core.exception.CucumberException: Step [User should See text Laptops & Notebooks on page] is defined with 1 parameters at 'com.tutorialninja.demo.steps.TopMenuTestSteps.userShouldSeeTextLaptopsNotebooksOnPage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should See text Laptops & Notebooks on page at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.431 s
	Verify User Should Navigate To Laptops And Notebooks Page Successfully		
			

### Verify User Should Navigate To Components Page Successfully

<div>FAILED</div> <div>DURATION - 22.272 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:15:51.644 pm // 10:16:13.916 pm /</div>				
<div>TopMenu Test Feature</div>				
<div>@Asha @Regression</div>				

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.157 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	1.058 s
3	When User mouse hover on Components tab and click on it	PASSED	0.175 s
4	And User click on Show All Components Option	PASSED	1.042 s
5	Then User should See text Components on page	FAILED	0.007 s
	<p>io.cucumber.core.exception.CucumberException: Step [User should See text Components on page] is defined with 1 parameters at 'com.tutorialninja.demo.steps.TopMenuTestSteps.userShouldSeeTextComponentsOnPage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should See text Components on page</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)  at org.testng.TestRunner.privateRun(TestRunner.java:848)  at org.testng.TestRunner.run(TestRunner.java:621)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.372 s
	Verify User Should Navigate To Components Page Successfully		
	