## **Experiment 3.1**

## Implementation of k-mean clustering values on any data set

Student Name: SANSKAR AGRAWAL UID: 20BCS5914

Branch: CSE Section/Group: MM\_806-B

Semester: 5<sup>th</sup> Semester Date of Performance: 01/11/2022

Subject Name: Machine Learning Lab Subject Code: 20CSP-317

**Aim:** Implementation of k-mean clustering values on any data set.

**Objective:** To prepare a model with k-mean clustering values on any data set.

Data Set Chosen: k-mean clustering.


## **Result and output:**

## Implementation of k-means clustering values on any dataset

```
In [1]: import matplotlib.pyplot as plt

x = [4, 5, 10, 4, 3, 11, 14, 6, 10, 12]
y = [21, 19, 24, 17, 16, 25, 24, 22, 21, 21]

plt.scatter(x, y)
plt.show()
```




```
In [2]: from sklearn.cluster import KMeans

data = list(zip(x, y))
   inertias = []

for i in range(1,10):
        kmeans = KMeans(n_clusters=i)
        kmeans.fit(data)
        inertias.append(kmeans.inertia_)

plt.plot(range(1,10), inertias, marker='o')
plt.title('Elbow method')
plt.xlabel('Number of clusters')
plt.ylabel('Inertia')
plt.show()
```



```
In [3]: kmeans = KMeans(n_clusters=2)
kmeans.fit(data)
plt.scatter(x, y, c=kmeans.labels_)
plt.show()
```