msaSDK Module

.auth.admin

Classes

GroupAdmin

```
Bases: ModelAdmin
Attributes
group_schema class-attribute
  group\_schema = None
link_model_fields class-attribute
  link_model_fields = [Group.roles]
model class-attribute
  model = Group
page_schema class-attribute
  page_schema = PageSchema(
      label=_("Group"), icon="fa fa-group"
readonly_fields class-attribute
  readonly_fields = ['key']
```

PermissionAdmin

page_schema class-attribute

```
Bases: ModelAdmin
    Attributes
    group_schema class-attribute
      group_schema = None
    model class-attribute
      model = Permission
    page\_schema {\tiny \texttt{class-attribute}}
      page_schema = PageSchema(
          label=_("Permission"), icon="fa fa-lock"
    readonly_fields class-attribute
      readonly_fields = ['key']
RoleAdmin
    Bases: ModelAdmin
    Attributes
    group_schema class-attribute
      group_schema = None
    link_model_fields class-attribute
      link_model_fields = [Role.permissions]
    model class-attribute
      model = Role
```

```
page_schema = PageSchema(
    label=_("Role"), icon="fa fa-group"
)

readonly_fields class-attribute

readonly_fields = ['key']
```

UserAdmin

```
Bases: ModelAdmin
Attributes
exclude class-attribute
  exclude = ['password']
group_schema class-attribute
  group_schema = None
link_model_fields class-attribute
  link_model_fields = [User.roles, User.groups]
model class-attribute
  model: Type[BaseUser] = None
page_schema class-attribute
  page_schema = PageSchema(label=_("User"), icon="fa fa-user")
search_fields class-attribute
  search_fields = [User.username]
Functions
```

on_create_pre (async)

```
on_create_pre(
    request: Request, obj, **kwargs
) -> Dict[str, Any]

on_update_pre async

on_update_pre(
    request: Request, obj, item_id: List[int], **kwargs
) -> Dict[str, Any]
```

UserInfoFormAdmin

```
Bases: FormAdmin
Attributes
form class-attribute
  form = Form(mode=DisplayModeEnum.horizontal)
form_init class-attribute
  form_init = True
group_schema class-attribute
  group_schema = None
page class-attribute
  page = Page(title=_('User Profile'))
page_path class-attribute
  page_path = '/userinfo'
page_route_kwargs class-attribute
  page_route_kwargs = {'name': 'userinfo'}
page_schema class-attribute
```

```
page_schema = None
schema [class-attribute]
  schema: Type[BaseModel] = None
schema_submit_out class-attribute
  schema_submit_out: Type[BaseUser] = None
user_model class-attribute
  user_model: Type[BaseUser] = User
Functions
get_form [async]
  get_form(request: Request) -> Form
get_init_data async
  get_init_data(
      request: Request, **kwargs
  ) -> MSACRUDOut[Any]
handle async
     request: Request, data: BaseModel, **kwargs
  ) -> MSACRUDOut[Any]
has_page_permission async
  has_page_permission(request: Request) -> bool
```

UserLoginFormAdmin

Bases: FormAdmin, ABC

Attributes

```
page class-attribute
  page = Page(title=_('User Login'))
page\_parser\_mode {\tiny \texttt{class-attribute}}
  page_parser_mode = 'html'
page_path class-attribute
  page_path = '/login'
page_route_kwargs class-attribute
  page_route_kwargs = {'name': 'login'}
page_schema class-attribute
  page_schema = None
schema class-attribute
  schema: Type[BaseModel] = None
schema\_submit\_out_{\tiny{\texttt{class-attribute}}}
  schema_submit_out: Type[UserLoginOut] = None
Functions
get_form async
  get_form(request: Request) -> Form
get_page async
  get_page(request: Request) -> Page
handle async
```

UserRegFormAdmin

```
Bases: FormAdmin, ABC

Attributes

page class-attribute

page = Page(title=_('User Register'))

page_parser_mode class-attribute

page_parser_mode = 'html'

page_path class-attribute

page_path = '/reg'

page_route_kwargs class-attribute

page_route_kwargs = {'name': 'reg'}

page_schema class-attribute
```

```
page\_schema = None
schema class-attribute
  schema: Type[BaseModel] = None
schema_submit_out class-attribute
  schema_submit_out: Type[UserLoginOut] = None
user_model class-attribute
  user_model: Type[BaseUser] = User
Functions
get_form async
  get_form(request: Request) -> Form
get_page async
  get_page(request: Request) -> Page
handle (async)
  handle(
     request: Request, data: BaseModel, **kwargs
  ) -> MSACRUDOut[BaseModel]
has_page_permission async
  has_page_permission(request: Request) -> bool
route_submit property
  route_submit()
```

Functions

attach_page_head

attach_page_head(page: Page) -> Page

Last update: September 13, 2022 Created: September 13, 2022