

## Lab Program - 9

BMS19CS168  
Sruthop  
Sruetha. Patel

```
class Thread1 implements Runnable {
```

```
    Thread t1;
```

```
    Thread1() {
```

```
        t1 = new Thread(this, "First Thread");
```

```
        t1.start();
```

```
    }
```

```
    public void run() {
```

```
        try {
```

```
            while while (true)
```

```
            { System.out.println("BMS College of Engineering");
```

```
              Thread.sleep(10000);
```

```
            }
```

```
        }
```

```
        catch (InterruptedException e) {
```

```
            System.out.println("Thread 1 interrupted");
```

```
        }
```

```
    } System.out
```

```
}
```

```
class Thread2 implements Runnable {
```

```
    Thread t2;
```

```
    Thread2() {
```

```
        t2 = new Thread(this, "Second Thread");
```

```
        t2.start();
```

```

public void run() {
    try {
        while (true)
        {
            System.out.println("CSE");
            Thread.sleep(2000);
        }
    }
    catch (InterruptedException e)
    {
        System.out.println("Thread 20 interrupted");
    }
}
}

```

```

class Labprogram9 {
    public static void main (String[] args) {
        System.out.println("Press control + c to stop");
        Thread1 obj1 = new Thread1();
        Thread2 obj2 = new Thread2();
    }
}

```