```
1 # FiveThirtyEight.com
 2 # Article: "Using 'Infrastructure Jobs' as a Measuring Stick For State-Level Spending"
 3 # Published on: June 3, 2014
4 # Article Author: Andrew Flowers (andrew.flowers@fivethirtyeight.com)
 5 # Article URL: http://fivethirtyeight.com/datalab/using-infrastructure-jobs-as-a-
   measuring-stick-for-state-level-spending/
6
7
   # Code Author: Andrew Flowers (andrew.flowers@fivethirtyeight.com)
8
   # Dependent files: payroll-states.csv
9
   # Purpose: Get state-level data on "Heavy Construction and Civil Engineering"
10
   # Will produce statepayrolls.csv file after running
11
12
13 # Get data
14 temp<-tempfile()</pre>
15 | download.file("http://download.bls.gov/pub/time.series/sm/sm.data.62.Construction.Curren
    t", temp)
16 | statepay.raw<-
    read.table(temp,header=TRUE,sep="\t",stringsAsFactors=FALSE,strip.white=TRUE)
   unlink(temp)
17
18
19 # Add series info
20 series<-
    read.table("http://download.bls.gov/pub/time.series/sm/sm.series",sep="\t",header=TRUE,s
    trip.white=TRUE)
state<-read.csv("payroll-states.csv",header=TRUE,strip.white=TRUE)</pre>
22 series<-merge(series, state, by="state code")</pre>
23
24 # Add industry info
25 industry<-read.table("http://download.bls.gov/pub/time.series/sm/sm.industry", sep="\t",
    header=TRUE, strip.white=TRUE)
26 industry$industry_name<-NULL
27
   industry$industry name<-row.names(industry)</pre>
28
   row.names(industry)<-NULL
29
   names(industry)<-c("industry_name", "industry_code")</pre>
30
31
   series<-merge(series,industry,by="industry code")</pre>
32
33
   statepay<-merge(statepay.raw,series,by="series_id")</pre>
34
35
   # Take out heavy construction industry data (which is coded 20237000)
   heavyIndCodes<-c(20237000, 20237100, 20237200, 20237300, 20237900)
37
    statepay.heavy<-statepay[grep(heavyIndCodes[1], statepay$industry code),]</pre>
38
39
   # Clean state data
40
   statepay.NSA<-subset(statepay.heavy,!period=="M13")</pre>
   statepay.NSA<-subset(statepay.NSA, area code==0)</pre>
    statepay.NSA$date<-as.Date(paste(statepay.NSA$year,statepay.NSA$period,"01",sep="-
    "),"%Y-M%m-%d")
   statepay.NSA<-subset(statepay.NSA,select=c("series id","date","state name","value"))</pre>
43
44
45 # Convert to time series
46 require(reshape2)
47
   statepay.NSA.t<-dcast(statepay.NSA, date ~ state name, value.var="value") #
    ,fun.aggregate=mean)
48 write.csv(statepay.NSA.t,file="statepayrolls.csv")
```

49 50 51

