## **MATLAB Quick Reference**

Author: Jialong He Jialong\_he@bigfoot.com http://www.bigfoot.com/~jialong\_he

### **General Purpose Commands**

### **Managing Commands and Functions**

addpath Add directories to MATLAB's search path doc Display HTML documentation in Help browser Display location of help file directory for UNIX platforms docopt Generate a path string genpath

Display M-file help for MATLAB functions in the help Command Window

Display Help browser for access to all MathWorks online helpbrowser

helpdesk Display the Help browser

Display M-file help and provide access to M-file help for helpwin

all functions

Last error message lasterr Last warning message lastwarn

license license

lookfor Search for specified keyword in all help entries

Partial pathname partialpath

path Control MATLAB's directory search path

Open the GUI for viewing and modifying MATLAB's pathtool

Start the M-file profiler, a utility for debugging and profile

optimizing code

Generate a profile report profreport

Refresh function and file system caches rehash

Remove directories from MATLAB's search path rmpath Open MathWorks Technical Support Web Page support

List file type

Display version information for MATLAB, Simulink, and ver

Get MATLAB version number version

Point Help browser or Web browser at file or Web site web

List MATLAB-specific files in current directory what Display README files for MATLAB and toolboxes whatsnew

which Locate functions and files

#### Managing Variables and the Workspace

clear Remove items from the workspace

disp Display text or array Length of vector length

Retrieve variables from disk load Help for memory limitations memory

mlock Prevent M-file clearing Allow M-file clearing munlock

Open workspace variable in Array Editor, for graphical openvar

pack Consolidate workspace memory Save workspace variables on disk save

Save figure or model using specified format saveas

Array dimensions size

List the variables in the workspace who, whos

Display the Workspace Browser, a GUI for managing the workspace

workspace

#### **Controlling the Command Window**

Clear Command Window clc Echo M-files during execution echo format Control the display format for output

Move cursor to upper left corner of Command Window home

Control paged output for the Command Window more

### **Working with Operating Environment**

Produce a beep sound beep Change working directory cd

checkin Check file into source control system Check file out of source control system checkout

Get name of source control system, and PVCS project cmopts filename

Copy file copyfile

customverctrl Allow custom source control system

delete Delete files or graphics objects Save session to a disk file diary dir Display a directory listing

Execute a DOS command and return the result dos

Edit an M-file edit fileparts Get filename parts

Display Current Directory browser, for viewing files filebrowser

fullfile Build full filename from parts

info Display contact information or toolbox Readme files

Functions in memory inmem ls List directory on UNIX

Get root directory of MATLAB installation matlabroot

mkdir Make new directory

Open files based on extension open Display current directory pwd

Return the name of the system's temporary directory tempdir

Unique name for temporary file tempname

undocheckout Undo previous checkout from source control system unix Execute a UNIX command and return the result

Execute operating system command

#### **Starting and Quitting MATLAB**

finish MATLAB termination M-file

Terminate MATLAB exit

matlab Start MATLAB (UNIX systems only)

MATLAB startup M-file matlabre Terminate MATLAB quit MATLAB startup M-file startup

### **Operators and Special Characters**

Plus

Minus

Matrix multiplication Array multiplication

Matrix power

. ^ Array power

Kronecker tensor product kron Backslash or left division

Slash or right division

J and  $\Lambda$ Array division, right and left

Colon Parentheses () []Brackets

{} Curly braces

Decimal point

Continuation •••

,	Comma	
;	Semicolon	
<b>%</b>	Comment	
!	Exclamation point	
•	Transpose and quote	
	Nonconjugated transpose	
=	Assignment	
==	Equality	
<b>&lt;&gt;</b>	Relational operators	
&	Logical and	
L	Logical or	
~	Logical not	
xor	Logical exclusive or	

### **Logical Functions**

all	Test to determine if all elements are nonzero				
any	Test for any nonzeros				
exist	Check if a variable or file exists				
find	Find indices and values of nonzero elements				
is*	Detect state				
_	D				

isa Detect an object of a given class Test if string is a MATLAB keyword iskeyword Test if string is a valid variable name isvarname logical Convert numeric values to logical mislocked True if M-file cannot be cleared

### **Elementary Math Functions**

abs	Absolute value and complex magnitude			
acos, acosh	Inverse cosine and inverse hyperbolic cosine			
acot, acoth	Inverse cotangent and inverse hyperbolic cotangen			
acsc, acsch	Inverse cosecant and inverse hyperbolic cosecant			
angle	Phase angle			
asec, asech	Inverse secant and inverse hyperbolic secant			
asin, asinh	Inverse sine and inverse hyperbolic sine			
atan, atanh	Inverse tangent and inverse hyperbolic tangent			
atan2	Four-quadrant inverse tangent			
ceil	Round toward infinity			
complex	Construct complex data from real and imaginary components			
conj	Complex conjugate			

cos, cosh	Cosine and hyperbolic cosine				
cot, coth	Cotangent and hyperbolic cotangent				
csc, csch	Cosecant and hyperbolic cosecant				
exp	Exponential				
fix	Round towards zero				
floor	Round towards minus infinity				
gcd	Greatest common divisor				
imag	Imaginary part of a complex number				
lcm	Least common multiple				
log	Natural logarithm				
log2	Base 2 logarithm and dissect floating-point numbers into exponent and mantissa				
log10	Common (base 10) logarithm				
mod	Modulus (signed remainder after division)				
nchoosek	Binomial coefficient or all combinations				
real	Real part of complex number				
rem	Remainder after division				
round	Round to nearest integer				
sec, sech	Secant and hyperbolic secant				
sign	Signum function				
sin, sinh	Sine and hyperbolic sine				
sqrt	Square root				
tan, tanh	Tangent and hyperbolic tangent				

# **Language Constructs and Debugging**

### **MATLAB** as a Programming Language

builtin	Execute builtin function from overloaded method			
eval	Interpret strings containing MATLAB expressions			
evalc	Evaluate MATLAB expression with capture			
evalin	Evaluate expression in workspace			
feval	Function evaluation			
function	Function M-files			
global	Define global variables			
nargchk	Check number of input arguments			
persistent	Define persistent variable			
script	Script M-files			

#### **Control Flow**

break Terminate execution of for loop or while loop

else	Conditionally execute statements			
elseif	Conditionally execute statements			
end	Terminate for, while, switch, try, and if statements or indicate last index			
error	Display error messages			
for	Repeat statements a specific number of times			
if	Conditionally execute statements			
otherwise	Default part of switch statement			
return	Return to the invoking function			
switch	Switch among several cases based on expression			
try	Begin try block			
warning	Display warning message			
while	Repeat statements an indefinite number of times			

Pass control to the next iteration of for or while loop

Case switch

Begin catch block

case

catch

continue

### **Interactive Input**

input	Request user input		
keyboard	Invoke the keyboard in an M-file		
menu	Generate a menu of choices for user input		
pause	Halt execution temporarily		

Object-Oriented Programming			
class	Create object or return class of object		
double	Convert to double precision		
inferiorto	Inferior class relationship		
inline	Construct an inline object		
int8, int16, int32	Convert to signed integer		
isa	Detect an object of a given class		
loadobj	Extends the load function for user objects		
saveobj	Save filter for objects		
single	Convert to single precision		
superiorto	Superior class relationship		
uint8, uint16, uint32	Convert to unsigned integer		

### **Debugging**

dbclear Clear breakpoints dbcont Resume execution dbdown Change local workspace context Enable MEX-file debugging dbmex dbquit Quit debug mode Display function call stack dbstack dbstatus List all breakpoints Execute one or more lines from a breakpoint dbstep Set breakpoints in an M-file function dbstop dbtype List M-file with line numbers Change local workspace context dbup

#### **Function Handles**

function\_ha MATLAB data type that is a handle to a function Return information about a function handle

func2str Constructs a function name string from a function handle str2func Constructs a function handle from a function name string

### **Character String Functions**

#### General

**functions** 

Absolute value and complex magnitude abs Interpret strings containing MATLAB expressions eval

Real part of complex number real MATLAB string handling strings

#### **String to Function Handle Conversion**

Constructs a function name string from a function handle func2str str2func Constructs a function handle from a function name string

### **String Manipulation**

Strip trailing blanks from the end of a string deblank findstr Find one string within another

Convert string to lower case lower

String concatenation strcat Compare strings strcmp

Compare strings, ignoring case strempi Justify a character array strjust

Find possible matches for a string strmatch

Compare the first n characters of strings strncmp

Compare the first n characters of strings, ignoring case strncmpi

String search and replace strrep First token in string strtok

Vertical concatenation of strings strvcat

Determine symbolic variables in an expression symvar Produce the TeX format from a character string texlabel

Convert string to upper case upper

#### **String to Number Conversion**

Create character array (string) char Integer to string conversion int2str mat2str Convert a matrix into a string Number to string conversion num2str sprintf Write formatted data to a string Read string under format control sscanf Convert string to double-precision value str2double

str2mat String to matrix conversion String to number conversion str2num

#### **Radix Conversion**

bin2dec Binary to decimal number conversion dec2bin Decimal to binary number conversion dec2hex Decimal to hexadecimal number conversion hex2dec Hexadecimal to decimal number conversion hex2num Hexadecimal to double number conversion

### **Matrix Manipulation**

#### **Elementary Matrices and Arrays**

**blkdiag** Construct a block diagonal matrix from input arguments

Identity matrix eye

Generate linearly spaced vectors linspace

logspace Generate logarithmically spaced vectors Number of elements in a matrix or cell array numel

Create an array of all ones ones

Uniformly distributed random numbers and arrays rand Normally distributed random numbers and arrays randn

Create an array of all zeros zeros

: (colon) Regularly spaced vector

#### **Special Variables and Constants**

The most recent answer ans

Identify the computer on which MATLAB is running

Floating-point relative accuracy eps

i Imaginary unit

Inf Infinity

computer

Input argument name inputname Imaginary unit Not-a-Number NaN

nargin, Number of function arguments nargout

nargoutchk Validate number of output arguments

Ratio of a circle's circumference to its diameter. рi

realmax Largest positive floating-point number Smallest positive floating-point number realmin

varargin, varargout

Pass or return variable numbers of arguments

#### **Time and Dates**

calendar Calendar

Current time as a date vector clock

Elapsed CPU time cputime date Current date string Serial date number datenum Date string format datestr datevec Date components End of month eomday Elapsed time etime

Current date and time now Stopwatch timer tic, toc weekday Day of the week

### **Matrix Manipulation**

Concatenate arrays cat

Diagonal matrices and diagonals of a matrix diag

fliplr Flip matrices left-right Flip matrices up -down flipud

Replicate and tile an array repmat

Reshape array reshape

Rotate matrix 90 degrees rot90

tril Lower triangular part of a matrix Upper triangular part of a matrix trin Index into array, rearrange array : (colon)

#### **Vector Functions**

Vector cross product cross Vector dot product dot

Set intersection of two vectors intersect

Detect members of a set ismember

Return the set difference of two vector setdiff

Set exclusive or of two vectors setxor

Set union of two vectors union

Unique elements of a vector unique

### **Specialized Matrices**

Companion matrix compan Test matrices gallery Hadamard matrix hadamard hankel Hankel matrix Hilbert matrix hilb

Inverse of the Hilbert matrix invhilb

magic Magic square Pascal matrix pascal Toeplitz matrix toeplitz

wilkinson Wilkinson's eigenvalue test matrix

#### **Bitwise Functions**

Bit-wise AND bitand Complement bits bitcmp Bit-wise OR

bitor

bitmax Maximum floating-point integer

Set bit bitset

bitshift Bit-wise shift

Get bit bitget

Bit-wise XOR bitxor

#### Structure Functions

fieldnames Field names of a structure getfield Get field of structure array rmfield Remove structure fields Set field of structure array setfield Create structure array struct

Structure to cell array conversion struct2cell

### **MATLAB Object Functions**

Create object or return class of object class

Detect an object of a given class isa

Display method names methods

methodsview

Displays information on all methods implemented by

a class

Overloaded method for A(I)=B,  $A\{I\}=B$ , and subsasgn

A.field=B

subsindex Overloaded method for X(A)

subsref Overloaded method for A(I), A{I} and A.field

### **Cell Array Functions**

cell Create cell array

Apply a function to each element in a cell array cellfun cellstr Create cell array of strings from character array

Cell array to structure array conversion cell2struct

celldisp Display cell array contents

cellplot Graphically display the structure of cell arrays Convert a numeric array into a cell array num2cell

### **Multidimensional Array Functions**

Concatenate arrays cat

Flip array along a specified dimension flipdim

Subscripts from linear index ind2sub

Inverse permute the dimensions of a multidimensional **ipermute** 

array

Generate arrays for multidimensional functions and ndgrid

interpolation

ndims Number of array dimensions

Rearrange the dimensions of a multidimensional array permute

reshape Reshape array

Shift dimensions shiftdim

Remove singleton dimensions squeeze

sub2ind Single index from subscripts

### **Sound Processing Functions**

#### **General Sound Functions**

Convert linear audio signal to mu-law lin2mu mu2lin Convert mu-law audio signal to linear

Convert vector into sound sound Scale data and play as sound soundsc

#### **SPARCstation-Specific Sound Functions**

auread Read NeXT/SUN (.au) sound file Write NeXT/SUN (.au) sound file auwrite

#### .WAV Sound Functions

Play recorded sound on a PC-based audio output device wavplay

Read Microsoft WAVE (.wav) sound file wavread

Record sound using a PC-based audio input device wavrecord

waywrite Write Microsoft WAVE (.wav) sound file

#### File I/O Functions

#### **File Opening and Closing**

fclose Close one or more open files

Open a file or obtain information about open files fopen

#### **Unformatted I/O**

Read binary data from file fread **fwrite** Write binary data to a file

#### Formatted I/O

Return the next line of a file as a string without line terminator(s) fgetl

Return the next line of a file as a string with line terminator(s) fgets

Write formatted data to file Read formatted data from file

#### **File Positioning**

Test for end-of-file feof

ferror Query MATLAB about errors in file input or output

frewind Rewind an open file
fseek Set file position indicator
ftell Get file position indicator

#### **String Conversion**

sprintf Write formatted data to a stringsscanf Read string under format control

#### Specialized File I/O

**dlmread** Read an ASCII delimited file into a matrix **dlmwrite** Write a matrix to an ASCII delimited file

hdf HDF interface

imfinfo Return information about a graphics file

imread Read image from graphics fileimwrite Write an image to a graphics filestrread Read formatted data from a stringtextread Read formatted data from text file

wk1read Read a Lotus123 WK1 spreadsheet file into a matrix

wk1writ Write a matrix to a Lotus123 WK1 spreadsheet file

### **Specialized Math Functions**

airy Airy functions

Bessel functions of the third kind (Hankel

functions)

besseli, besselk Modified Bessel functions

besselj, besselybeta, betainc, betainBeta functions

**ellipj** Jacobi elliptic functions

ellipke Complete elliptic integrals of the first and second

kınd

erf, erfc, erfcx, erfiny Error functions

expint Exponential integral factorial Factorial function

gamma, gammainc

gammaln

Gamma functions

legendre Associated Legendre functions

pow2 Base 2 power and scale floating-point numbers

rat, rats Rational fraction approximation

### **Coordinate System Conversion**

cart2pol Transform Cartesian coordinates to polar or cylindrical

cart2sph Transform Cartesian coordinates to spherical

pol2cart Transform polar or cylindrical coordinates to Cartesian

sph2cart Transform spherical coordinates to Cartesian

#### **Matrix Functions**

#### **Matrix Analysis**

cond Condition number with respect to inversion

condeig Condition number with respect to eigenvalues

det Matrix determinant

norm Vector and matrix norms
null Null space of a matrix
orth Range space of a matrix

rank Rank of a matrix

rcond Matrix reciprocal condition number estimate

 rref, rrefmovie
 Reduced row echelon form

 subspace
 Angle between two subspaces

 trace
 Sum of diagonal elements

#### **Linear Equations**

**chol** Cholesky factorization

inv Matrix inverse

lscov Least squares solution in the presence of known

covariance

 lu
 LU matrix factorization

 lsqnonneg
 Nonnegative least squares

 minres
 Minimum Residual Method

pinv Moore-Penrose pseudoinverse of a matrix

Orthogonal-triangular decomposition

symmlq Symmetric LQ method

### **Eigenvalues and Singular Values**

balance Improve accuracy of computed eigenvalues

cdf2rdf Convert complex diagonal form to real block diagonal form

eig Eigenvalues and eigenvectors

gsvd Generalized singular value decomposition

hess Hessenberg form of a matrix

poly Polynomial with specified roots

qz QZ factorization for generalized eigenvalues
rsf2csf Convert real Schur form to complex Schur form

schur Schur decomposition

svd Singular value decomposition

#### **Matrix Functions**

expm Matrix exponential

**funm** Evaluate general matrix function

logm Matrix logarithm
sqrtm Matrix square root

#### **Low Level Functions**

**qrdelete** Delete column from QR factorization **grinsert** Insert column in QR factorization

### **Data Analysis and Fourier Transform**

### **Basic Operations**

cumprod Cumulative product

**cumsum** Cumulative sum

cumtrapz Cumulative trapezoidal numerical integration

**factor** Prime factors

inpolygon Detect points inside a polygonal region

max Maximum elements of an array

mean Average or mean value of arrays

median Median value of arrays

min Minimum elements of an array

Perms All possible permutations

polyarea Area of polygon

primes Generate list of prime numbers
 prod Product of array elements
 rectint Rectangle intersection Area
 sort Sort elements in ascending order
 sortrows Sort rows in ascending order

std Standard deviationsum Sum of array elements

trapz Trapezoidal numerical integration

Variance var

**Finite Differences** 

del2 Discrete Laplacian

Differences and approximate derivatives diff

gradient Numerical gradient

Correlation

Correlation coefficients

Covariance matrix cov

**Filtering and Convolution** 

Convolution and polynomial multiplication conv

Two-dimensional convolution conv2

Deconvolution and polynomial division deconv

Filter data with an infinite impulse response (IIR) or finite filter

impulse response (FIR) filter

filter2 Two-dimensional digital filtering

**Fourier Transforms** 

Absolute value and complex magnitude

angle Phase angle

cplxpair Sort complex numbers into complex conjugate pairs

One-dimensional fast Fourier transform fft fft2 Two-dimensional fast Fourier transform

Shift DC component of fast Fourier transform to center of fftshift

spectrum

ifft Inverse one-dimensional fast Fourier transform Inverse two-dimensional fast Fourier transform ifft2

ifftn Inverse multidimensional fast Fourier transform

Inverse FFT shift ifftshift nextpow2 Next power of two

Correct phase angles unwrap

**Polynomial and Interpolation Functions** 

**Polynomials** 

conv Convolution and polynomial multiplication Deconvolution and polynomial division deconv

Polynomial with specified roots

Polynomial derivative polyder

poly

Polynomial eigenvalue problem polyeig

Polynomial curve fitting polyfit

Analytic polynomial integration polyint

Polynomial evaluation polyval

Matrix polynomial evaluat ion polyvalm

Convert between partial fraction expansion and polynomial residue

coefficients

Polynomial roots roots

**Data Interpolation** 

Convex hull convhull

convhulln Multidimensional convex hull

Delaunay triangulation delaunay

delaunay3 Three-dimensionalDelaunay tessellation

delaunavn Multidimensional Delaunay tessellation

Search for nearest point dsearch

Multidimensional closest point search dsearchn

Data gridding griddata

Data gridding and hypersurface fitting for three-dimensional griddata3

Data gridding and hypersurface fitting (dimension  $\geq 2$ ) griddatan

interp1 One-dimensional data interpolation (table lookup) Two-dimensional data interpolation (table lookup) interp2

Three-dimensional data interpolation (table lookup) interp3 interpft One-dimensional interpolation using the FFT method Multidimensional data interpolation (table lookup) interpn

Generate X and Y matrices for three-dimensional plots meshgrid

Generate arrays for multidimensional functions and ndgrid

interpolation

pchip Piecewise Cubic Hermite Interpolating Polynomial (PCHIP)

Piecewise polynomial evaluation ppval Cubic spline data interpolation spline

tsearch Search for enclosing Delaunay triangle Multidimensional closest simplex search tsearchn

Voronoi diagram voronoi

Multidimensional Voronoi diagrams

Function Functions - Nonlinear Numerical Methods

Solve two-point boundry value problems (BVPs) bvp4c

for ordinary differential equations (ODEs)

Extract parameters from BVP options structure **bvpget** 

**bvpinit** Form the initial guess for bvp4c **bvpset** Create/alter BVP options structure

**bvpval** Evaluate the solution computed by bvp4c dblquad Numerical evaluation of double integrals

fminbnd Minimize a function of one variable fminse arch Minimize a function of several variables

fzero Find zero of a function of one variable

ode45. ode23. ode113, ode15s, ode23s, ode23t,

ode23tb

Solve initial value problems for ODEs

Extract parameters from ODE options structure odeget

Create/alter ODE options structure odeset

Get optimization options structure parameter optimget

Create or edit optimization options parameter optimset

structure

Solve initial-boundary value problems pdepe Evaluate the solution computed by pdepe pdeval

Numerical evaluation of integrals, adaptive quad

Simpson quadrature

Numerical evaluation of integrals, adaptive Lobatto auadl

quadrature

Vectorize expression vectorize

**Sparse Matrix Functions** 

**Elementary Sparse Matrices** 

spdiags Extract and create sparse band and diagonal matrices

Sparse identity matrix speye

Sparse uniformly distributed random matrix sprand Sparse normally distributed random matrix sprandn

sprandsym Sparse symmetric random matrix

**Full to Sparse Conversion** 

Find indices and values of nonzero elements find

full Convert sparse matrix to full matrix

Create sparse matrix sparse

**spconvert** Import matrix from sparse matrix external format

**Working with Nonzero Entries** 

nnz Number of nonzero matrix elements

nonzeros Nonzero matrix elements

nzmax Amount of storage allocated for nonzero matrix elements

**spalloc** Allocate space for sparse matrix

spfun Apply function to nonzero sparse matrix elementsspones Replace nonzero sparse matrix elements with ones

**Visualizing Sparse Matrices** 

spy Visualize sparsity pattern

**Reordering Algorithms** 

**colamd** Column approximate minimum degree permutation

colmmd Sparse column minimum degree permutation

colperm Sparse column permutation based on nonzero count

dmperm Dulmage-Mendelsohn decomposition

randperm Random permutation

symamd Symmetric approximate minimum degree permutation

symmmd Sparse symmetric minimum degree ordering
symrcm Sparse reverse Cuthill-McKee ordering

Norm, Condition Number, and Rank

**condest** 1-norm matrix condition number estimate

**normest** 2-norm estimate

**Sparse Systems of Linear Equations** 

bicg BiConjugate Gradients method

**bicgstab** BiConjugate Gradients Stabilized method

cgs Conjugate Gradients Squared method

Sparse Incomplete Cholesky and Cholesky-Infinity factorizations

cholupdate Rank 1 update to Cholesky factorization

gmres Generalized Minimum Residual method (with restarts)

LSQR implementation of Conjugate Gradients on the normal

equations

cholinc

luinc Incomplete LU matrix factorizations

pcg Preconditioned Conjugate Gradients method

 qmr
 Quasi-Minimal Residual method

 qr
 Orthogonal-triangular decomposition

 qrdelete
 Delete column from QR factorization

 qrinsert
 Insert column in QR factorization

**grupdate** Rank 1 update to QR factorization

**Sparse Eigenvalues and Singular Values** 

eigs Find eigenvalues and eigenvectors

svds Find singular values

**Miscellaneous** 

**spparms** Set parameters for sparse matrix routines

**Plotting and Data Visualization** 

**Basic Plots and Graphs** 

barVertical bar chartbarhHorizontal bar charthistPlot histogramshistcHistogram countholdHold current graphloglogPlot using log-log scales

pie Pie plot

plot Plot vectors or matrices.
polar Polar coordinate plot
semilogx Semi-log scale plot
semilogy Semi-log scale plot

**subplot** Create axes in tiled positions

**Three-Dimensional Plotting** 

bar3bar3hberizontal 3-D bar chart

comet33-D comet plotcylinderGenerate cylinder

quiver3

fill3 Draw filled 3-D polygons in 3-space
plot3 Plot lines and points in 3-D space

3-D quiver (or velocity) plot

slice Volumetric slice plot

sphere Generate sphere

stem3 Plot discrete surface data

waterfall Waterfall plot

**Plot Annotation and Grids** 

clabel Add contour labels to a contour plot

datetick Date formatted tick labels

**grid** Grid lines for 2-D and 3-D plots

**gtext** Place text on a 2-D graph using a mouse

**legend** Graph legend for lines and patches

**plotyy** Plot graphs with Y tick labels on the left and right

title Titles for 2-D and 3-D plots

xlabel X-axis labels for 2-D and 3-D plots ylabel Y-axis labels for 2-D and 3-D plots

**zlabel** Z-axis labels for 3-D plots

Surface, Mesh, and Contour Plots

**contour** Contour (level curves) plot

**contourc** Contour computation

**contourf** Filled contour plot

hidden Mesh hidden line removal mode

meshc Combination mesh/contourplot

mesh 3-D mesh with reference plane

peaks A sample function of two variables

**surf** 3-D shaded surface graph

surface Create surface low-level objectssurfc Combination surf/contourplot

surfl 3-D shaded surface with lighting

trimesh Triangular mesh plot

**trisurf** Triangular surface plot

**Volume Visualization** 

**coneplot** Plot velocity vectors as cones in 3-D vector field

**contourslice** Draw contours in volume slice plane

Compute the curl and angular velocity of a vector

field

**divergence** Compute the divergence of a vector field

flow Generate scalar volume data Interpolate streamline vertices from vector-field interpstreamspeed magnitudes Compute isosurface end-cap geometry isocaps Compute the colors of isosurface vertices isocolors Compute normals of isosurface vertices isonormals isosurface Extract isosurface data from volume data Reduce the number of patch faces reducepatch reducevolume Reduce number of elements in volume data set shrinkfaces Reduce the size of patch faces slice Draw slice planes in volume smooth3 Smooth 3-D data Compute 2-D stream line data stream2 Compute 3-D stream line data stream3 Draw stream lines from 2- or 3-D vector data streamline Draws stream particles from vector volume data streamparticles streamribbon Draws stream ribbons from vector volume data Draws well-spaced stream lines from vector streamslice volume data

Draws stream tubes from vector volume data

Return coordinate and color limits for volume

Convert srface data to patch data

Extract subset of volume data set

#### **Domain Generation**

streamtube

surf2patch

subvolume

volumebounds

griddata Data gridding and surface fitting

Generation of X and Y arrays for 3-D plots meshgrid

(scalar and vector)

### **Specialized Plotting**

Area plot area

Axis box for 2-D and 3-D plots box

Comet plot comet Compass plot compass

Plot graph with error bars errorbar ezcontour Easy to use contour plotter Easy to use filled contour plotter ezcontourf

Easy to use 3-D mesh plotter ezmesh

ezmeshc Easy to use combination mesh/contour plotter

Easy to use function plotter ezplot

ezplot3 Easy to use 3-D parametric curve plotter ezpolar Easy to use polar coordinate plotter

Easy to use 3-D colored surface plotter ezsurf

Easy to use combination surface/contour plotter ezsurfc

feather Feather plot

fill Draw filled 2-D polygons

Plot a function fplot Pareto char pareto pie3 3-D pie plot

Scatter plot matrix plotmatrix

Pseudocolor (checkerboard) plot pcolor rose Plot rose or angle histogram Quiver (or velocity) plot quiver

ribbon Ribbon plot stairs Stairstep graph scatter Scatter plot scatter3 3-D scatter plot

Plot discrete sequence data stem

convhull Convex hull

Delaunay triangulation delaunay

Search Delaunay triangulation for nearest point dsearch True for points inside a polygonal region inpolygon

Area of polygon polyarea

Search for enclosing Delaunay triangle tsearch

Voronoi diagram voronoi

#### **View Control**

daspect

camdolly Move camera position and target

View specific objects camlookat camorbit Orbit about camera target

Rotate camera target about camera position campan

Set or get camera position campos Set or get projection type camproj

Rotate camera about viewing axis camroll

Set or get camera target camtarget Set or get camera up-vector camup Set or get camera view angle camva Zoom camera in or out camzoom Set or get data aspect ratio

Set or get plot box aspect ratio pbaspect view 3-D graph viewpoint specification. Generate view transformation matrices viewmtx xlim Set or get the current x-axis limits ylim Set or get the current y-axis limits Set or get the current z-axis limits zlim

#### Lighting

Cerate or position Light camlight light Light object creation function

lighting Lighting mode

Position light in sphereical coordinates lightangle

Material reflectance mode material

#### **Transparency**

Set or query transparency properties for objects in alpha

alphamap Specify the figure alphamap Set or query the axes alpha limits alim

#### **Color Operations**

Brighten or darken color map brighten Pseudocolor axis scaling caxis colorbar Display color bar (color scale)

colordef Set up color defaults

Set the color look-up table (list of colormaps) colormap Graphics figure defaults set for grayscale monitor graymon Hue-saturation-value to red-green-blue conversion hsv2rgb

RGB to HSV conversion rgb2hsv

rgbplot Plot color map Color shading mode shading Spin the colormap spinmap 3-D surface normals surfnorm

Change axes background color for plots whitebg

#### **Colormaps**

autumn Shades of red and yellow color map Gray-scale with a tinge of blue color map bone

Gray color map to enhance image contrast contrast

Shades of cyan and magenta color map cool

Linear copper-tone color map copper

Alternating red, white, blue, and black color map flag

Linear gray-scale color map gray

Black-red-yellow-white color map hot

Hue-saturation-value (HSV) color map hsv

Variant of HSV jet

Colormap of prism colors prism

Shades of magenta and yellow color map spring

Line color colormap

summer Shades of green and yellow colormap Shades of blue and green color map

#### **Printing**

lines

winter

orient Hardcopy paper orientation Page position dialog box pagesetupdlg

print Print graph or save graph to file

Print dialog box printdlg

Configure local printer defaults printopt

Save figure to graphic file saveas

### Handle Graphics, General

Find all children of specified objects allchild

Make a copy of a graphics object and its children copyobj

findall Find all graphics objects (including hidden handles)

Find objects with specified property values findobj

Return object whose callback is currently executing gcbo

Return handle of current object gco

Get object properties get

Rotate objects about specified origin and direction rotate

True for graphics objects ishandle

Set object properties set

#### **Working with Application Data**

getappdata Get value of application data True if applicat ion data exists isappdata Remove application data rmappdata

setappdata Specify application data

#### **Handle Graphics, Object Creation**

Create Axes object axes figure Create Figure (graph) windows

image

Create Image (2-D matrix) Create Light object (illuminates Patch and Surface) light


Create Line object (3-D polylines) line Create Patch object (polygons) patch

Create Rectangle object (2-D rectangle) rectangle

Create Surface (quadrilaterals) surface

Create Text object (character strings) text

Create context menu (popup associated with object) uicontextmenu



#### Handle Graphics, Figure Windows

Screen capture of the current figure capture

Clear figure window clc

clf Clear figure

close Close specified window Default close request function closereq

gcf Get current figure handle

Graphics M-file preamble for NextPlot property newplot

Refresh figure refresh

Save figure or model to desired output format saveas

### Handle Graphics, Axes

Plot axis scaling and appearance axis

cla Clear Axes

Get current Axes handle gca

### **Object Manipulation**

Reset axis or figure reset

Interactively rotate the view of a 3-D plot rotate3d Interactively select, move, or resize objects selectmoveresize

#### **Interactive User Input**

ginput Graphical input from a mouse or cursor

Zoom in and out on a 2-D plot zoom

#### **Region of Interest**

Drag XOR rectangles with mouse dragrect drawnow Complete any pending drawing

Rubberband box rbbox

### **Graphical User Interfaces**

### **Dialog Boxes**

Create a dialog box dialog Create error dialog box errordlg helpdlg Display help dialog box Create input dialog box inputdlg

Create list selection dialog box listdlg msgbox Create message dialog box Display page layout dialog box pagedlg printdlg Display print dialog box questdlg Create question dialog box

Display dialog box to retrieve name of file for reading uigetfile Display dialog box to retrieve name of file for writing uiputfile uisetcolor Interactively set a ColorSpec using a dialog box uisetfont Interactively set a font using a dialog box

Create warning dialog box warndlg

#### **User Interface Deployment**

guidata Store or retrieve application data guihandles Create a structure of handles Move GUI figure onscreen movegui Open or raise GUI figure openfig

#### **User Interface Development**

guide Open the GUI Layout Editor inspect Display Property Inspector

MATLAB Interface to Java		mexWarnMsgTxt	Issue warning message	mxGetCell	Get cell's contents
	ct or return class of object	· ·		mxGetClassID	Get mxArray's class
import Add a pack	age or class to the current Java import list	CAME		mxGetClassName	Get mxArray's class
isa Detect an o	bject of a given class	<b>C MX Functions</b>		mxGetData	Get pointer to data
isjava Test whether	er an object is a Java object	mxAddField	Add field to structure array	mxGetDimensions	Get pointer to dimensions array
javaArray Constructs	a Java array	mxArrayToString	Convert arrays to strings	mxGetElementSize	Get number of bytes required to store each
javaMethod Invokes a Ja	ava method	mxAssert	Check assertion value		data element
javaObject Constructs	a Java object	mxAssertS	Check assertion value; doesn't print assertion's text	mxGetEps	Get value of eps
methods Display me	thod names	C-1-C:1-C1:4	Return offset from first element to desired	mxGetField	Get field value, given field name and index in structure array
Displays information on all methods implemented by a		mxCalcSingleSubscript	element		Get field value, given field number and index
methodsview class		mxCalloc	Allocate dynamic memory		in structure array
		mxChar	String mxArrays data type	mxGetFieldNameByNum	Get field name, given field number in
External Progra	amming Interface	mxClassID	Enumerated data type that identifies	ber	structure array
C MEX-Function	ıs		mxArray's class	mxGetFieldNumber	Get field number, given field name in structure array
mexAtExit	Register function to be called when	mxClearLogical	Clear logical flag	mxGetImagData	Get pointer to imaginary data of mxArray
	MATLAB is cleared or terminates	mxComplexity	Specifies if mxArray has imaginary components	mxGetInf	Get value of infinity
mexCallMATLAB	Call MATLAB function or user-defined M- file or MEX-file	mxCreateCellArray	Create unpopulated N-dimensional cell	mxGetIr	Get ir array of sparse matrix
mexErrMsgTxt	Issue error message and return to MATLAB	macreatecemaray	mxArray	mxGet.Jc	Get jc array of sparse matrix
mexEvalString	Execute MATLAB command in caller's	mxCreateCellMatrix	Create unpopulated two-dimensional cell	mxGetM	Get number of rows
mexevalou mg	workspace		mxArray	mxGetN	Get number of columns or number of
mexFunction	Entry point to C MEX-file	mxCreateCharArray	Create unpopulated N-dimensional string mxArray	magen	elements
mexFunctionName	Name of current MEX-function	mxCreateCharMatrixFr	Create populated t wo-dimensional string	mxGetName	Get name of specified mxArray
mexGet	Get value of Handle Graphics property	omStrings	mxArray	mxGetNaN	Get the value of NaN
mexGetArray	Get copy of variable from another workspace	mxCreateDoubleMatrix	Create unpopulated two-dimensional, double-	mxGetNumberOfDimens	Get number of dimensions
mexGetArrayPtr	Get read-only pointer to variable from another workspace	mxCreateNumericArray	precision, floating-point mxArray  Create unpopulated N-dimensional numeric	ions mxGetNumbe rOfElemen	Get number of elements in array
mexIsGlobal	True if mxArray has global scope	•	mxArray	ts	•
mexIsLocked	True if MEX-file is locked	mxCreateNumericMatrix	Create numeric matrix and initialize data elements to 0	mxGetNumberOfFields	Get number of fields in structure mxArray
mexLock	Lock MEX-file so it cannot be cleared from memory	mxCreateScalarDouble	Create scalar, double-precision array	mxGetNzmax	Get number of elements in ir, pr, and pi arrays
mexMakeArrayPersisten	Make mxArray persist after MEX-file	mxCreateSparse	initialized to specified value  Create two-dimensional unpopulated sparse mxArray	mxGetPi	Get mxArray's imaginary data elements
t	completes			mxGetPr	Get mxArray's real data elements
mexMakeMemoryPersist ent	Make memory allocated by MATLAB's memory allocation routines persist after MEX-file completes	mxCreateString	Create 1-by-n string mxArray initialized to specified strin g	mxGetScalar	Get real component of mxArray's first data element
mexPrintf	ANSI C printf-style output routine	mxCreateStructArray	Create unpopulated N-dimensional structure mxArray	mxGetString	Copy string mxArray's data into C-style string
mexPutArray	Copy mxArray from your MEX-file into	mxCreateStructMatrix	Create unpopulated two-dimensional	mxIsCell	True if cell mxArray
<b>G</b> .	another workspace		structure mxArray	mxIsChar	True if string mxArray
mexSet	Set value of Handle Graphics property	mxDestroyArray	Free dynamic memory allocated by an	mxIsClass	True if mx Array is member of specified class

Free dynamic memory allocated by an

Free dynamic memory allocated by mxCalloc

mxCreate routine

Make deep copy of array

mxDestroyArray

mxDuplicateArray

mxFree

Control response of mexCallMATLAB to

Unlock MEX-file so it can be cleared from

memory

mexSetTrapFlag

mexUnlock

mxIsComplex

mxIsDouble

True if mxArray represents its data as double-

precision, floating-point numbers

True if data is complex

mxIsEmpty True if mxArray is empty mxIsFinite True if value is finite True if mxArray was copied from mxIsFromGlobalWS MATLAB's global workspace True if value is infinite mxIsInf True if mxArray represents its data as signed mxIsInt8 8-bit integers True if mxArray represents its data as signed mxIsInt16 16-bit integers mxIsInt32 True if mxArray represents its data as signed 32-bit integers True if mxArray is Boolean mxIsLogical mxIsNaN True if value is NaN True if mxArray is numeric mxIsNumeric mxIsSingle True if mxArray represents its data as singleprecision, floating-point numbers True if sparse mxArray mxIsSparse mxIsStruct True if structure mxArray True if mxArray represents its data as mxIsUint8 unsigned 8-bit integers True if mxArray represents its data as mxIsUint16 unsigned 16-bit integers True if mxArray represents its data as mxIsUint32 unsigned 32-bit integers mxMalloc Allocate dynamic memory using MATLAB's memory manager mxRealloc Reallocate memory mxRemoveField Remove field from structure array Register memory allocation/deallocation mxSetAllocFcns functions in stand-alone engine or MAT application Set value of one cell mxSetCell mxSetClassName Convert MATLAB structure array to MATLAB object array mxSetData Set pointer to data Modify number/size of dimensions mxSetDimensions mxSetField Set field value of structure array, given field name/index mxSetFieldByNumber Set field value in structure array, given field number/index Set imaginary data pointer for mxArray mxSetImagData mxSetIr Set ir array of sparse mxArray mxSet.Ic Set jc array of sparse mxArray mxSetLogical Set logical flag mxSetM Set number of rows

 mxSetN
 Set number of columns

 mxSetName
 Set name of mxArray

 mxSetNzmax
 Set storage space for nonzero elements

 mxSetPi
 Set new imaginary data for mxArray

 mxSetPr
 Set new real data for mxArray

#### **C Engine Routines**

engOutputBuffer

engPutArray

 engClose
 Quit engine session

 engEvalString
 Evaluate expression in string

 engGetArray
 Copy variable from engine workspace

 engOpen
 Start engine session

 engOpenSingleUse
 Start engine session for single, nonshared use

Specify buffer for MATLAB output

Put variables into engine workspace

#### C MAT-File Routines

matClose Close MAT-file Delete named mxArray from MAT -file matDeleteArray matGetArray Read mxArray from MAT-file matGetArrayHeader Load header array information only Get directory of mxArrays in MAT-file matGetDir Get file pointer to MAT-file matGetFp matGetNextArray Read next mxArray from MAT -file Load array header information only matGetNextArrayHeader matOpen Open MAT-file matPutArray Write mxArrays into MAT-files Put mx Arrays into MAT-files matPutArrayAsGlobal

#### Serial Port I/O

#### **Creating a Serial Port Object**

serial Create a serial port object

#### **Writing and Reading Data**

fgetl Read one line of text from the device and discard the terminator

Read one line of text from the device and include the terminator

fprintf Write text to the device

stopasync Stop asynchronous read and write operations

Read binary data from the device

Write binary data to the device

Read data from the device, and format as text

Read data asynchronously from the device

#### **Configuring and Returning Properties**

get Return serial port object properties
set Configure or display serial port object properties

#### **State Change**

fread

fscanf

**fwrite** 

readasvnc

fcloseDisconnect a serial port object from the devicefopenConnect a serial port object to the devicerecordRecord data and event information to a file

#### **General Purpose**

Remove a serial port object from the MATLAB workspace clear delete Remove a serial port object from memory disp Display serial port object summary information Display event information when an event occurs instraction Return serial port objects from memory to the MATLAB instrfind workspace Determine if serial port objects are valid isvalid length Length of serial port object array Load serial port objects and variables into the MATLAB load workspace

save Save serial port objects and variables to a MAT-file serialbreak Send a break to the device connected to the serial port

size Size of serial port object array

### **Handle Graphic Properties**

#### Root

ButtonDownFcn; CallbackObject; Children; Clipping; CreateFcn; CurrentFigure; DeleteFcn; Diary; DiaryFile; Echo; ErrorMessage; FixedWidthFontName; Format; FormatSpacing; HandleVisibility; HitTest; Interruptible; Language; Parent; PointerLocation; PointerWindow; Profile; ProfileCount; ProfileFile; ProfileInterval; ScreenDepth; ScreenSize; Selected; SelectionHighlight; ShowHiddenHandles; Tag; Type; UIContextMenu; Units; UserData; Visible

### **Figure**

AlphaMap; BackingStore; BusyAction; ButtonDownFcn; Children; Clipping; CloseRequestFcn; Color; Colormap; CreateFcn; CurrentAxes; CurrentCharacter; CurrentObject; CurrentPoint; DeleteFcn; Dithermap; DithermapMode; DoubleBuffer; FixedColors; HandleVisibility; HitTest; IntegerHandle; Interruptible; InvertHardcopy; KeyPressFcn; MenuBar; MinColormap; Name; NextPlot; NumberTitle; PaperOrientation; PaperPosition; PaperPositionMode; PaperSize; PaperType; PaperUnits; Parent; Pointer; PointerShapeCData; PointerShapeHotSpot; Position; Renderer; RendererMode; Resize; ResizeFcn; Selected; SelectionHighlight; SelectionType; ShareColors; Tag; Type; UIContextMenu; Units; UserData; Visible; WindowButtonDownFcn; WindowButtonMotionFcn; WindowButtonUpFcn; WindowStyle

#### Axes

ALim: ALimMode: AmbientLightColor: Box: BusvAction: ButtonDownFcn; CLim; CLimMode; CameraPosition; CameraPositionMode; CameraTarget; CameraTargetMode; CameraUpVector; CameraUpVectorMo de; CameraViewAngle; CameraViewAngleMode; Children; Clipping; Color; ColorOrder; CreateFcn; CurrentPoint; DataAspectRatio; DataAspectRatioMode; DeleteFcn: DrawMode: FontAngle: FontName: FontSize: FontUnits: FontWeight; GridLineStyle; HandleVisibility; HitTest; Interruptible; Laver: LineStyleOrder: LineWidth: NextPlot: Parent: PlotBoxAspectRatio; PlotBoxAspectRatioMode; Position; Projection; Selected: SelectionHighlight: Tag: TickDir: TickDirMode: TickLength; Title; Type; Units; UIContextMenu; UserData; View; Visible: XAxisLocation: XColor: Xdir: XGrid: XLabel: XLim: XLimMode; XScale; XTick; XTickLabel; XTickLabelMode; XTickMode; YAxisLocation; YColor; YDir; YGrid; YLabel; YLim; YLimMode; YScale; YTick; YTickLabel; YTickLabelMode; YTickMode; ZColor; ZDir; ZGrid; ZLabel; ZLim; ZLimMode; ZScale; ZTick; ZTickLabel; ZTickLabelMode; ZtickMode

#### Line

BusyAction; ButtonDownFcn; Children; Clipping; Color; CreateFcn; DeleteFcn; EraseMode; HandleVisibility; HitTest; Interruptible; LineStyle; LineWidth; Marker; MarkerEdgeColor; MarkerFaceColor; MarkerSize; Parent; Selected; SelectionHighlight; Tag; Type; UIContextMenu; UserData; Visible; XData; YData; ZData

#### **Text**

BusyAction; ButtonDownFcn; Children; Clipping; Color; CreateFcn; DeleteFcn; Editing; EraseMode; Extent; FontAngle; FontName; FontSize; FontUnits; FontWeight; HandleVisibility; HitTest; HorizontalAlignment; Interpreter; Interruptible; Parent; Position; Rotation; Selected; SelectionHighlight; String; Tag; Type; UIContextMenu; Units; UserData; VerticalAlignment; Visible

#### **Uicontrol**

BackgroundColor; BusyAction; ButtonDownFcn; Callback; CData; Children; Clipping; CreateFcn; DeleteFcn; Enable; Extent; FontAngle; FontName; FontSize; FontUnits; FontWeight; ForegroundColor; HandleVisibility; HitTest; HorizontalAlignment; Interruptible; ListboxTop; Max; Min; Parent; Position; Selected; SelectionHighlight; SliderStep; String; Style; Tag; TooltipString; Type; UIContextMenu; Units; UserData; Value; Visible

#### Uimenu

Accelerator; BusyAction; ButtonDownFcn; Callback; Checked; Children; Clipping; CreateFcn; DeleteFcn; Enable; ForegroundColor; HandleVisibility; HitTest; Interruptible; Label; Parent; Position; Selected; SelectionHighlight; Separator; Tag; Type; UIContextMenu; UserData; Visible