

## SPOJ Problem Set (classical)

### 54. Julka

#### Problem code: JULKA

Julka surprised her teacher at preschool by solving the following riddle:

*Klaudia and Natalia have 10 apples together, but Klaudia has two apples more than Natalia. How many apples does each of the girls have?*

Julka said without thinking: Klaudia has 6 apples and Natalia 4 apples. The teacher tried to check if Julka's answer wasn't accidental and repeated the riddle every time increasing the numbers. Every time Julka answered correctly. The surprised teacher wanted to continue questioning Julka, but with big numbers she couldn't solve the riddle fast enough herself. Help the teacher and write a program which will give her the right answers.

#### Task

Write a program which

- reads from standard input the number of apples the girls have together and how many more apples Klaudia has,
- counts the number of apples belonging to Klaudia and the number of apples belonging to Natalia,
- writes the outcome to standard output

#### Input

Ten test cases (given one under another, you have to process all!). Every test case consists of two lines. The first line says how many apples both girls have together. The second line says how many more apples Klaudia has. Both numbers are positive integers. It is known that both girls have no more than  $10^{100}$  (1 and 100 zeros) apples together. As you can see apples can be very small.

#### Output

For every test case your program should output two lines. The first line should contain the number of apples belonging to Klaudia. The second line should contain the number of apples belonging to Natalia.

#### Example

**Input :**

10

2

[and 9 test cases more]

**Output :**

6

4

[and 9 test cases more]

Added by: Adam Dzedzej  
Date: 2004-06-08  
Time limit: 2s  
Source limit: 50000B  
Languages: All  
Resource: Internet Contest **Pogromcy Algorytmow** (Algorithm Tamers)  
Round II, 2003