## **DER Models**

Seohyun Jang

June 2, 2025

# 1 Without Storage

## 1.1 Disaggregation

$$\max \sum_{t \in T} \left( P_t^{DA} x_{it} + \mathbb{E} \left[ P_t^{RT}(\xi) y_{it}^+(\xi) - P_t^{PN} y_{it}^-(\xi) \right] \right)$$
s.t.  $R_{it}(\xi) - x_{it} = y_{it}^+(\xi) - y_{it}^-(\xi) \quad \forall t \in T$  (1b)
$$R_{it}(\xi) \geqslant y_{it}^+(\xi) \quad \forall t \in T$$
 (1c)

$$y_{it}^+(\xi) \leqslant M z_{it}(\xi), \quad y_{it}^-(\xi) \leqslant M (1 - z_{it}(\xi)) \quad \forall t \in T$$

$$x_{it}^{DA} \ge 0, y_{it}^+(\xi) \ge 0, y_{it}^-(\xi) \ge 0, z_{it}(\xi) \in \{0, 1\} \quad \forall t \in T$$
 (1e)

### 1.2 Aggregation

$$\max \sum_{t \in T} \left( P_t^{DA} \alpha_t + \mathbb{E} \left[ P_t^{RT}(\xi) \beta_t^+(\xi) - P_t^{PN} \beta_t^-(\xi) \right] \right)$$
 (2a)

s.t. 
$$\sum_{i \in I} R_{it}(\xi) - \alpha_t = \beta_t^+(\xi) - \beta_t^-(\xi) \quad \forall t \in T$$
 (2b)

$$\sum_{i \in I} R_{it}(\xi) \geqslant \beta_t^+(\xi) \quad \forall t \in T$$
 (2c)

$$\beta_t^+(\xi) \leqslant M z_t(\xi), \quad \beta_t^-(\xi) \leqslant M(1 - z_t(\xi)) \quad \forall t \in T$$
 (2d)

$$\alpha_t^{DA} \ge 0, \beta_t^+(\xi) \ge 0, \beta_t^-(\xi) \ge 0, z_t(\xi) \in \{0, 1\} \quad \forall t \in T$$
 (2e)

#### 1.3 Settlement

$$\max \quad \sum_{t \in T} \left( P_t^{DA} \alpha_t + \mathbb{E} \left[ P_t^{RT}(\xi) \beta_t^+(\xi) - P_t^{PN} \beta_t^-(\xi) \right] \right) \tag{3a}$$

s.t. 
$$\sum_{i \in I} R_{it}(\xi) - \alpha_t^{DA} = \beta_t^+(\xi) - \beta_t^-(\xi) \quad \forall t \in T$$
 (3b)

$$\sum_{i \in I} R_{it}(\xi) \geqslant \beta_t^+(\xi) \quad \forall t \in T$$
 (3c)

$$\beta_t^+(\xi) \leqslant M z_t(\xi), \quad \beta_t^-(\xi) \leqslant M (1 - z_t(\xi)) \quad \forall t \in T$$
 (3d)

$$\alpha_t = \sum_{i \in I} x_{it}(\xi), \quad \beta_t^+(\xi) = \sum_{i \in I} e_{it}^+(\xi), \quad \beta_t^-(\xi) = \sum_{i \in I} e_{it}^-(\xi) \quad \forall t \in T$$
 (3e)

$$R_{it}(\xi) - x_{it}(\xi) = y_{it}^{+}(\xi) - y_{it}^{-}(\xi) \quad \forall t \in T$$
 (3f)

$$R_{it}(\xi) \geqslant y_{it}^+(\xi) \quad \forall t \in T$$
 (3g)

$$y_{it}^+(\xi) \leqslant M z_{it}(\xi), \quad y_{it}^-(\xi) \leqslant M(1 - z_{it}(\xi)) \quad \forall t \in T$$
 (3h)

$$\sum_{j \in I, j \neq i} d_{ijt}(\xi) \leqslant y_{it}^{+}(\xi), \quad \sum_{j \in I, j \neq i} d_{jit}(\xi) \leqslant y_{it}^{-}(\xi) \quad \forall t \in T$$
(3i)

$$d_{iit}(\xi) = 0 \quad \forall t \in T$$

$$e_{it}^+(\xi) = y_{it}^+(\xi) - \sum_{j \in I, j \neq i} d_{ijt}(\xi) \quad \forall t \in T$$

$$e_{it}^{-}(\xi) = y_{it}^{-}(\xi) - \sum_{j \in I, j \neq i} d_{jit}(\xi) \quad \forall t \in T$$
 (31)

# With Storage

#### 2.1 Disaggregation

$$\max \quad \sum_{t \in T} \left( P_t^{DA} x_{it} + \mathbb{E} \left[ P_t^{RT}(\xi) y_{it}^+(\xi) - P_t^{PN} y_{it}^-(\xi) \right] \right)$$
 (4a) 
$$\text{s.t.} \quad R_{it}(\xi) - x_{it} = y_{it}^+(\xi) - y_{it}^-(\xi) + z_{it}^C(\xi) - z_{it}^D(\xi)$$
 (4b) 
$$R_{it}(\xi) \geqslant y_{it}^+(\xi)$$
 (4c) 
$$z_{i,t+1}(\xi) = z_{it}(\xi) + z_{it}^C(\xi) - z_{it}^D(\xi) \quad \forall i,t$$
 (4d) 
$$z_{it}^D(\xi) \leqslant z_{it}(\xi), \quad z_{it}^C(\xi) \leqslant K_i - z_{it}(\xi), \quad 0 \leqslant z_{it}(\xi) \leqslant K_i$$
 (4e) 
$$y_{it}^+(\xi) \leqslant M_1 \phi_{it}^1(\xi), \quad y_{it}^-(\xi) \leqslant M_1 (1 - \phi_{it}^1(\xi))$$
 (4f) 
$$y_{it}^-(\xi) \leqslant M_1 \phi_{it}^2(\xi), \quad z_{it}^C(\xi) \leqslant M_1 (1 - \phi_{it}^2(\xi))$$
 (4g)

(4h)

#### Aggregation with BTM storage control 2.2

 $z_{it}^C(\xi) \leq M_1 \phi_{it}^3(\xi), \quad z_{it}^D(\xi) \leq M_1 (1 - \phi_{it}^3(\xi))$ 

$$\max \sum_{t \in T} \left( P_t^{DA} \sum_{i \in I} x_{it} + \mathbb{E} \left[ P_t^{RT}(\xi) \sum_{i \in I} e_{it}^+(\xi) - P_t^{PN} \sum_{i \in I} e_{it}^-(\xi) \right] \right) \tag{5a}$$

$$\text{s.t.} \quad R_{it}(\xi) - x_{it} = y_{it}^+(\xi) - y_{it}^-(\xi) + z_{it}^C(\xi) - z_{it}^D(\xi) \tag{5b}$$

$$R_{it}(\xi) \geqslant y_{it}^+(\xi) \tag{5d}$$

$$z_{i,t+1}(\xi) = z_{it}(\xi) + z_{it}^C(\xi) - z_{it}^D(\xi) \tag{5e}$$

$$z_{it}^D(\xi) \leqslant z_{it}(\xi), \quad z_{it}^C(\xi) \leqslant K_i - z_{it}(\xi), \quad 0 \leqslant z_{it}(\xi) \leqslant K_i \tag{5f}$$

$$e_{it}^+(\xi) = y_{it}^+(\xi) - \sum_{j \in I} d_{ijt}(\xi), \quad e_{it}^-(\xi) = y_{it}^-(\xi) - \sum_{j \in I} d_{jit}(\xi) \tag{5g}$$

$$d_{iit}(\xi) = 0 \tag{5h}$$

$$y_{it}^+(\xi) \leqslant M_1 \phi_{it}^1(\xi), \quad y_{it}^-(\xi) \leqslant M_1 (1 - \phi_{it}^1(\xi)) \tag{5j}$$

$$y_{it}^-(\xi) \leqslant M_1 \phi_{it}^2(\xi), \quad z_{it}^C(\xi) \leqslant M_1 (1 - \phi_{it}^2(\xi)) \tag{5j}$$

$$z_{it}^C(\xi) \leqslant M_1 \phi_{it}^3(\xi), \quad z_{it}^D(\xi) \leqslant M_1 (1 - \phi_{it}^3(\xi)) \tag{5k}$$

$$\sum_{it}^C(\xi) \leqslant M_2 \phi_i^4(\xi), \quad \sum_{it}^C(\xi) \leqslant M_2 (1 - \phi_i^4(\xi)) \tag{5l}$$

#### Aggregation with direct control over storage

$$\begin{aligned} y_{it}^{+}(\xi) &\leq M_{1}\phi_{it}^{1}(\xi), & \ y_{it}^{-}(\xi) &\leq M_{1}(1-\phi_{it}^{1}(\xi)) \\ y_{it}^{-}(\xi) &\leq M_{1}\phi_{it}^{2}(\xi), & \ z_{it}^{C}(\xi) &\leq M_{1}(1-\phi_{it}^{2}(\xi)) \\ z_{it}^{C}(\xi) &\leq M_{1}\phi_{it}^{3}(\xi), & \ z_{it}^{D}(\xi) &\leq M_{1}(1-\phi_{it}^{3}(\xi)) \\ & \ z_{it}^{C}(\xi) &\leq M_{1}\phi_{it}^{3}(\xi), & \ z_{it}^{D}(\xi) &\leq M_{1}(1-\phi_{it}^{3}(\xi)) \\ \sum_{i \in I} e_{it}^{+}(\xi) &\leq M_{2}\phi_{t}^{4}(\xi), & \sum_{i \in I} e_{it}^{-}(\xi) &\leq M_{2}(1-\phi_{t}^{4}(\xi)) \end{aligned} \tag{5b}$$

$$\begin{aligned} &\sum_{i \in I} P_{it}^{DA}\alpha_{t} + \mathbb{E}\left[P_{t}^{RT}(\xi)\beta_{t}^{+}(\xi) - P_{t}^{PN}\beta_{t}^{-}(\xi)\right]\right) \\ &\text{s.t.} & \sum_{i \in I} R_{it}(\xi) - \alpha_{t} = \beta_{t}^{+}(\xi) - \beta_{t}^{-}(\xi) + \gamma_{t}^{C}(\xi) - \gamma_{t}^{D}(\xi) &\forall t \end{aligned} \tag{6b}$$

$$\sum_{i \in I} R_{it}(\xi) &\geq \beta_{t}^{+}(\xi) \\ &\gamma_{t}^{D}(\xi) &\leq \gamma_{t}(\xi), & \gamma_{t}^{C}(\xi) &\leq \sum_{i \in I} K_{i} - \gamma_{t}(\xi), & 0 &\leq \gamma_{t}(\xi) &\leq \sum_{i \in I} K_{i} &\forall t \end{aligned} \tag{6d}$$

$$\gamma_{t+1}(\xi) &= \gamma_{t}(\xi) + \gamma_{t}^{C}(\xi) - \gamma_{t}^{D}(\xi) &\forall t \\ \beta_{t}^{-}(\xi) &\leq M_{2}\mu_{t}(\xi), & \beta_{t}^{-}(\xi) &\leq M_{2}(1-\mu_{t}(\xi)) &\forall t \\ \beta_{t}^{-}(\xi) &\leq M_{2}\mu_{t}(\xi), & \gamma_{t}^{C}(\xi) &\leq M_{2}(1-\eta_{t}(\xi)) &\forall t \\ \gamma_{t}^{C}(\xi) &\leq M_{2}\eta_{t}(\xi), & \gamma_{t}^{D}(\xi) &\leq M_{2}(1-\eta_{t}(\xi)) &\forall t \\ \gamma_{t}^{C}(\xi) &\leq M_{2}\lambda_{t}(\xi), & \gamma_{t}^{D}(\xi) &\leq M_{2}(1-\lambda_{t}(\xi)) &\forall t \end{aligned} \tag{6e}$$

### 3 Individual

## 3.1 Different Internal Price (Non-linear)

$$\max \quad \sum_{t \in T} \left( P_t^{DA} \cdot x_t + \mathbb{E} \left[ P_t^{RT}(\xi) \cdot y_t^+(\xi) - P_t^{PN} \cdot y_t^-(\xi) + \rho_t^+(d) \cdot d_t^+(\xi) - \rho_t^-(d) \cdot d_t^-(\xi) \right] \right)$$
 (7a) 
$$\text{s.t.} \quad R_t(\xi) - x_t = y_t^+(\xi) - y_t^-(\xi) + d_t^+(\xi) - d_t^-(\xi) + z_t^C(\xi) - z_t^D(\xi)$$
 (7b) 
$$R_t(\xi) \geqslant y_t^+(\xi) + d_{it}^+(\xi)$$
 (7c) 
$$x_t - R_t(\xi) \geqslant y_t^-(\xi) + d_t^-(\xi)$$
 (7d) 
$$z_{t+1}(\xi) = z_t(\xi) + z_t^C(\xi) - z_t^D(\xi)$$
 (7e) 
$$z_t^D(\xi) \leqslant z_t(\xi), \quad z_t^C(\xi) \leqslant K - z_t(\xi), \quad 0 \leqslant z_t(\xi) \leqslant K$$
 (7f) 
$$y_t^+(\xi) \leqslant M\phi_t^1(\xi), \quad y_t^-(\xi) \leqslant M(1 - \phi_t^1(\xi))$$
 (7g) 
$$y_t^-(\xi) \leqslant M\phi_t^3(\xi), \quad z_t^C(\xi) \leqslant M(1 - \phi_t^3(\xi))$$
 (7h) 
$$z_t^C(\xi) \leqslant M\phi_t^3(\xi), \quad z_t^D(\xi) \leqslant M(1 - \phi_t^3(\xi))$$
 (7i) 
$$d_t^+(\xi) \leqslant M\phi_t^4(\xi), \quad d_t^-(\xi) \leqslant M(1 - \phi_t^4(\xi))$$
 (7j)

#### 3.2 Different Internal Price (Piecewise-Linear)

 $d_t^+(\xi) \leq M\phi_t^4(\xi), \quad d_t^-(\xi) \leq M(1 - \phi_t^4(\xi))$ 

$$\max \quad \sum_{t \in T} \left( P_t^{DA} \cdot x_t + \mathbb{E} \left[ P_t^{RT}(\xi) \cdot y_t^+(\xi) - P_t^{PN} \cdot y_t^-(\xi) + \rho_t^+(d) \cdot d_t^+(\xi) - \rho_t^-(d) \cdot d_t^-(\xi) \right] \right)$$
 (8a) s.t. 
$$R_t(\xi) - x_t = y_t^+(\xi) - y_t^-(\xi) + d_t^+(\xi) - d_t^-(\xi) + z_t^C(\xi) - z_t^D(\xi)$$
 (8b) 
$$R_t(\xi) \geqslant y_t^+(\xi) + d_{it}^+(\xi)$$
 (8c) 
$$x_t - R_t(\xi) \geqslant y_t^-(\xi) + d_t^-(\xi)$$
 (8d) 
$$z_{t+1}(\xi) = z_t(\xi) + z_t^C(\xi) - z_t^D(\xi)$$
 (8e) 
$$z_t^D(\xi) \leqslant z_t(\xi), \quad z_t^C(\xi) \leqslant K - z_t(\xi), \quad 0 \leqslant z_t(\xi) \leqslant K$$
 (8f) 
$$y_t^+(\xi) \leqslant M\phi_t^1(\xi), \quad y_t^-(\xi) \leqslant M(1 - \phi_t^1(\xi))$$
 (8g) 
$$y_t^-(\xi) \leqslant M\phi_t^2(\xi), \quad z_t^C(\xi) \leqslant M(1 - \phi_t^2(\xi))$$
 (8h) 
$$z_t^C(\xi) \leqslant M\phi_t^3(\xi), \quad z_t^D(\xi) \leqslant M(1 - \phi_t^3(\xi))$$
 (8i)

(8i)