

Data matching is a conceptually simple problem that appears in many computational geophysics applications. Essentially, given two data sets, data matching can be thought of as finding the transformation from one data set to the other. This is useful in applications such as multi-component seismic image registration, where two separate seismic images, one P-wave image and one S-wave image, are acquired over the same area. These must be matched properly, as the two images are not temporally aligned and have different frequency and amplitude content, in order for them to be directly compared and interpreted.

Many other geophysics applications can be addressed from a data matching standpoint and fall under several main categories. One category is matching data of different physics, such as tying synthetic seismograms from well log data to surface seismic data (??) and multicomponent seismic image registration (???), which is discussed in Chapter ???. Another category involves matching differently acquired data, such as time-lapse image registration (?) and merging legacy and high-resolution seismic data (?), which is a primary application in this thesis and is addressed in Chapter ???. The third category is matching data and ideal models, such as in deconvolution or approximating the inverse Hessian to improve migration resolution (???), which is discussed further in Chapter ???. The objective of these many data matching problems is to approximate the operation to match the data using a combination of three data matching operations—filtering, scaling, and shifting. In this thesis, I discuss these three data matching operators, outline several methods and applications of seismic data matching, and introduce a new method for matching frequency content between data sets.

The primary inspiration for much of the work in this thesis comes from the example of matching and merging high-resolution and legacy seismic images, as discussed by ???. In this example, two seismic data sets, each acquired over the same area but with different acquisition technologies, are first matched in frequency, amplitude, and time, before being merged together to produce a third image. This new image includes the best signal characteristics from the two initial images while minimizing their comparative weaknesses. Much of the theory behind Chapter ?? was developed in application to this example but was later extended to other examples. Therefore, I use the data from this application throughout much of this thesis.

DATA

This thesis refers to two primary data sets. The first pair, henceforth called the *Apache* data sets, are two 2D lines, acquired over the same area but with different methods, from the Gulf of Mexico. These two images are plotted in the *seismic* color map, as in Figure ??.

The second pair, the *P-cable* data sets, are two 3D volumes, acquired over the same area but with different methods, from a different area from the *Apache* data sets, but also in the Gulf of Mexico (??). These two images will always be plotted in

grayscale, as in Figure ?? . In parts of this thesis, I show a 2D line from this 3D data set for simplicity of illustration.

Two other data sets, both 2D, were used in this thesis. In Chapter ??, I use two multi-component images to demonstrate an adaptation for the proposed frequency balancing algorithm in an application of multi-component image registration (?). In Chapter ??, I use the Sigsbee synthetic data set (?) in the application of improving migration resolution using non-stationary matching.

OUTLINE

This thesis is organized as follows. In Chapter ??, I overview the theory behind the three data matching operations—scaling, shifting, and filtering. In Chapter ??, I introduce two methods for balancing local frequency content in seismic data sets. In Chapter ??, I show the first example of data matching: matching and merging high-resolution and legacy seismic images. In Chapter ??, I show an example of applying data matching to improve migration resolution. In Chapter ??, I provide concluding remarks. Finally, in the appendix, I include information on how to reproduce the results of this thesis.