

ROS and experimental robotics.

Installation: Setting up you environment.

In all the following, a Linux virtual machine will be used to work with ROS. It is based on the Ubuntu 20.04 LTS (Long Term Support) distribution. The virtual machine will be launched by a host machine, i.e. a machine with its own operating system, be it Linux, Windows or even macOS. *Nevertheless, we will assume here that the host machine is a Windows host, running with an up to date Windows 10 version.*

Using a virtual machine has several advantages, but the main point here is that the distributed image already contains everything (mainly softwares and specific configurations) required to run a Linux machine able to run ROS nodes and to control the Turtlebot robot. Almost no further configuration is required and you will be able to use it almost immediately after downloading it.

1 Installation of the virtual machine

First, you will have to download the virtualization platform. Multiple softwares exist to provide hardware virtualization, like VirtualBox, VMware Fusion/Player/Workstation, Parallels, etc. In this teaching unit, we will use the software Workstation Workstation Player (version 16.2.1 as of 2022) provided by VMware. VMware Workstation Player allows you to run a second, isolated operating system on a single PC. The use of this software is free for personal, non-commercial use, and can be used either from a Windows or a Linux guest OS. Note that macOS users **with Intel processors** can also now download a free copy of VMware Fusion directly from the vmware website. If using an Apple machine **with M1 processors**, VMware proposes a technical preview of VMware Fusion which is still very limited, to date. If possible, it will be far easier to work with a PC. Otherwise, UTM might be a good choice, and an image dedicated to this software is also proposed, but to be used in last resort if it is not possible to use a PC instead.

#1.1. Download and install VMware Workstation Player on your Windows machine from <https://www.vmware.com/products/workstation-player.html>. You might have to create a free VMware account before being able to download the software. There is no specific configuration here, so install VMware Workstation Player with the default proposed settings.

Once installed, launch VMware Workstation 16 from the Windows Start menu. The software window then appears, with a Home menu from which you will be able to import an existing virtual machine.

#1.2. On Moodle, you will find an URL from which you will be able to download a pre-configured image for the Turtlebot Remote PC (Turtlebot remote PC Noetic 2022.ova). This image is quite big (about 10.1Go), so be patient and if possible download it from a good internet connection.

#1.3. Once downloaded to the Download folder, click on Open a Virtual Machine on the main window. From there, select the just downloaded Remote PC image, and click on Open. You will be asked to provide a name and the storage path for the new virtual machine. Select whatever you want here depending on your personal setup, as long as the disk where the virtual machine is hosted is big enough (you should have at least have 25GB free).

An error message might occur at this step ("The import failed because ... did not pass OVF specification conformance, etc."). Please click on Retry to overcome the issue.)

The virtual machine is now imported and placed on the path specified before.

#1.4. **Do not run immediatly the imported virtual machine now!**

A final step is now required before actually running the Turtlebot remote PC. Select the virtual machine from the main window, and then click on Edit virtual machine settings. A new window appears, containing all the virtual machine hardware specifications. From there, select the Display hardware section, and change the graphics memory size from 256MB to highest value, if possible.

That's it! You should now have a ready to use Linux machine already configured with ROS and all required software for the rest of this teaching unit.

2 Configuration and test of the remote PC

It is now time to run the virtual machine. From the main window, select it and click on the Play icon.

The virtual machine is configured with a NAT network interface, meaning that it is sharing the same network connection as the host, through a (non-visible) local network between the VM and the host. Consequently, the remote PC has its own local IP address, which is different from the host machine. This network configuration will have to be changed later to a bridged connection, so as to ease the connection between the VM and distant ROS nodes (i.e. communicate with the distant robot).

The virtual machine now appears in a dedicated (small) window that can be resized or made full screen. From now on, we will only work in this virtual machine, so make it at least full screen, or better switch to `Full screen mode` from the dedicated button in the bar above the virtual machine screen.

You should now have a full screen Linux machine running just like it was actually your main OS.

- You might have some notifications about available software updates. You are free to install them as long as they **do not actually upgrade the OS major version itself!** (this should be the case) You might have to reboot the virtual machine to complete the update ;
- The virtual machine is launched as the user `turtle`, with password `turtlebot`.

The virtual machine is a standard Linux machine. If you are not familiar with Ubuntu, please pass some time to explore the way it works. The main taskbar is already provided with shortcuts to various already installed applications, see Figure 1. Among them, there are some IDE you can freely choose (Sublime Text, Spyder or Visual Studio Code) for the forthcoming Python developments.




Figure 1: Default taskbar in the virtual machine.

We will now test the virtual machine to verify it works correctly on your computer.

#2.1. Launch Terminator, a terminal application which gives you access to the computer shell.

A shell is a command-line interpreter that provides a command line user interface for Unix-like operating systems. The shell is both an interactive command language and a scripting language, and is used by the operating system to control the execution of the system using shell scripts.

Bourne, Stephen R. (October 1983). "The Unix Shell". BYTE. p. 187.

Most of the commands you will be using in the following must be entered here. The terminal, and the shell running inside (which is `bash`), are probably one of the applications you will be using the most.

#2.2. For now, right click on the terminal, and choose `Split vertically` to open two different shells in the same terminal. Split again the right terminal in two horizontal windows. In the top right shell, run the following command:

```
1 $ roscore
```

Then, in the left shell, run the following command:

```
1 $ rosrunc turtlesim turtlesim_node
```

A new blue window should appear, with a (randomly chosen) turtle in its center. Congratulation, you just launched your very first ROS node!

#2.3. Now, lets check if one can move the turtle in the window. In the bottom right shell, run the following command:

```
1 $ rosrun turtlesim turtle_teleop_key
```

You should now be able to move the turtle in its blue window by pressing the arrow keys on your keyboard (note that the terminal must be in the foreground so as to be able to capture the keys you are pressing. You might have to reduce the terminal window size to see the turtle actually moving on the other, blue, window).

Close each program currently running in the 3 shells by pressing `Ctrl-C` on your keyboard inside each terminal. If all the previous steps ran without any error, then you are now ready to discover ROS and to work with the virtual machine.