

# Multi-row and Multi-column Subqueries in SQL: Takeaways



by Dataquest Labs, Inc. - All rights reserved © 2022

## Syntax

- Filtering a column's rows combining the IN operator and a multi-row subquery

```
SELECT column_1, column_2, . . .  
  FROM table  
 WHERE column IN (multi-row subquery);
```

- Filtering a column's aggregate rows combining IN operator and a multi-row subquery

```
SELECT column_1, AGGREGATE_FUNCTION(column_2), . . .  
  FROM table  
 GROUP BY column_1  
HAVING AGGREGATE_FUNCTION(column) IN (multi-row subquery);
```

- Using NOT IN operator to filter rows not in a multi-row subquery

```
SELECT column_1, column_2, . . .  
  FROM table  
 WHERE column NOT IN (multi-row subquery);
```

- Using a subquery as a table in the FROM clause

```
SELECT column_1, column_2, . . .  
  FROM (multi-column subquery) AS table;
```

- Using a subquery as a table in joins

```
SELECT t1.column_1, t1.column_2, t2.column_1, . . .  
  FROM a_table AS t1  
 JOIN (multi-column subquery) AS t2  
   ON t1.some_id = t2.some_id;
```

- Joining subqueries

```
SELECT t1.column_1, t1.column_2, t2.column_1, . . .  
  FROM (multi-column subquery 1) AS t1  
 JOIN (multi-column subquery 2) AS t2  
   ON t1.some_id = t2.some_id;
```

## Concepts

- A subquery is a query nested inside another query, and we always enclose it in parentheses `()`.
- A multi-row subquery is a query that returns several values (only one column).
- A multi-column subquery is a query that returns a table (several columns).
- `IN` and `NOT IN` are two commonly used operators with multi-rows subqueries.

# Resources

- [Subquery syntax](#)

Takeaways by Dataquest Labs, Inc. - All rights reserved © 2022