

Section title

This is a placeholder for writing contents

Image

This is an how we can refer to an image, see figure 1.

```
mygraphviz = import ./graphviz.nix {
  inherit mkDerivation fontconfig libjpeg bzip2;
  gd = customgd;
};
```

Figure 1: Leopard icon

There are other ways of showing sub-images and display sub-captions like using in latex, see figure

```
mygraphviz = import ./graphviz.nix {
  inherit mkDerivation fontconfig libjpeg bzip2;
  gd = customgd;
};
```

Table

Author	Email	Institution-ID
Gene Ting-Chun Kao	your.email@email.edu	1
Your name		2
another name		3

Section title

Mathematics in latex

Check equation 1.

$$f(x) = s_0 = \frac{\sum_i n_i^T (x - x_i) \Phi_i(x)}{\sum_i \Phi_i(x)}$$

(1)

```
mygraphviz = import ./graphviz.nix {
  inherit mkDerivation fontconfig libjpeg bzip2;
  gd = customgd;
};
```

```
mygraphviz = import ./graphviz.nix {
  inherit mkDerivation fontconfig libjpeg bzip2;
  gd = customgd;
};
```

(a) label 1

(b) label 2

Figure 2: figures with captions


To have a set of equations and to align them:

$$\begin{aligned} \max \quad & \mathbf{c}^T \mathbf{x} \\ \text{s.t.} \quad & \mathbf{Ax} \leq \mathbf{b} \\ & \mathbf{x} \geq \mathbf{0} \end{aligned} \tag{2}$$

Graph

Check out the graph in figure 3.

Figure 3: Max flow min cut, max flow = 19



Algorithm

Algorithm 1 How to write algorithms

Data: Initial bounding-box Q_0 for Θ , $QBest = Q_0$, $delta = 3$, stack $\Omega = \{Q_0\}$

Result: Optimal $Q^* = QBest \in \Omega$

while $U_k - L_k > 1$ **do**

Pop $Q_k \in \Omega$

Prune Ω if current node is impossible solution node

Compare L_k from Q_k and $QBest$

if $Q_k.L_k > QBest.L_k$ **then**

 | $QBest = Q_k$

end

Split Q into Q_I and Q_{II}

Find best candidate from Q_I and Q_{II} and add them to stack Ω

end

Flowchart

This flowchart in Fig. 4 is modified from this latex code.

Citation

This is how we can cite paper [?]




Figure 4: This is my flow chart