

**Lecture**

# **Default Arguments**





## Default Arguments

```
def <method_name>(self, <param>, ..., <param>=<value>):
```



## Default Arguments

```
def <method_name>(self, <param>, ..., <param>=<value>):
```



## Default Arguments

```
def <method_name>(self, <param>, ..., <param>=<value>):
```

At the end of the list



## Default Arguments

```
class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)
```



## Default Arguments

```
class BankAccount:
```

```
    def __init__(self, owner, init_deposit, number):  
        self.owner = owner  
        self._init_deposit = init_deposit  
        self._number = number
```

```
    def show_data(self, show_owner=True):  
        print("=== Bank Account ===")  
        print("Account Number:", self._number)  
  
        if show_owner:  
            print("Owner:", self.owner)  
  
        print("Initial Deposit:", self._init_deposit)
```



## Default Arguments

```
class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)
```



## Default Arguments

```
class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)
```





## Default Arguments

```
class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)
```



## Default Arguments

```
class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)
```



## Default Arguments

```
>>> class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)

>>> bank_account = BankAccount("Nora", 50000, "23442324")
>>> bank_account.show_data()
=== Bank Account ===
Account Number: 23442324
Owner: Nora
Initial Deposit: 50000
```





## Default Arguments

```
>>> class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)

>>> bank_account = BankAccount("Nora", 50000, "23442324")
>>> bank_account.show_data()
=== Bank Account ===
Account Number: 23442324
Owner: Nora
Initial Deposit: 50000
```



## Default Arguments

```
>>> class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)

>>> bank_account = BankAccount("Nora", 50000, "23442324")
>>> bank_account.show_data()
=== Bank Account ===
Account Number: 23442324
Owner: Nora
Initial Deposit: 50000
```





## Default Arguments

```
>>> class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)

>>> bank_account = BankAccount("Nora", 50000, "23442324")
>>> bank_account.show_data()
=== Bank Account ===
Account Number: 23442324
Owner: Nora
Initial Deposit: 50000
```





## Default Arguments


```
>>> class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)
```



```
>>> bank_account = BankAccount("Nora", 50000, "23442324")
>>> bank_account.show_data(False)
=== Bank Account ===
Account Number: 23442324
Initial Deposit: 50000
```





## Default Arguments

```
>>> class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)

>>> bank_account = BankAccount("Nora", 50000, "23442324")
>>> bank_account.show_data(False)
=== Bank Account ===
Account Number: 23442324
Initial Deposit: 50000
```





## Default Arguments

```
>>> class BankAccount:

    def __init__(self, owner, init_deposit, number):
        self.owner = owner
        self._init_deposit = init_deposit
        self._number = number

    def show_data(self, show_owner=True):
        print("=== Bank Account ===")
        print("Account Number:", self._number)

        if show_owner:
            print("Owner:", self.owner)

        print("Initial Deposit:", self._init_deposit)

>>> bank_account = BankAccount("Nora", 50000, "23442324")
>>> bank_account.show_data(False)
=== Bank Account ===
Account Number: 23442324
Initial Deposit: 50000
```





## Now... An Example

