Affiliation line 1 Affiliation line 2 Author line 1 Author line 2





MyProjectName: Your Title Messip Analysis Document - v 0.0 -

(Report type: Specification)

Saturday 25^{th} November, 2017 - 11:10

Contents

1	Ir	ntroducti	ion	. 7						
	1.1	Overv	riew	. 7						
	1.2	Purpo	ose and recipients of the document	. 7						
	1.3	Applie	cation Domain	. 7						
	1.4	Defini	tions, acronyms and abbreviations	. 7						
	1.5	Docur	ment structure	. 7						
2	G	General Description								
	2.1	Doma	in Stakeholders	. 9						
	2.2	System	m's Actors	. 10						
	2.3	Use C	Cases Model	. 10						
		2.3.1	Use Cases	. 10						
		2.3.2	Use Case Instance(s)	11						
3	${f E}$	nvironm	ent Model	. 13						
	3.1	Enviro	onment model $view(s)$. 13						
	3.2	Actors	s and Interfaces Descriptions	. 13						
4	\mathbf{C}	oncept N	Model	. 15						
	4.1	Conce	cpt Model $\operatorname{view}(s)$. 15						
	4.2	Conce	ept Model Types Descriptions	. 15						
		4.2.1	Primary types - Class types descriptions	. 15						
		4.2.2	Primary types - Datatypes types descriptions	. 15						
		4.2.3	Primary types - Association types descriptions	. 15						
		4.2.4	Primary types - Aggregation types descriptions	. 15						
		4.2.5	Secondary types - Class types descriptions	. 15						
		4.2.6	Secondary types - Datatypes types descriptions	. 15						
		4.2.7	Secondary types - Association types descriptions	. 16						
		4.2.8	Secondary types - Aggregation types descriptions	. 16						
		4.2.9	Secondary types - Composition types descriptions	. 16						
5	O	Operation Model								
	5.1	Environment - Out Interface Operation Schemes								
	5.2	Enviro	onment - Actor Operation Schemes	. 17						
	5.3									
	5.4	Primary Types - Operation Schemes for Datatypes								
	5.5	Prima	ry Types - Operation Schemes for Enumerations	. 17						
	5.6	Secon	dary Types - Operation Schemes for Classes	. 17						
	5.7		dary Types - Operation Schemes for Datatypes							
	5.8	Secon	dary Types - Operation Schemes for Enumerations	. 18						

CONTENTS 3

6	Tes	st $Model(s)$	19		
7	Additional Constraints				
\mathbf{A}					
	A.1	Undocumented Use Cases	23		
	1	A.1.1 Undocumented Use Cases - Summary Level	23		
	1	A.1.2 Undocumented Use Cases - Subfunction Level	23		
	1	A.1.3 Undocumented Use Case Views	23		
	A.2	Undocumented Use Case Instances	23		
	1	A.2.1 Undocumented Use Case Instances - Summary Level	23		
	1	A.2.2 Undocumented Use Case Instance Views	23		
	A.3	Undocumented Actors	24		
	A.4	Undocumented Primary Types	24		
	1	A.4.1 Undocumented Primary Classe Types	24		
В	Me	essir Specification Files Listing	25		
	B.1	File /src-gen/messir-spec/.views.msr	25		
	B.2	File /src-gen/messir-spec/environment/environment.msr	25		
	B.3	File /src-gen/messir-spec/concepts/primarytypes-associations.msr	26		
	B.4	File /src-gen/messir-spec/concepts/primarytypes-classes/primarytypes-classes.msr .	26		
	B.5	File /src-gen/messir-spec/concepts/primarytypes-datatypes.msr	26		
	B.6	File /src-gen/messir-spec/concepts/secondarytypes-associations.msr	27		
	B.7	File /src-gen/messir-spec/concepts/secondarytypes-classes.msr	27		
	B.8	File /src-gen/messir-spec/concepts/secondarytypes-datatypes.msr	28		
	B.9	File /src-gen/messir-spec/tests/tests.msr	28		
	B.10	$File /src-gen/use case in stance-sfAdd Librarian-uc is fAdd Librarian.msr \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $	28		
	B.11	$File \ /src-gen/use case in stance-sf Delete Librarian-uc is f Delete Librarian.msr \ . \ . \ . \ . \ .$	29		
	B.12	$\label{lem:file} File \ / src-gen / use case in stance-sfE ditLibrarian-uc is fE ditLibrarian.msr \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $	29		
	B.13	File /src-gen/usecaseinstance-suDeployAndRun-ucisuDeployAndRun.msr	29		
	B.14	$\label{linear_file_file} File \ / src\text{-gen} / use case in stance-suManage Librarians-ucisuManage Librarians.msr \ . \ .$	29		
	B.15	File /src-gen/messir-spec/usecaseinstance-ugLibrarians-uciugLibrarians.msr	30		
	B.16	File /src-gen/messir-spec/usecases/usecases.msr	30		

List of Figures

Listings

B.1	Messir Spec	s. file .views.msr	25
B.2	Messir Spec	file environment.msr.	25
B.3	Messir Spec	. file primarytypes-associations.msr	26
B.4	Messir Spec	file primarytypes-classes.msr	26
B.5	Messir Spec	e. file primarytypes-datatypes.msr	26
B.6	Messir Spec	. file secondarytypes-associations.msr	27
B.7	Messir Spec	. file secondarytypes-classes.msr	27
B.8	Messir Spec	. file secondarytypes-datatypes.msr	28
B.9	Messir Spec	. file tests.msr	28
B.10	Messir Spec	. file usecaseinstance-sfAddLibrarian-ucisfAddLibrarian.msr	28
B.11	Messir Spec	. file usecaseinstance-sfDeleteLibrarian-ucisfDeleteLibrarian.msr	29
B.12	Messir Spec	. file usecaseinstance-sfEditLibrarian-ucisfEditLibrarian.msr	29
B.13	Messir Spec	. file usecaseinstance-suDeployAndRun-ucisuDeployAndRun.msr	29
B.14	Messir Spec	. file usecaseinstance-suManageLibrarians-ucisuManageLibrarians.msr	29
B.15	Messir Spec	. file usecaseinstance-ugLibrarians-uciugLibrarians.msr	30
B.16	Messir Spec	file usecases.msr	30

6 LISTINGS

Introduction

- 1.1 Overview
- 1.2 Purpose and recipients of the document
- 1.3 Application Domain
- 1.4 Definitions, acronyms and abbreviations
- 1.5 Document structure

General Description

2.1 Domain Stakeholders

2.2 System's Actors

The objective of this section is not to provide the full requirement elicitation document in this section but to reuse a part of this document to provide a informal introduction to the \mathfrak{Messip} specification of the system under development. The use case model is made of a use case diagrams modelling abstractly and informally the actors and their use cases together with a set of use cases descriptions. In addition, those diagrams and description tables are adapted to the \mathfrak{Messip} specification since actor and messages names together with parameters are partly adapted to be consistent with the specification identifiers (see [?] for more details).

2.3 Use Cases Model

This section contains the use cases elicited during the requirements elicitation phase. The use cases are textually described as suggested by the $\mathfrak{Messi}_{\mathfrak{p}}$ method and inspired by the standard Cokburn template [?].

2.3.1 Use Cases

2.3.2 Use Case Instance(s)

Environment Model

3.1 Environment model view(s)

There are no view(s) for the $\mathfrak{Messl}{\mathfrak p}$ environment model.

3.2 Actors and Interfaces Descriptions

Concept Model

4.1 Concept Model view(s)

There are no view(s) for the **Messi p** concept model.

4.2 Concept Model Types Descriptions

This section provides the textual descriptions of all the types defined in the concept model and that can be part of the graphical views provided.

4.2.1 Primary types - Class types descriptions

There are no elements in this category in the system analysed.

4.2.2 Primary types - Datatypes types descriptions

There are no elements in this category in the system analysed.

4.2.3 Primary types - Association types descriptions

There are no association types for the primary types.

4.2.4 Primary types - Aggregation types descriptions

There are no aggregation types for the primary types.

4.2.4.1 Primary types - Composition types descriptions

There are no composition types for the primary types.

4.2.5 Secondary types - Class types descriptions

There are no elements in this category in the system analysed.

4.2.6 Secondary types - Datatypes types descriptions

4.2.7 Secondary types - Association types descriptions

There are no association types for the secondary types.

4.2.8 Secondary types - Aggregation types descriptions

There are no aggregation types for the secondary types.

4.2.9 Secondary types - Composition types descriptions

There are no composition types for the secondary types.

Operation Model

This section contains the operation schemes of each operation defined in either an actor, its output interface, in a primary or secondary type (class, datatype or enumeration types). The \mathfrak{Messip} OCL code listing is joined to the comment table.

5.1 Environment - Out Interface Operation Schemes

There are no elements in this category in the system analysed.

5.2 Environment - Actor Operation Schemes

There are no elements in this category in the system analysed.

5.3 Primary Types - Operation Schemes for Classes

There are no elements in this category in the system analysed.

5.4 Primary Types - Operation Schemes for Datatypes

There are no elements in this category in the system analysed.

5.5 Primary Types - Operation Schemes for Enumerations

There are no elements in this category in the system analysed.

5.6 Secondary Types - Operation Schemes for Classes

There are no elements in this category in the system analysed.

5.7 Secondary Types - Operation Schemes for Datatypes

5.8 Secondary Types - Operation Schemes for Enumerations

Test Model(s)

Additional Constraints

Appendix A

Undocumented Messir Specification Elements

A.1 Undocumented Use Cases

A.1.1 Undocumented Summary Level Use Cases

- lu.uni.lassy.excalibur.myproject.usecases.suDeployAndRun
- lu.uni.lassy.excalibur.myproject.usecases.suManageLibrarians

A.1.2 Undocumented Subfunction Level Use Cases

- lu.uni.lassy.excalibur.myproject.usecases.sfAddLibrarian
- lu.uni.lassy.excalibur.myproject.usecases.sfDeleteLibrarian
- lu.uni.lassy.excalibur.myproject.usecases.sfEditLibrarian
- lu.uni.lassy.excalibur.myproject.usecases.sfLogin
- lu.uni.lassy.excalibur.myproject.usecases.sfLogout

A.1.3 Undocumented Use Case Views

- uc-suDeployAndRun
- uc-suManageLibrarians

A.2 Undocumented Use Case Instances

A.2.1 Undocumented Summary Level Use Case Instances

• usecases.ucisuDeployAndRun.ucisuDeployAndRun

A.2.2 Undocumented Use Case Instance Views

• uci-ucisuDeployAndRun

A.3 Undocumented Actors

- $\bullet \ \ lu.uni.lassy.excalibur.myproject.environment.actDatabaseManagementSystem$
- $\bullet \;\; lu.uni.lassy.excalibur.myproject.environment.actLibrarianManagementSystem$
- $\bullet \;\; lu.uni.lassy.excalibur.myproject.environment.act Sysadmin$

A.4 Undocumented Primary Types

A.4.1 Undocumented Primary Classe Types

 $\bullet \;\; lu.uni.lassy.excalibur.myproject.concepts.primarytypes.classes.ctState$

Appendix B

Messir Specification Files Listing

B.1 File ./src-gen/messir-spec/.views.msr

```
1 //
2 //DON'T TOUCH THIS FILE !!!
3 //
4 package uuid695728acbf2b4e2da067e942a8b71a42 {
5 Concept Model {}
6 }
```

Listing B.1: Messir Spec. file .views.msr.

B.2 File ./src-gen/messir-spec/environment/environment.msr

```
1 / *
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
6 package lu.uni.lassy.excalibur.myproject.environment {
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
13 Environment Model {
14
15
   actor actSysadmin role rnactSysadmin cardinality[0 .. *] {
     input interface inactSysadmin {
16
17
     output interface outactSysadmin {
18
19
20
21 actor actLibrarianManagementSystem role rnactLibrarianManagementSystem cardinality[0 .. *] {
22
     input interface inactLibrarianManagementSystem {
23
24
     output interface outactLibrarianManagementSystem {
25
26
   }
27 actor actDatabaseManagementSystem role rnactDatabaseManagementSystem cardinality[0 .. *] {
     input interface inactDatabaseManagementSystem {
28
29
30
     output interface outactDatabaseManagementSystem {
31
32
33
34 }
```

Listing B.2: Messir Spec. file environment.msr.

 $B.3 \quad File \\ associations/primary types-associations.msr$

```
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
6 package lu.uni.lassy.excalibur.myproject.concepts.primarytypes.associations {
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Concept Model {
14
15 Primary Types {
16
17 }
18 }
19 }
```

Listing B.3: Messir Spec. file primarytypes-associations.msr.

 $B.4 \quad File \\ \quad ./src\text{-gen/messir-spec/concepts/primarytypes-classes.msr}$

```
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
6 package lu.uni.lassy.excalibur.myproject.concepts.primarytypes.classes {
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
13 import lu.uni.lassy.messir.libraries.primitives
14
15 Concept Model {
16
17 Primary Types {
18
   state class ctState {
19
20
    attribute vpStarted: ptBoolean
22
    operation init(AvpStarted:ptBoolean): ptBoolean
23
24
25 }
26 }
27 }
```

Listing B.4: Messir Spec. file primarytypes-classes.msr.

 $B.5 \quad File \\ \quad ./src\text{-gen/messir-spec/concepts/primarytypes-datatypes.msr}$

```
1/*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
```

```
4 */
5
6 package lu.uni.lassy.excalibur.myproject.concepts.primarytypes.datatypes {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Concept Model {
14
15 Primary Types {
16
17 }
18 }
19 }
```

Listing B.5: Messir Spec. file primarytypes-datatypes.msr.

$B.6 \quad File \qquad ./src\text{-gen/messir-spec/concepts/secondary types-associations/secondary types-associations.msr}$

```
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
6 package lu.uni.lassy.excalibur.myproject.concepts.secondarytypes.associations {
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Concept Model {
14
15 Secondary Types {
16
17
18 }
19 }
```

Listing B.6: Messir Spec. file secondarytypes-associations.msr.

$B.7 \quad File \qquad ./src\text{-gen/messir-spec/concepts/secondarytypes-classes.msr} \\$

```
1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.concepts.secondarytypes.classes {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Concept Model {
14
15 Secondary Types {
16
17 }
18 }
```

19 }

Listing B.7: Messir Spec. file secondarytypes-classes.msr.

$B.8 \quad File \\ \quad ./src\text{-gen/messir-spec/concepts/secondarytypes-datatypes.msr}$

```
1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.concepts.secondarytypes.datatypes {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Concept Model {
14
15 Secondary Types {
16
17 }
18
19 }
20 }
```

Listing B.8: Messir Spec. file secondarytypes-datatypes.msr.

B.9 File ./src-gen/messir-spec/tests/tests.msr

```
1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.tests {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Test Model {
14
15 }
16
17 }
```

Listing B.9: Messir Spec. file tests.msr.

$\begin{array}{lll} \textbf{B.10} & \textbf{File} & ./\text{src-gen/messir-spec/usecases/usecaseinstance-} \\ & \textbf{sfAddLibrarian-ucisfAddLibrarian.msr} \end{array}$

```
1 package usecases.ucisfAddLibrarian {
2 import lu.uni.lassy.excalibur.myproject.usecases
3
4 Use Case Model {
5 }
6 }
```

Listing B.10: Messir Spec. file usecaseinstance-sfAddLibrarian-ucisfAddLibrarian.msr.

B.11 File ./src-gen/messir-spec/usecases/usecaseinstance-sfDeleteLibrarian-ucisfDeleteLibrarian.msr

```
1 package usecases.ucisfDeleteLibrarian {
2  import lu.uni.lassy.excalibur.myproject.usecases
3
4  Use Case Model {
5  }
6 }
```

Listing B.11: Messir Spec. file usecaseinstance-sfDeleteLibrarian-ucisfDeleteLibrarian.msr.


```
1 package usecases.ucisfEditLibrarian {
2 import lu.uni.lassy.excalibur.myproject.usecases
3
4 Use Case Model {
5
6 }
7 }
```

Listing B.12: Messir Spec. file usecaseinstance-sfEditLibrarian-ucisfEditLibrarian.msr.

$B.13 \quad File \\ suDeployAndRun-ucisuDeployAndRun.msr$

```
1 package usecases.ucisuDeployAndRun {
2 import lu.uni.lassy.excalibur.myproject.usecases
3
   Use Case Model {
5
    use case instance ucisuDeployAndRun : suDeployAndRun{
7
8
     filippoLobisch : lu.uni.lassy.excalibur.myproject.environment.actSysadmin
9
10
     use case steps{
11
12
     filippoLobisch executed instanceof subfunction sfLogin("filippoLobisch", "password") {}
13
      filippoLobisch executed instanceof subfunction sfLogout() {}
      filippoLobisch executed instanceof subfunction sfAddLibrarian("100900100", "John Smith", "
14
          10/10/1990") {}
      filippoLobisch executed instanceof subfunction sfEditLibrarian("Successfully edited librarian.")
15
      filippoLobisch executed instanceof subfunction sfDeleteLibrarian("Successfully deleted librarian
16
          .") {}
17
18
19
20
21
22
23 }
```

Listing B.13: Messir Spec. file usecaseinstance-suDeployAndRun-ucisuDeployAndRun.msr.

$B.14 \quad File \qquad ./src\text{-gen/messir-spec/usecases/usecaseinstance-suManageLibrarians-ucisuManageLibrarians.msr}$

```
1 package usecases.ucisuManageLibrarians {
2 import lu.uni.lassy.excalibur.myproject.usecases
```

```
4 Use Case Model {
5
6  }
7 }
```

Listing B.14: Messir Spec. file usecaseinstance-suManageLibrarians-ucisuManageLibrarians.msr.

$B.15 \quad File \qquad ./src\text{-gen/messir-spec/usecases/usecaseinstance-} \\ \quad ug Librarians\text{-}uciug Librarians.msr$

```
1 package usecases.uciugLibrarians {
2  import lu.uni.lassy.excalibur.myproject.usecases
3
4  Use Case Model {
5
6  }
7 }
```

Listing B.15: Messir Spec. file usecaseinstance-ugLibrarians-uciugLibrarians.msr.

B.16 File ./src-gen/messir-spec/usecases/usecases.msr

```
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
6 package lu.uni.lassy.excalibur.myproject.usecases {
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Use Case Model {
14
15 use case system summary suManageLibrarians() {
   actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
    actor lu.uni.lassy.excalibur.myproject.environment.actDatabaseManagementSystem[secondary, active]
18
   actor lu.uni.lassy.excalibur.myproject.environment.actLibrarianManagementSystem[secondary, active]
19
    reuse lu.uni.lassy.excalibur.myproject.usecases.sfAddLibrarian[0..*]
20
21
    reuse lu.uni.lassy.excalibur.myproject.usecases.sfEditLibrarian[0..*]
    reuse lu.uni.lassy.excalibur.myproject.usecases.sfDeleteLibrarian[0..*]
23
   step a: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes sfAddLibrarian
24
25
    step b: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes sfEditLibrarian
26
   step c: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes sfDeleteLibrarian
27
28
30 use case system summary suDeployAndRun() {
31
    actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
33
   reuse lu.uni.lassy.excalibur.myproject.usecases.suManageLibrarians[1..*]
34
    reuse lu.uni.lassy.excalibur.myproject.usecases.sfLogin[0..1]
35
    reuse lu.uni.lassy.excalibur.myproject.usecases.sfLogout[0..1]
36
    step a: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes sfLogin
    step b: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes sfLogout
38
39
    step c: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes suManageLibrarians
40
41
42
43 use case system subfunction sfAddLibrarian() {
     actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, passive]
```

```
actor lu.uni.lassy.excalibur.myproject.environment.actDatabaseManagementSystem[secondary, passive
45
46
     actor lu.uni.lassy.excalibur.myproject.environment.actLibrarianManagementSystem[secondary,
         passive]
47
     returned messages{
48
49
      ieAddLibrarian returned to lu.uni.lassy.excalibur.myproject.environment.actSysadmin
50
51
52
   use case system subfunction sfDeleteLibrarian() {
53
     actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
54
     actor lu.uni.lassy.excalibur.myproject.environment.actDatabaseManagementSystem[secondary, passive
55
56
     actor lu.uni.lassy.excalibur.myproject.environment.actLibrarianManagementSystem[secondary,
         passive]
57
58
     returned messages{
      ieDeleteLibrarian returned to lu.uni.lassy.excalibur.myproject.environment.actSysadmin
59
60
61
62
   use case system subfunction sfEditLibrarian() {
63
     actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
64
65
     actor lu.uni.lassy.excalibur.myproject.environment.actDatabaseManagementSystem[secondary, passive
66
     actor lu.uni.lassy.excalibur.myproject.environment.actLibrarianManagementSystem[secondary,
         passive]
67
     returned messages{
68
69
      ieEditLibrarian returned to lu.uni.lassy.excalibur.myproject.environment.actSysadmin
70
    }
71
72
73 use case system subfunction sfLogin() {
74
     actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
75
     returned messages{
76
      ieLogin returned to lu.uni.lassy.excalibur.myproject.environment.actSysadmin
77
78
  use case system subfunction sfLogout() {
79
80
     actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
81
     returned messages{
82
      ieLogout returned to lu.uni.lassy.excalibur.myproject.environment.actSysadmin
83
84
85
86
87
88 }
```

Listing B.16: Messir Spec. file usecases.msr.