



# PathRateTCP: Available Bandwidth Estimation Using Many TCP Connections for Passing through Firewalls

Nagaki IIO<sup>†</sup>, Takashi OSHIBA<sup>‡</sup>, Kozo SATODA<sup>‡</sup>, and Tutomu MURASE<sup>†</sup>

<sup>†</sup> Nagoya University    <sup>‡</sup> Secure System Platform Research Laboratories, NEC Corporation

**Abstract** We propose PathRateTCP, can estimate the available bandwidth even if there is a firewall rejects UDP on the path. Firewalls often allow TCP to pass through them, and PathRateTCP can pass through firewalls because the packet train is constructed with TCP packets. Many conventional packet train methods use UDP, allowing accurate control over the transmission timing of each destination packet. On the other hand, if a packet train of TCP packets is simply sent, the transmission timing of each destination packet will be disrupted by TCP's congestion control, which is a problem not found in conventional methods. To demonstrate that PathRateTCP can accurately control the timing of TCP packet transmission, we evaluated PathRateTCP on an actual device and found that it is capable of accurately controlling the timing of TCP packet transmission. Experiments will be conducted to show that the estimation error of PathRateTCP is comparable to that of an UDP packet train method.

**Keywords** Available Bandwidth, Packet Train, TCP, Firewall











