

Statistics and Data Analysis

Unit 03 – Lecture 06: Non-parametric Tests and p-value Interpretation

Tofik Ali

School of Computer Science, UPES Dehradun

February 14, 2026

<https://github.com/tali7c/Statistics-and-Data-Analysis>

Overview
o

When to Use
o

Common Tests
o

Exercises
oooooo

Demo
oo

Summary
oo

Quick Links

Overview

When to Use

Common Tests

Exercises

Demo

Summary

Agenda

1 Overview

2 When to Use

3 Common Tests

4 Exercises

5 Demo

6 Summary

Learning Outcomes

- Explain why non-parametric tests are used

Learning Outcomes

- Explain why non-parametric tests are used
- Choose Mann-Whitney / Wilcoxon / Kruskal-Wallis

Learning Outcomes

- Explain why non-parametric tests are used
- Choose Mann-Whitney / Wilcoxon / Kruskal-Wallis
- Interpret p-values carefully

Learning Outcomes

- Explain why non-parametric tests are used
- Choose Mann-Whitney / Wilcoxon / Kruskal-Wallis
- Interpret p-values carefully
- Discuss statistical vs practical significance

Learning Outcomes

- Explain why non-parametric tests are used
- Choose Mann-Whitney / Wilcoxon / Kruskal-Wallis
- Interpret p-values carefully
- Discuss statistical vs practical significance
- Explain multiple testing risk

When to Use: Key Points

- Skewed data/outliers

When to Use: Key Points

- Skewed data/outliers
- Ordinal scales

When to Use: Key Points

- Skewed data/outliers
- Ordinal scales
- Small sample and doubtful normality

Common Tests: Key Points

- Two independent groups: Mann-Whitney U

Common Tests: Key Points

- Two independent groups: Mann-Whitney U
- Paired samples: Wilcoxon signed-rank

Common Tests: Key Points

- Two independent groups: Mann-Whitney U
- Paired samples: Wilcoxon signed-rank
- 3+ groups: Kruskal-Wallis

Exercise 1: Choose test

Same students before/after training (skewed). Which test?

Solution 1

- Wilcoxon signed-rank

Exercise 2: Practical vs statistical

Very small p-value but tiny difference: what should you report?

Solution 2

- Report effect size and context; significance != importance.

Exercise 3: Multiple testing

20 tests at $\alpha=0.05$: expected false positives?

Solution 3

- About 1 on average.

Mini Demo (Python)


Run from the lecture folder:

```
python demo/demo.py
```

Outputs:

- images/demo.png
- data/results.txt

Demo Output (Example)



Summary

- Key definitions and the main formula.

Summary

- Key definitions and the main formula.
- How to interpret results in context.

Summary

- Key definitions and the main formula.
- How to interpret results in context.
- How the demo connects to the theory.

Exit Question

Give one reason to prefer a rank-based test over a mean-based test.