

# Talis Biomedical Statistics Course - Homework 3

**Due: 12 December 2019 9:00 AM**

Name: [your first and last name]  
Collaborators: [list all the people you worked with]  
Date: [date of submission]

By turning in this assignment, I agree by the **Stanford honor code** and declare that all of this is my own work.

## Linear algebra

### Problem 1

When is it true? Fill in each blank with '*always*', '*sometimes*', or '*never*'. Justify your choice.

- (a) A nonsingular matrix is \_\_\_\_\_ invertible.
- (b) A square matrix is \_\_\_\_\_ full-rank.
- (c) If  $\mathbf{AB} = \mathbf{0}$ , then  $\mathbf{BA}$  is \_\_\_\_\_ a zero matrix.
- (d) The rank of  $\mathbf{A} + \mathbf{B}$  is \_\_\_\_\_ greater than  $\text{rank}(\mathbf{A})$ .
- (e) If  $\mathbf{A}^2$  is invertible, then  $\mathbf{A}$  is \_\_\_\_\_ invertible.
- (f) If the linear equation  $\mathbf{y} = \mathbf{Ax}$  has a unique solution, then  $\mathbf{A}$  is \_\_\_\_\_ square.

### Problem 2

True or False. Fill in each blank with '*True*' or '*False*'. Justify your answer.

- (a) A diagonalizable matrix  $\mathbf{A}$  is nonsingular. \_\_\_\_\_
- (b) A nonsingular matrix  $\mathbf{A}$  is diagonalizable. \_\_\_\_\_
- (c) A positive square matrix  $\mathbf{A}$  is positive definite. \_\_\_\_\_
- (d) A square matrix  $\mathbf{A}$  with real and positive eigenvalues is positive definite. \_\_\_\_\_

### Problem 3

$$\mathbf{A} = \begin{bmatrix} 2 & 0 & -1 \\ 4 & -5 & 2 \end{bmatrix}, \quad \mathbf{B} = \begin{bmatrix} 7 & -5 & 1 \\ 1 & -4 & -3 \end{bmatrix}$$
$$\mathbf{C} = \begin{bmatrix} 1 & 2 \\ -2 & 1 \end{bmatrix}, \quad \mathbf{D} = \begin{bmatrix} 3 & 5 \\ -1 & 4 \end{bmatrix}, \quad \mathbf{E} = \begin{bmatrix} -5 \\ 3 \end{bmatrix}$$

Given the matrices above, compute each matrix operation (if it is defined). If an expression is undefined, explain why.

- (a)  $-2\mathbf{A}$
- (b)  $\mathbf{B} - 2\mathbf{A}$
- (c)  $\mathbf{AC}$
- (d)  $\mathbf{CD}$

### Problem 4

- (a) Find the inverse of  $\mathbf{A} = \begin{bmatrix} 8 & 6 \\ 5 & 4 \end{bmatrix}$ .
- (b) Let  $\mathbf{A} = \begin{bmatrix} 5 & 7 \\ -3 & -6 \end{bmatrix}$ . Is  $\mathbf{A}$  invertible?

### Problem 5

Compute the following determinants.

- (a)  $\begin{vmatrix} 4 & -1 \\ -2 & 0 \end{vmatrix}$
- (b)  $\begin{vmatrix} 3 & 0 & 4 \\ 2 & 3 & 2 \\ 0 & 5 & -1 \end{vmatrix}$

### Problem 6

Let  $\mathbf{A} = \begin{bmatrix} 1 & 6 \\ 5 & 2 \end{bmatrix}$ ,  $\mathbf{u} = \begin{bmatrix} 6 \\ -5 \end{bmatrix}$ ,  $\mathbf{v} = \begin{bmatrix} 3 \\ -2 \end{bmatrix}$ . Are  $\mathbf{u}$  and  $\mathbf{v}$  eigenvectors of  $\mathbf{A}$ ?

### Problem 7

Let  $\mathbf{A} = \mathbf{PDP}^{-1}$ , where

$$\mathbf{P} = \begin{bmatrix} 5 & 7 \\ 2 & 3 \end{bmatrix}, \quad \mathbf{D} = \begin{bmatrix} 2 & 0 \\ 0 & 1 \end{bmatrix}$$

. Compute  $\mathbf{A}^4$

**Problem 8**

Find the singular values of  $\mathbf{A} = \begin{bmatrix} 1 & -1 \\ -2 & 2 \\ 2 & -2 \end{bmatrix}$ .