### 6.1. Look Command

# I have fixed the output

```
Enter the player's name:

tan

Enter the player's description:

the player

Enter a command:

look at shiba

A cute shiba inu

Enter a command:

look at staff in bag

A wooden (magical?) staff

Enter a command:

look at bag

In the Bag you can see:

A wooden (magical?) staff (staff)

A pair of glasses (glasses)
```

### **Unit Test File**

```
using SwinAdventure;

namespace TestQueue
{
  public class Tests
  {
    Item item1 = new Item(new string[] { "sword" }, "sword", "a sword");
    Item item2 = new Item(new string[] { "shield" }, "shield", "a shield");
    Item item3 = new Item(new string[] { "shiba" }, "shiba", "a shiba");
    Item item4 = new Item(new string[] { "gem" }, "gem", "a gem");

    [SetUp]
    public void Setup()
    {
    }

    // Test the Item class
    [Test]
```

```
public void ItemIdentifiable()
{
  Assert.IsTrue(item1.AreYou("sword"));
}
[Test]
public void ShortDescription()
  Assert.That(item1.ShortDescription, Is.EqualTo("a sword (sword)"));
}
[Test]
public void FullDescription()
  Assert.That(item1.FullDescription, Is.EqualTo("a sword"));
}
// Test the Inventory class
[Test]
public void FindItem()
  Inventory inventory = new Inventory();
  inventory.Put(item1);
 Assert.IsTrue(inventory.HasItem("sword"));
}
[Test]
public void NoItem()
  Inventory inventory = new Inventory();
  Assert.IsFalse(inventory.HasItem("sword"));
}
[Test]
public void FetchItem()
{
  Inventory inventory = new Inventory();
  inventory.Put(item1);
```

```
Assert.That(item1, Is.EqualTo(inventory.Fetch("sword")));
     Assert.IsTrue(inventory.HasItem("sword"));
   }
   [Test]
   public void TakeItem()
     Inventory inventory = new Inventory();
     inventory.Put(item1);
     Assert.That(item1, Is.EqualTo(inventory.Take("sword")));
     Assert.IsFalse(inventory.HasItem("sword"));
   }
   [Test]
   public void ItemList()
   {
     Inventory inventory = new Inventory();
     inventory.Put(item1);
     inventory.Put(item2);
     //the list string below is the expected output, consisting of every
item in the following format: name (first id)
     Assert.That(inventory.ItemList, Is.EqualTo("\t a sword (sword)\n\t a
shield (shield)\n"));
   }
   // Test the Player class
   [Test]
   public void PlayerIdentifiable()
   {
     Player player = new Player("Tan", "A player");
     Assert.IsTrue(player.AreYou("me"));
     Assert.IsTrue(player.AreYou("inventory"));
   }
```

```
[Test]
   public void PlayerLocate()
   {
     Player player = new Player("Tan", "A player");
     player.Inventory.Put(item1);
     Assert.That(item1, Is.EqualTo(player.Locate("sword")));
   }
   [Test]
   public void PlayerLocateItself()
   {
     Player player = new Player("Tan", "A player");
     Assert.That(player, Is.EqualTo(player.Locate("me")));
     Assert.That(player, Is.EqualTo(player.Locate("inventory")));
   }
   [Test]
   public void PlayerLocateNothing()
   {
     Player player = new Player("Tan", "A player");
     Assert.That(player.Locate("sword"), Is.Null);
   }
   [Test]
   public void PlayerFullDescription()
     Player player = new Player("Tan", "A player");
     player.Inventory.Put(item1);
     player.Inventory.Put(item2);
     //the list string below is the expected output, consisting of every
item in the following format: name (first id)
     Assert.That(player.FullDescription, Is.EqualTo("You are Tan A
player\nYou are carrying:\n\t a sword (sword)\n\t a shield (shield)\n"));
   }
   //Test the Bag class
   [Test]
   public void BagLocate()
```

```
Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
     backpack.Inventory.Put(item1);
     backpack.Inventory.Put(item2);
     backpack.Inventory.Put(item3);
     //ask to return item and item stays in backpack
     Assert.That(item3, Is.EqualTo(backpack.Locate("shiba")));
     Assert.IsTrue(backpack.Inventory.HasItem("shiba"));
   }
   [Test]
   public void BagLocatesItself()
     Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
     Assert.That(backpack, Is.EqualTo(backpack.Locate("backpack")));
   }
   [Test]
   public void BagLocateNothing()
   {
     Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
     Assert.That(backpack.Locate("sword"), Is.Null);
   }
   [Test]
   public void BagFullDescription()
     Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
     backpack.Inventory.Put(item1);
     backpack.Inventory.Put(item2);
     backpack.Inventory.Put(item3);
     //the list string below is the expected output, consisting of every
item in the following format: name (first id)
```

```
Assert.That(backpack.FullDescription, Is.EqualTo("In the backpack
you can see:\n\t a sword (sword)\n\t a shield (shield)\n\t a shiba
(shiba)\n"));
   }
   [Test]
   public void BagInBag()
     Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
     Bag satchel = new Bag(new string[] { "satchel" }, "satchel", "a
satchel");
     backpack.Inventory.Put(satchel);
     Assert.That(satchel, Is.EqualTo(backpack.Locate("satchel")));
   }
   //Test for the LookCommand class
   [Test]
   public void LookAtMe()
     Player player = new Player("Tan", "A player");
     player.Inventory.Put(item1);
     player.Inventory.Put(item2);
     LookCommand LookCommand = new LookCommand();
     string expectedDescription = "You are Tan A player\nYou are
carrying:\n\t a sword (sword)\n\t a shield (shield)\n";
     string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "me" });
     Assert.That(testDescription, Is.EqualTo(expectedDescription));
   }
   [Test]
   public void LookAtGem()
   {
     Player player = new Player("Tan", "A player");
     player.Inventory.Put(item4);
```

```
LookCommand LookCommand = new LookCommand();
     string expectedDescription = "a gem";
     string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "gem" });
     Assert.That(testDescription, Is.EqualTo(expectedDescription));
   }
   [Test]
   public void LookAtUnk()
   {
     Player player = new Player("Tan", "A player");
     LookCommand LookCommand = new LookCommand();
     string expectedDescription = "I can't find the gem in the Tan";
     string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "gem" });
     Assert.That(testDescription, Is.EqualTo(expectedDescription));
   }
   [Test]
   public void LookAtGemInBag()
     Player player = new Player("Tan", "A player");
     Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
     player.Inventory.Put(backpack);
     backpack.Inventory.Put(item4);
     LookCommand LookCommand = new LookCommand();
     string expectedDescription = "a gem";
     string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "gem", "in", "backpack" });
     Assert.That(testDescription, Is.EqualTo(expectedDescription));
   }
   [Test]
   public void LookAtBag()
     Player player = new Player("Tan", "A player");
```

```
Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
     backpack.Inventory.Put(item1);
     backpack.Inventory.Put(item2);
     player.Inventory.Put(backpack);
     LookCommand LookCommand = new LookCommand();
     string expectedDescription = "In the backpack you can see:\n\t a
sword (sword)\n\t a shield (shield)\n";
     string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "backpack" });
     Assert.That(testDescription, Is.EqualTo(expectedDescription));
   }
   [Test]
   public void LookAtGemInNoBag()
     Player player = new Player("Tan", "A player");
     LookCommand LookCommand = new LookCommand();
     string expectedDescription = "I can't find the backpack";
     string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "gem", "in", "backpack" });
     Assert.That(testDescription, Is.EqualTo(expectedDescription));
   }
   [Test]
   public void LookAtNoGemInBag()
     Player player = new Player("Tan", "A player");
     Bag backpack = new Bag(new string[] { "backpack" }, "backpack", "a
backpack");
     player.Inventory.Put(backpack);
     LookCommand LookCommand = new LookCommand();
     string expectedDescription = "I can't find the gem in the backpack";
     string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at", "gem", "in", "backpack" });
     Assert.That(testDescription, Is.EqualTo(expectedDescription));
```

```
[Test]
   public void InvalidLookCommand()
     Player player = new Player("Tan", "A player");
     LookCommand LookCommand = new LookCommand();
     string expectedDescription = "I don't know how to look like that";
     //only 2 arguments
     string testDescription = LookCommand.Execute(player, new string[]
{ "look", "at" });
     Assert.That(testDescription, Is.EqualTo(expectedDescription));
     //4 arguments
     string testDescription2 = LookCommand.Execute(player, new
string[] { "look", "at", "gem", "in" });
     Assert.That(testDescription2, Is.EqualTo(expectedDescription));
     //5 arguments but the 4th argument is not "in"
     string testDescription3 = LookCommand.Execute(player, new
string[] { "look", "at", "a", "at", "b" });
     string expectedDescription2 = "What do you want to look in?";
     Assert.That(testDescription3, Is.EqualTo(expectedDescription2));
     //5 arguments but the 2nd argument is not "at"
     string testDescription4 = LookCommand.Execute(player, new
string[] { "look", "in", "a", "in", "b" });
     string expectedDescription3 = "What do you want to look at?";
     Assert.That(testDescription4, Is.EqualTo(expectedDescription3));
   }
  }
```

#### **Look Command**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
namespace SwinAdventure
```

```
public class LookCommand : Command
        public LookCommand() : base(new string[] { "look" })
        public override string Execute(Player p, string[] text)
            if (text.Length != 3 && text.Length != 5)
                return "I don't know how to look like that";
            else if (text[0] != "look")
                return "Error in look input";
            else if (text[1] != "at")
                return "What do you want to look at?";
            else if (text.Length == 3)
                return LookAtIn(text[2], p);
            else if (text.Length == 5)
                if (text[3] != "in")
                    return "What do you want to look in?";
                }
                else
                    IHaveInventory container = FetchContainer(p, text[4]) as
IHaveInventory;
                    // Check if container is null after the cast
                    if (container == null)
                        return "I can't find the " + text[4];
                    }
                    else
                        // Look at the thing in the container
                        return LookAtIn(text[2], container);
                    }
                }
            //default return
            return "I don't know how to look like that";
        }
        public IHaveInventory? FetchContainer(Player p, string containerId)
            if (p.Locate(containerId) != null)
            {
                return p.Locate(containerId) as IHaveInventory;
            }
            else
                return null;
```

```
public string LookAtIn(string thingId, IHaveInventory containerId)
{
    GameObject? thing = containerId.Locate(thingId);
    if (thing == null)
    {
        return "I can't find the " + thingId + " in the " +
containerId.Name;
    }
    else
    {
        return thing.FullDescription;
    }
}

public interface IHaveInventory
{
    GameObject? Locate(string id);
    string Name { get; }
}
```

#### Command

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace SwinAdventure
{
    public abstract class Command :
IdentifiableObject
    {
        public Command(string[] ids) : base(ids)
        {
            }
            public abstract string Execute(Player p, string[] text);
        }
}
```

}

### **Program**

```
namespace SwinAdventure
    internal class Program
        static void Main(string[] args)
            Console.WriteLine("Enter the player's name:");
            string? playerName = Console.ReadLine();
            Console.WriteLine("Enter the player's description:");
            string? playerDescription = Console.ReadLine();
            Player player = new Player(playerName, playerDescription);
            Item shiba = new Item(new string[] { "shiba", "dog" }, "Shiba", "A
cute shiba inu");
            Item nitendo = new Item(new string[] { "switch", "nitendo" },
"Nitendo Switch", "A gaming console");
            player.Inventory.Put(shiba);
            player.Inventory.Put(nitendo);
            Bag container = new Bag(new string[] { "bag", "container" }, "Bag",
"A metal container");
            player.Inventory.Put(container);
            Item staff = new Item(new string[] { "staff", "stick" }, "Staff",
"A wooden (magical?) staff");
            Item glasses = new Item(new string[] { "glasses", "spectacles" },
"Glasses", "A pair of glasses");
            container.Inventory.Put(staff);
            container.Inventory.Put(glasses);
            while (true)
                Console.WriteLine("Enter a command:");
                string? command = Console.ReadLine();
                // Split the command into an array of words contained within
the command
                string[] convertedCommand = command.Split(' ');
                LookCommand lookCommand = new LookCommand();
                Console.WriteLine(lookCommand.Execute(player,
convertedCommand));
            }
        }
    }
}
```

```
using System;
using System.Collections.Generic;
using System.Linq;
using System. Text;
using System. Threading. Tasks;
using static SwinAdventure.LookCommand;
namespace SwinAdventure
    public class Bag : Item, IHaveInventory
        private Inventory _inventory = new Inventory();
        public Bag(string[] idents, string name, string desc) : base(idents,
name, desc)
        }
        public Item? Locate(string id)
            if (AreYou(id))
                return this;
           else
                return _inventory.Fetch(id);
        }
        public override string FullDescription
            get
                return "In the " + Name + " you can see:\n" +
_inventory.ItemList;
        }
        public Inventory Inventory
            get
                return _inventory;
        }
        GameObject? IHaveInventory.Locate(string id)
            return Locate(id);
        string IHaveInventory.Name
            get
                return Name;
            }
        }
    }
}
```

### Inventory

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System. Threading. Tasks;
namespace SwinAdventure
    public class Inventory
        private List<Item> _items = new List<Item>();
        public Inventory()
        public string ItemList
            get
                string list = "";
                foreach (Item item in _items)
                    list += "\t " + item.ShortDescription + "\n";
                return list;
        public bool HasItem(string id)
            foreach (Item item in _items)
                if (item.AreYou(id))
                    return true;
            return false;
        }
        public void Put(Item itm)
            _items.Add(itm);
        public Item? Take(string id)
            foreach (Item item in _items)
                if (item.AreYou(id))
                    _items.Remove(item);
                    return item;
            }
            return null;
        }
```

```
public Item? Fetch(string id)
{
    foreach (Item item in _items)
    {
        if (item.AreYou(id))
        {
            return item;
        }
     }
     return null;
}
```

# **Game Object**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System. Threading. Tasks;
namespace SwinAdventure
    public class GameObject : IdentifiableObject
        private string _name;
private string _description;
        public GameObject(string[] idents, string name, string desc) :
base(idents)
        {
             _name = name;
            _description = desc;
        }
        public string Name
            get
             {
                 return _name;
        }
        public string Description
            get
             {
                 return _description;
        }
        public string ShortDescription
            get
                 return Description + " (" + FirstId + ")";
             }
```

```
public virtual string FullDescription
{
    get
    {
       return Description;
    }
}
```

# Player

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System. Threading. Tasks;
using static SwinAdventure.LookCommand;
namespace SwinAdventure
    public class Player : GameObject, IHaveInventory
        private Inventory _inventory = new Inventory();
        public Player(string name, string desc) : base(new string[] { "me",
"inventory" }, name, desc)
        }
        public Inventory Inventory
            get
                return _inventory;
        }
        public GameObject? Locate(string id)
            if (AreYou(id))
            {
                return this;
            }
            else
                return _inventory.Fetch(id);
        }
        public override string FullDescription
            get
```

```
return "You are " + Name + " " + Description + "\nYou are
carrying:\n" + _inventory.ItemList;
}

GameObject? IHaveInventory.Locate(string id)
{
    return Locate(id);
}

string IHaveInventory.Name
{
    get
    {
        return Name;
    }
}
```

#### Item

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace SwinAdventure;
   public class Item : GameObject
   {
     public Item(string[] idents, string name, string desc) : base(idents, name, desc)
        {
        }
    }
}
```

# **Identifiable Object**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
```

```
namespace SwinAdventure
    public abstract class IdentifiableObject
        private List<string> _identifiers = new
List<string>();
        public IdentifiableObject(string[] idents)
            foreach (string id in idents)
                AddIdentifier(id.ToLower());
        }
        public bool AreYou(string id)
            return
_identifiers.Contains(id.ToLower());
        public string FirstId
            get
                if (_identifiers.Count > 0)
                    return _identifiers[0];
                else
                    return "";
            }
        }
        public void AddIdentifier(string id)
            _identifiers.Add(id.ToLower());
    }
```

}

# **All Test Passed**

