

5.3 Drawing And Saving

This is a resubmission, I fixed my saving issue during showcase

Program File

```
using System;
using System.Runtime.InteropServices;
using SplashKitSDK;
using System.IO;

namespace ShaperDrawer
{
    public class Program
    {
        private enum ShapeKind
        {
            Rectangle,
            Circle,
            Line
        }

        public static void Main()
        {
            Window window = new Window("Shape Drawer", 800, 600);
            Drawing myDrawing = new Drawing();
            ShapeKind kindToAdd = ShapeKind.Circle;

            do
            {
                SplashKit.ProcessEvents();
                SplashKit.ClearScreen();

                if (SplashKit.KeyTyped(KeyCode.RKey))
                {
                    kindToAdd = ShapeKind.Rectangle;
                }

                if (SplashKit.KeyTyped(KeyCode.CKey))
                {
                    kindToAdd = ShapeKind.Circle;
                }

                if (SplashKit.KeyTyped(KeyCode.LKey))
                {
                    kindToAdd = ShapeKind.Line;
                }

                if (SplashKit.MouseClicked(MouseButton.LeftButton))
                {
                    Shape newShape;

                    switch(kindToAdd)
                    {
                        case ShapeKind.Circle:
                            newShape = new MyCircle();
                            break;

                        case ShapeKind.Line:
                            newShape = new MyLine();
                            break;

                        default:
                            break;
                    }

                    myDrawing.Add(newShape);
                }
            } while (true);
        }
    }
}
```

```

        newShape = new MyRectangle();
        break;
    }

    newShape.X = SplashKit.MouseX();
    newShape.Y = SplashKit.MouseY();
    myDrawing.AddShape(newShape);
}

if (SplashKit.KeyTyped(KeyCode.SpaceKey))
{
    myDrawing.Background = SplashKit.RandomColor();
}

if (SplashKit.MouseClicked(MouseButton.RightButton))
{
    myDrawing.SelectShapeAt(SplashKit.MousePosition());
}

if (SplashKit.KeyTyped(KeyCode.DeleteKey) ||
    SplashKit.KeyTyped(KeyCode.BackspaceKey))
{
    List<Shape> selectedShapes = myDrawing.SelectedShapes;
    foreach (Shape s in selectedShapes)
    {
        myDrawing.RemoveShape(s);
    }
}

if (SplashKit.KeyTyped(KeyCode.SKey))
{
    // Get the directory of the .csproj file
    string directory =
System.IO.Path.GetDirectoryName(System.Reflection.Assembly.GetExecutingAssembly
().Location);

    // Construct the relative file path
    string filePath = System.IO.Path.Combine(directory,
"TestDrawing.txt");

    myDrawing.Save(filePath);
}

if (SplashKit.KeyTyped(KeyCode.OKey))
{
    try
    {
        // Get the directory of the .csproj file
        string directory =
System.IO.Path.GetDirectoryName(System.Reflection.Assembly.GetExecutingAssembly
().Location);

        // Construct the relative file path
        string filePath = System.IO.Path.Combine(directory,
"TestDrawing.txt");

        myDrawing.Load(filePath);
    }
    catch (Exception e)
    {
        Console.Error.WriteLine("Error loading file: {0}",
e.Message);
    }
}

```

```

        }

        myDrawing.Draw();

        SplashKit.RefreshScreen();
    } while (!window.CloseRequested);

    }
}
}

```

Drawing File

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Xml;
using SplashKitSDK;

namespace ShaperDrawer
{
    internal class Drawing
    {
        private readonly List<Shape> _shapes; //list of shapes
        private Color _background;

        public Drawing(Color background)
        {
            _shapes = new List<Shape>();
            _background = background;
        }

        public Color Background
        {
            get { return _background; }
            set { _background = value; }
        }

        public Drawing() : this(Color.White)
        {
        }

        public int ShapeCount()
        { return _shapes.Count; }

        public void AddShape(Shape s)
        {
            _shapes.Add(s);
        }

        public bool RemoveShape(Shape s)
        {
            if (_shapes.Contains(s))
            {

```

```

        _shapes.Remove(s);
        return true;
    }
    return false;
}

public void SelectShapeAt(Point2D pt)
{
    foreach (Shape s in _shapes)
    {
        if (!s.Selected)
        {
            s.Selected = s.IsAt(pt);
        }
        else
        {
            s.Selected = !s.IsAt(pt);
        }
    }
}

//create a list of shapes that are to be deleted
public List<Shape> SelectedShapes
{
    get
    {
        List<Shape> shapes = new List<Shape>();
        foreach (Shape s in _shapes)
        {
            if (s.Selected == true)
            { shapes.Add(s); }
        }
        return shapes;
    }
}

public void Draw()
{
    SplashKit.ClearScreen(_background); //change color of background to
    _background color
    foreach (Shape s in _shapes)
    {
        s.Draw();
    }
}

public void Save(string filename)
{
    StreamWriter writer = new StreamWriter(filename);
    try
    {
        writer.WriteColor(Background);
        writer.WriteLine(_shapes.Count);

        foreach (Shape s in _shapes)
        {
            s.SaveTo(writer);
        }
    }
    finally
    {
        writer.Close();
    }
}

```

```

    }
}

public void Load(string filename)
{
    StreamReader reader = new StreamReader(filename);
    try
    {
        Background = reader.ReadColor();
        int count = reader.ReadInteger();

        _shapes.Clear();

        for (int i = 0; i < count; i++)
        {
            string? kind = reader.ReadLine();
            Shape s;
            switch (kind)
            {
                case "Rectangle":
                    s = new MyRectangle();
                    break;

                case "Circle":
                    s = new MyCircle();
                    break;
                case "Line":
                    s = new MyLine();
                    break;
                default:
                    throw new InvalidDataException("Unknown shape kind:
" + kind);
            }

            s.LoadFrom(reader);
            AddShape(s);
        }
    }
    finally
    {
        reader.Close();
    }
}
}
}

```

Shape File

```

using System;
using System.Collections.Generic;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using SplashKitSDK;

namespace ShaperDrawer
{

```

```

public abstract class Shape
{
    public float _x, _y;

    public SplashKitSDK.Color _color;
    public bool _selected;
    public Shape(SplashKitSDK.Color color)
    {
        _x = 0.0f;
        _y = 0.0f;
        _color = color;
    }

    public Shape() : this(SplashKitSDK.Color.Yellow)
    {
    }

    public float X
    {
        get { return _x; }
        set { _x = value; }
    }

    public float Y
    {
        get { return _y; }
        set { _y = value; }
    }

    public SplashKitSDK.Color Color
    {
        get { return _color; }
        set { _color = value; }
    }

    public abstract void Draw();

    // Check if mouse is within the shape
    public abstract bool IsAt(Point2D pt);

    public bool Selected
    {
        get { return _selected; }
        set { _selected = value; }
    }

    public abstract void DrawOutline();

    public virtual void SaveTo(StreamWriter writer)
    {
        writer.WriteColor(Color);
        writer.WriteLine(X);
        writer.WriteLine(Y);
    }

    public virtual void LoadFrom(StreamReader reader)
    {
        Color = reader.ReadColor();
        X = reader.ReadInteger();
        Y = reader.ReadInteger();
    }
}

```

```
}  
}
```

Circle File

```
using SplashKitSDK;  
using System;  
using System.Collections.Generic;  
using System.Linq;  
using System.Text;  
using System.Threading.Tasks;  
  
namespace ShaperDrawer  
{  
    internal class MyCircle : Shape  
    {  
        private int _radius;  
        public MyCircle(int radius, SplashKitSDK.Color color) : base(color)  
        {  
            _radius = radius;  
        }  
  
        public int Radius  
        {  
            get { return _radius; }  
            set { _radius = value; }  
        }  
  
        public MyCircle() : this(50, SplashKitSDK.Color.Blue)  
        {  
        }  
  
        public override void Draw()  
        {  
            if (Selected)  
            {  
                DrawOutline();  
            }  
  
            SplashKit.FillCircle(_color, _x + _radius, _y + _radius, _radius);  
        }  
  
        public override bool IsAt(Point2D pt)  
        {  
            double centerX = _x + _radius;  
            double centerY = _y + _radius;  
  
            //Math.Sqrt calculates the square root of a number while  
            //Math.Pow calculates the power of a number  
            double distance = Math.Sqrt(Math.Pow(pt.X - centerX, 2) +  
Math.Pow(pt.Y - centerY, 2));  
            return distance <= _radius;  
        }  
  
        public override void DrawOutline()  
        {  
            SplashKit.FillCircle(SplashKitSDK.Color.Black, _x + _radius, _y +  
_radius, _radius + 2);  
        }  
    }  
}
```

```

        public override void SaveTo(StreamWriter writer)
        {
            writer.WriteLine("Circle");
            base.SaveTo(writer);
            writer.WriteLine(_radius);
        }

        public override void LoadFrom(StreamReader reader)
        {
            base.LoadFrom(reader);
            _radius = reader.readInteger();
        }
    }
}

```

Line File

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using SplashKitSDK;

namespace ShaperDrawer
{
    internal class MyLine : Shape
    {
        public MyLine(SplashKitSDK.Color color) : base(color)
        {
        }

        public MyLine() : this(SplashKitSDK.Color.Red)
        {
        }

        public override void Draw()
        {
            if (Selected)
            {
                DrawOutline();
            }

            SplashKit.DrawLine(_color, _x, _y, _x + 100, _y + 100);
        }

        public override bool IsAt(Point2D pt)
        {
            float endX = _x + 100;
            float endY = _y + 100;

            // Use the distance from point to line formula
            double distance = Math.Abs((endY - _y) * pt.X + (_x - endX) * pt.Y
+ (endX * _y - endY * _x)) /
            Math.Sqrt((endY - _y) * (endY - _y) + (endX - _x)
* (endX - _x));
            return distance <= 2;
        }
    }
}

```



```

        public override void DrawOutline()
        {
            SplashKit.FillCircle(SplashKitSDK.Color.Black, _x, _y, 2);
            SplashKit.FillCircle(SplashKitSDK.Color.Black, _x + 100, _y + 100,
2);
        }

        public override void SaveTo(StreamWriter writer)
        {
            writer.WriteLine("Line");
            base.SaveTo(writer);
        }
    }
}

```

Rectangle File

```

using System;
using System.Collections.Generic;
using System.Drawing;
using System.Linq;
using System.Text;
using SplashKitSDK;

namespace ShaperDrawer
{
    internal class MyRectangle : Shape
    {
        public int _width, _height;
        public MyRectangle(SplashKitSDK.Color color, float x, float y, int
width, int height) : base(color)
        {
            _width = width;
            _height = height;
            _x = x;
            _y = y;
        }

        public MyRectangle() : this(SplashKitSDK.Color.Green, 0.0f, 0.0f, 100,
100)
        {
        }

        public override bool IsAt(Point2D pt)
        {
            return (pt.X >= _x && pt.X <= _x + _width && pt.Y >= _y && pt.Y <=
_y + _height);
        }

        public override void Draw()
        {
            if (Selected)
            {
                DrawOutline();
            }

            SplashKit.FillRectangle(_color, _x, _y, _width, _height);
        }
    }
}

```

```

        public override void DrawOutline()
        {
            SplashKit.FillRectangle(SplashKitSDK.Color.Black, _x - 2, _y - 2,
            _width + 4, _height + 4);
        }

        public override void SaveTo(StreamWriter writer)
        {
            writer.WriteLine("Rectangle");
            base.SaveTo(writer);
            writer.WriteLine(_width);
            writer.WriteLine(_height);
        }

        public override void LoadFrom(StreamReader reader)
        {
            base.LoadFrom(reader);
            _width = reader.readInteger();
            _height = reader.readInteger();
        }
    }
}

```

Extension Method File

```

using System;
using System.IO;
using SplashKitSDK;

namespace ShaperDrawer
{
    public static class ExtensionMethods
    {
        public static int readInteger(this StreamReader reader)
        {
            return Convert.ToInt32(reader.ReadLine());
        }

        public static float readSingle(this StreamReader reader)
        {
            return Convert.ToSingle(reader.ReadLine());
        }

        public static Color readColor(this StreamReader reader)
        {
            return Color.RGBColor(reader.readSingle(), reader.readSingle(),
            reader.readSingle());
        }


        public static void WriteColor(this StreamWriter writer, Color clr)
        {
            writer.WriteLine("{0}\n{1}\n{2}", clr.R, clr.G, clr.B);
        }
    }
}

```


TextDrawing File

```
1
1
1
6
Circle
0
0
1
182
147
50
Rectangle
0
0.5
0
609
219
100
100
Line
1
0
0
294
457
Circle
0
0
1
474
142
50
Rectangle
0
0.5
0
90
342
100
100
Line
1
0
0
111
81
```


Current Directory Structure of my Shape Drawer File




Program running



After I press delete



Now I save this shape, and then add a few rectangles on top



Now when I press O, the original drawing will reappear:

