

AI1103: Challenge Problem Mixture

Tanmay Garg

CS20BTECH11063 EE20BTECH11048

Download all python codes from

https://github.com/tanmaygar/AI-Course/blob/main/challenge%20mixture/codes/challenge_mix.py

and latex-tikz codes from

https://github.com/tanmaygar/AI-Course/blob/main/challenge%20mixture/Challenge_Mixed.tex

CHALLENGE PROBLEM MIXED

Let $X \sim B(5, \frac{1}{2})$ and $Y \sim U(0, 1)$. The the value of:

$$\frac{\Pr(X + Y \leq 2)}{\Pr(X + Y \geq 5)}$$

is equal to? (X and Y are independent)

SOLUTION:

It is given that X is random variable which follows binomial distribution with $n = 5$ and $p = \frac{1}{2}$. Y is a uniform distribution in the interval $(0, 1)$. Both X and Y are independent.

$$\Pr(X = k) = \binom{5}{k} \left(\frac{1}{2}\right)^5 \quad (0.0.1)$$

$$F_Y(y) = \Pr(Y \leq y) = \begin{cases} 0 & y < 0 \\ y & 0 \leq y \leq 1 \\ 1 & y > 1 \end{cases} \quad (0.0.2)$$

Calculating:

$$\Pr(X + Y \geq 5) = \sum_{k=0}^5 \Pr(X = k, Y \geq 5 - k) \quad (0.0.3)$$

$$= \sum_{k=0}^5 \Pr(X = k) \Pr(Y \geq 5 - k) \quad (0.0.4)$$

$$= 0 + \Pr(X = 5) \Pr(Y \geq 0) \quad (0.0.5)$$

$$= \binom{5}{5} \left(\frac{1}{2}\right)^5 = \frac{1}{32} \quad (0.0.6)$$

$$\begin{aligned} \Pr(X + Y \leq 2) &= \Pr(X = 0, Y \leq 2) \quad (0.0.7) \\ &\quad + \Pr(X = 1, Y \leq 1) \\ &\quad + \Pr(X = 2, Y \leq 0) \end{aligned}$$

$$\begin{aligned} &= 1 \times \binom{5}{0} \left(\frac{1}{2}\right)^5 + 1 \times \binom{5}{1} \left(\frac{1}{2}\right)^5 \\ &\quad + 0 \times \binom{5}{2} \left(\frac{1}{2}\right)^5 \quad (0.0.8) \end{aligned}$$

$$= \frac{3}{16} \quad (0.0.9)$$

Substituting (0.0.9) and (0.0.6)

$$\frac{\Pr(X + Y \leq 2)}{\Pr(X + Y \geq 5)} = 6 \quad (0.0.10)$$




Fig. 0

CHARACTERISTIC FUNCTION APPROACH

Characteristic function for $X \sim B\left(5, \frac{1}{2}\right)$ will be:

$$C_X(t) = \left(\frac{e^{it} + 1}{2}\right)^5 \quad (0.0.11)$$

Characteristic function for $Y \sim U(0, 1)$ will be:

$$C_Y(t) = \frac{e^{it} - 1}{it} \quad (0.0.12)$$

Since both X and Y are independent we can take:

$$Z = X + Y \quad (0.0.13)$$

$$C_Z(t) = C_X(t)C_Y(t) \quad (0.0.14)$$

Upon substituting:

$$C_Z(t) = \frac{(e^{it} + 1)^5(e^{it} - 1)}{32it} \quad (0.0.15)$$

Applying Gil-Pelaez formula:

$$F_Z(z) = \frac{1}{2} - \frac{1}{\pi} \int_0^\infty \frac{\text{Im}\left(e^{-itz}C_Z(t)\right)}{t} dt \quad (0.0.16)$$

$$F_Z(z) = \frac{1}{2} - \frac{1}{\pi} \int_0^\infty \frac{1}{2it} \left(\frac{(e^{it} + 1)^5(e^{it} - 1)e^{-itz}}{32it} \right) + \frac{1}{2it} \left(\frac{(e^{-it} + 1)^5(e^{-it} - 1)e^{itz}}{32it} \right) dt$$

Substituting $z = 2$, the value for $\Pr(Z \leq 2)$:

$$= \frac{1}{2} + \frac{1}{\pi} \int_0^\infty \frac{8 \cos 2t + 2 \cos 4t}{64t^2} dt + \frac{1}{\pi} \int_0^\infty \frac{+8 \cos 3t - 8 \cos t - 10}{64t^2} dt \quad (0.0.17)$$

$$= \frac{1}{2} + \frac{1}{\pi} \times \frac{-5\pi}{16} = \frac{3}{16} \quad (0.0.18)$$

Similarly on substituting $z = 5$, the value for $\Pr(Z \leq 5)$:

$$= \frac{1}{2} + \frac{1}{\pi} \int_0^\infty \frac{-10 \cos 3t - 8 \cos 4t}{64t^2} dt + \frac{1}{\pi} \int_0^\infty \frac{-2 \cos 5t + 12 \cos t + 8}{64t^2} dt \quad (0.0.19)$$

$$= \frac{1}{2} + \frac{1}{\pi} \times \frac{15\pi}{32} = \frac{31}{32} \quad (0.0.20)$$

The value for $\Pr(Z \geq 5)$:

$$\Pr(Z > 5) = 1 - \Pr(Z \leq 5) \quad (0.0.21)$$

$$= 1 - \frac{31}{32} = \frac{1}{32} \quad (0.0.22)$$

Upon substituting (0.0.18) and (0.0.22), we get:

$$\frac{\Pr(X + Y \leq 2)}{\Pr(X + Y \geq 5)} = 6 \quad (0.0.23)$$