## Seminar 11

- 1. Find the second-order Taylor polynomial for the following functions at the given points:
- (a)  $f(x,y) = \sin(x+2y)$  at (0,0). (b)  $f(x,y) = e^{x+y}$  at (0,0) and (1,-1). (c)  $f(x,y) = \sin(x)\sin(y)$  at  $(\pi/2,\pi/2)$ . (d)  $f(x,y) = e^{-(x^2+y^2)}$  at (0,0).
- 2. Compute the Hessian matrix and its eigenvalues for the following:
  - (a)  $f(x,y) = (y-1)e^x + (x-1)e^y$  at (0,0). (b)  $f(x,y) = \sin(x)\cos(y)$  at  $(\pi/2,0)$ .
- 3. Find and classify the critical points for each of the following functions:
  - (a)  $f(x,y) = x^3 3x + y^2$ .

(c)  $f(x,y) = x^4 + y^4 - 4(x-y)^2$ .

- (b)  $f(x,y) = x^3 + y^3 6xy$ .
- (d)  $f(x,y,z) = x^2 + y^2 + z^2 xy + x 2z$ .
- 4. Let A be a symmetric  $n \times n$  matrix and the quadratic function  $f: \mathbb{R}^n \to R$ ,  $f(x) = \frac{1}{2}x^T A x$ . Prove that  $\nabla f(x) = Ax$  and H(x) = A. Hint: use the Taylor expansion.
- 5. Let A be an  $m \times n$  matrix, b a vector in  $\mathbb{R}^m$  and the least squares minimization problem

$$\min_{x \in \mathbb{R}^n} \|Ax - b\|^2.$$

Prove that the solution  $x^*$  of this problem satisfies (the so-called normal equations)

$$A^T A x^* = A^T b$$
.