## Seminar 9

1. Study the limits of the following functions when  $(x,y) \to (0,0)$ :

(a) 
$$\frac{x^2 - y^2}{r^2 + y^2}$$

(b) 
$$\frac{x+y}{x^2+y^2}$$

(c) 
$$\frac{x^3 + y^3}{x^2 + y^2}$$
.

(a) 
$$\frac{x^2 - y^2}{x^2 + y^2}$$
. (b)  $\frac{x + y}{x^2 + y^2}$  (c)  $\frac{x^3 + y^3}{x^2 + y^2}$ . (d)  $\frac{\sin x - \sin y}{x - y}$ .

2. Compute the partial derivatives (and specify where they exist) for the following functions:

(a) 
$$f(x,y) = e^{-(x^2+y^2)}$$
.

(c) 
$$f(x,y) = ||(x,y)|| = \sqrt{x^2 + y^2}$$
.

(b) 
$$f(x,y) = \cos x \cos y - \sin x \sin y$$
.

(d) 
$$f(x, y, z) = x^2yz + ye^z$$
.

3. Let  $f: \mathbb{R}^2 \to R, f(x,y) = xy$ . Using the definition, prove that  $Df(x_0, y_0) = (y_0, x_0)$ .

4. Prove that

$$f(x,y) = \begin{cases} \frac{xy}{\sqrt{x^2 + y^2}}, & (x,y) \neq (0,0) \\ 0, & (x,y) = (0,0). \end{cases}$$

is continuous and has partial derivatives, but it is not differentiable in the origin.

5. Find the gradient of the function f at the point a for the following:

(a) 
$$f(x,y) = e^{-x}\sin(x+2y)$$
,  $a = (0, \frac{\pi}{4})$ . (c)  $f(x,y,z) = e^{xyz}$ ,  $a = (0,0,0)$ .

(c) 
$$f(x, y, z) = e^{xyz}$$
,  $a = (0, 0, 0)$ 

(b) 
$$f(x,y) = \arctan(\frac{y}{2}), a = (1,1)$$

(b) 
$$f(x,y) = \arctan(\frac{y}{x}), a = (1,1).$$
 (d)  $f(x,y,z) = \sqrt{x^2 + y^2 + z^2}, a = (1,1,1)$