

# UVehavior: An Annotation Desktop-Tool for Behavioral Observation

J. Manuel Pérez-Verdejo<sup>1</sup>, Héctor-Gabriel Acosta-Mesa<sup>2</sup>, Socorro Herrera-Meza<sup>3</sup>, Rafael Fernández-Demeneghi<sup>4</sup>, Isidro Vargas-Moreno<sup>4</sup>, and Juan-Francisco Rodríguez-Landa<sup>5</sup>

<sup>1</sup> School of Statistics and Informatics, Universidad Veracruzana, Xalapa, Mexico <sup>2</sup> Artificial Intelligence Research Center, Universidad Veracruzana, Xalapa, Mexico <sup>3</sup> Institute of Psychological Research, Universidad Veracruzana, Xalapa, Mexico <sup>4</sup> Doctoral Program in Neuroethology, Institute of Neuroethology, Universidad Veracruzana, Xalapa, Mexico <sup>5</sup> Institute of Neuroethology, Universidad Veracruzana, Xalapa, Mexico

DOI: [10.21105/joss.02692](https://doi.org/10.21105/joss.02692)

## Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Editor: [Marcos Vital](#) ↗

## Reviewers:

- [@SteveViss](#)
- [@62442katieb](#)

Submitted: 02 September 2020

Published: 28 September 2021

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

## Summary

Understanding behavior is a relevant task, detecting patterns in how living organisms interact and respond to different physical and emotional stimuli is an essential tool in several areas of the science, including ethology, psychology, nutrition, and pharmacology, among others. Particularly, the study of behavior in pharmacology is a high-dimensional topic that involves several activities, from the conceptualization and planning of the study, the identification and selection of specific behaviors to the analysis of the collected data. Currently, there are several automated software tools to analyze behavioral patterns that permit identify emotional, affective and motor changes associated with physiological, psychological, or pharmacological manipulations; however, they are expensive and limited to the analysis of particular behaviors that only the human eye can identify. In this regard, we introduce UVehavior, an open-source tool that allows researchers to manage, conduct, and compare behavioral observations in several animals and even human beings; which represent a free tool for researchers interested in the experimental analysis of behavior.

## Statement of Need

According to [Dugatkin \(2020\)](#) behavior is the coordinated responses of whole living organisms to internal and/or external stimuli, considering behavior as an expression of the activity of the nervous system. Neuroethology is an important area of neurosciences involved in the study of the neurobiological, neurochemical, and neurophysiological bases underlying behavior ([Bässler, 1984](#)). Therefore, this science is interested in the quantification of the behavioral changes through the measure of frequency, latency and time duration of specific behavior under normal or altered states induced by drugs, experimental manipulations, or the experience of the individual.


However, before beginning a study on behavior, it is necessary to consider whether the design of the experiment is adequate to allow causal and logical explanations, orienting the investigation towards adequate data interpretation. The experimental design considers the study subject, conditions of the environment and the control of the variables studied ([Kirk, 2012](#)).

As part of the planning stage, the researcher defines and distributes the groups in which the subjects of study are going to be evaluated. Is by their belonging group that the individuals are subjected to a treatment, for further analysis of the effects on their behavior ([Kirk, 2012](#)).

UVehavior allows the researcher to keep track of their subjects, and distribute them by groups, as well as managing the tests to be conducted. In this regard, every test involves a specific amount of time, and a variety of behaviors to be analyzed.

## Behavioral Observation

In ethology, the behavior was typically categorized by trained observers taking advantage of their experience and intuition to identify relevant elements, however, Tinbergen's definition leaves open the discussion of how behavior should be measured and represented (Brown & Bivort, 2018). While conducting the experiment, every subject is recorded during each defined test, where the occurrence of a specific behavior must be logged.



**Figure 1:** Annotation main view. The left side of the window shows the playing video and controls, while the right side displays the evaluation's data and the behaviors' log.

Nevertheless, the analysis of behavior using video annotations is a complicated task. In this way, the simultaneous recording of diverse behaviors with makeshift tools, such as video editors, may be imprecise and time-consuming. Additionally, they introduce human error in the recording of the duration of each behavior, so the annotation of parallel observations is not possible, and they may be restrictive in the management and export of data to specific software for the analysis. Currently, there are different software tools for the automatized recording of animal behavior, however, most of them are expensive and complicated to use, because they were developed for the analysis of the behavior of different species under particular experimental conditions. In spite of that, this kind of software is capable of evaluating behavioral patterns automatically, unfortunately, this may not be as precise as a trained human eye and needs strict supervision by the researcher. So, it is necessary to have a software tool specially designed to record the behavior in an easy and practical way.

UVehavior assists in this core activity by featuring a suite where the researcher can evaluate their subjects, tests, and behaviors to observe, in one of these test recordings. The desktop-tool, plays the test video, while the observer analyzes the behavior of the subject. Therefore, every time the subject performs a specific behavior, the researcher logs it by pressing one key previously bound to a behavior. Besides keeping a record of the behavior logging, UVehavior displays three calculated variables: latency, frequency, and duration. For the ethological study, these measures are important for describing behaviors (Iñesta, 2011). Figure 1 shows

the latency, frequency and time spent in grooming and rearing behavior displayed by a Wistar rat subjected to the locomotor activity test (Fernández-Demeneghi et al., 2019).

## Analysis of the Results

An additional feature of UBehavior is the ability to display a timing-diagram-like (Seidl et al., 2015) chart of the behaviors exhibited by a subject during a test. This visualization shows a series of state changes throughout a test, where every behavior evaluated is listed on the vertical axis, whereas the horizontal one represents time. Figure 2 shows an example of this chart, generated from an evaluated subject.

Timing Diagram




Figure 2: Example of the Timing Diagram generated from an evaluation.

UBehavior comes from a preliminary version developed *ex profeso* to conduct the tests' logging for the study by Fernández-Demeneghi et al. (2019). However, further additions to the system are planned to turn UBehavior into a set of several tools for the analysis of behavioral observation data.

## References

- Bässler, U. (1984). Neuroethology: An overnarrow definition can become a source of dogmatism. *Behavioral and Brain Sciences*, 7(3), 382–382. <https://doi.org/10.1017/S0140525X00018653>
- Brown, A. E. X., & Bivort, B. de. (2018). Ethology as a physical science. *Nature Physics*, 14(7), 653–657. <https://doi.org/10.1038/s41567-018-0093-0>
- Dugatkin, L. (2020). *Principles of animal behavior*. The University of Chicago Press. ISBN: 022644838X
- Fernández-Demeneghi, R., Rodríguez-Landa, J.-F., Guzmán-Gerónimo, R.-I., Acosta-Mesa, H.-G., Meza-Alvarado, E., Vargas-Moreno, I., & Herrera-Meza, S. (2019). Effect of blackberry juice ( *Rubus fruticosus* L. ) on anxiety-like behaviour in Wistar rats. *International Journal of Food Sciences and Nutrition*, 70(7), 856–867. <https://doi.org/10.1080/09637486.2019.1580680>

- 94    Iñesta, E. R. (2011). ¿Por qué es necesario estudiar el comportamiento animal? *Suma*  
95    *Psicológica*, 18(1), 9–15.
- 96    Kirk, R. E. (2012). Experimental Design. In I. B. Weiner, J. Schinka, & W. F. Velicer (Eds.),  
97    *Handbook of psychology: Vol. 2. Research methods in psychology* (2nd ed., pp. 3–33).  
98    Wiley. ISBN: [978-0-470-89064-6](https://doi.org/10.1002/9780470890646)
- 99    Seidl, M., Scholz, M., Huemer, C., & Kappel, G. (2015). *UML @ Classroom*. Springer  
100    International Publishing. <https://doi.org/10.1007/978-3-319-12742-2>

DRAFT