











It'll then connect to your server on port 9092 and send a `DescribeTopicPartitions` (v0) request. The request will contain 3 topic names. The topics exist and have 1 or 2 partitions assigned to each.

The tester will validate that:

- The first 4 bytes of your response (the "message length") are valid.
- The correlation ID in the response header matches the correlation ID in the request header.
- The error code in the topic response body is `0` (`NO_ERROR`).
- The `topic_name` field in the topic response should be equal to the topic name sent in the request.
- The `topic_id` field in the topic response should be equal to the topic UUID of the topic.
- The partition response should contain details of the partitions assigned to the topic.
- The error code in all the partition responses should be `0` (`NO_ERROR`).
- The `partition_index` field in all the partition responses should be equal to the partition ID of the partition assigned to the topic.

Notes

RECENT ATTEMPTS 11

	bk377	<input type="text"/>
	yanrui...	<input type="text"/>
	swim...	<input type="text"/>
<div><div></div><div>Private</div><div>leaderboards are here. Create one for your team.</div></div>		
	wiredg...	<input type="text"/>
	A-linna	<input type="text"/>
	kevin-w...	<input type="text"/>
	flopper...	<input type="text"/>
	tasnuval	0 / 18 <input type="text"/>
	Invite a friend	



Tests failed. ? [Show logs](#)