Data Analysis and Knowledge Discovery Exercise Work 1

Tatu Seppä-Lassila

November 29, 2015

1 Task 1: Histograms

Histograms were plotted using python and matplotlib. Freedman-Diaconis rule, Sturges' rule and Square-root choice was used to calculate the number of bins in the histograms. These three histograms were plotted for all of the attributes. However, only plots for alcohol are shown in this documents to demonstrate the results.




Figure 1: Histogram of alcohol attribute. Number of bins selected with Freedman-Diaconis rule.




Figure 2: Histogram of alcohol attribute. Number of bins selected with Square-root choice.




Figure 3: Histogram of alcohol attribute. Number of bins selected with Sturges' rule.

Figures 1, 2, 3 show the plotted histograms for alcohol attribute. Square-root choice produced 70 bins with this dataset. Respectively, Freedman-Diaconis rule produced 28 bins and

Sturges' 14 bins. Histograms with lower number of bins show that majority of samples have alcohol around 10. Figure 2 shows that higher number of bins reveal that some tenths have very low number of samples, even though the next tenth has 50 or more samples.

2 Task 2: Scatter Plots and Parallel Coordinates Representation

3 Task 3: Principal Component Analysis

4 Task 4: 2D Multidimensional Scaling

5 Task 5: Pearson and Kendall's Tau Correlation Tables

Correlation tables were calculated with Pandas' "corr" method.

5.1 Pearson Correlation Table

| | fixed acidity | volatile acidity | citric acid | residual sugar | chlorides | free sulfur dioxide | total sulfur dioxide | density | pН | sulphates | alcohol | quality |
|----------------------|---------------|------------------|-------------|----------------|-----------|---------------------|----------------------|-----------|-----------|-----------|-----------|-----------|
| fixed acidity | 1.000000 | -0.022697 | 0.289181 | 0.089021 | 0.023086 | -0.049396 | 0.091070 | 0.265331 | -0.425858 | -0.017143 | -0.120881 | -0.113663 |
| volatile acidity | -0.022697 | 1.000000 | -0.149472 | 0.064286 | 0.070512 | -0.097012 | 0.089261 | 0.027114 | -0.031915 | -0.035728 | 0.067718 | -0.194723 |
| citric acid | 0.289181 | -0.149472 | 1.000000 | 0.094212 | 0.114364 | 0.094077 | 0.121131 | 0.149503 | -0.163748 | 0.062331 | -0.075729 | -0.009209 |
| residual sugar | 0.089021 | 0.064286 | 0.094212 | 1.000000 | 0.088685 | 0.299098 | 0.401439 | 0.838966 | -0.194133 | -0.026664 | -0.450631 | -0.097577 |
| chlorides | 0.023086 | 0.070512 | 0.114364 | 0.088685 | 1.000000 | 0.101392 | 0.198910 | 0.257211 | -0.090439 | 0.016763 | -0.360189 | -0.209934 |
| free sulfur dioxide | -0.049396 | -0.097012 | 0.094077 | 0.299098 | 0.101392 | 1.000000 | 0.615501 | 0.294210 | -0.000618 | 0.059217 | -0.250104 | 0.008158 |
| total sulfur dioxide | 0.091070 | 0.089261 | 0.121131 | 0.401439 | 0.198910 | 0.615501 | 1.000000 | 0.529881 | 0.002321 | 0.134562 | -0.448892 | -0.174737 |
| density | 0.265331 | 0.027114 | 0.149503 | 0.838966 | 0.257211 | 0.294210 | 0.529881 | 1.000000 | -0.093591 | 0.074493 | -0.780138 | -0.307123 |
| pH | -0.425858 | -0.031915 | -0.163748 | -0.194133 | -0.090439 | -0.000618 | 0.002321 | -0.093591 | 1.000000 | 0.155951 | 0.121432 | 0.099427 |
| sulphates | -0.017143 | -0.035728 | 0.062331 | -0.026664 | 0.016763 | 0.059217 | 0.134562 | 0.074493 | 0.155951 | 1.000000 | -0.017433 | 0.053678 |
| alcohol | -0.120881 | 0.067718 | -0.075729 | -0.450631 | -0.360189 | -0.250104 | -0.448892 | -0.780138 | 0.121432 | -0.017433 | 1.000000 | 0.435575 |
| quality | -0.113663 | -0.194723 | -0.009209 | -0.097577 | -0.209934 | 0.008158 | -0.174737 | -0.307123 | 0.099427 | 0.053678 | 0.435575 | 1.000000 |

5.2 Kendall's Tau Correlation Table

| | fixed acidity | volatile acidity | citric acid | residual sugar | chlorides | free sulfur dioxide | total sulfur dioxide | density | pН | sulphates | alcohol | quality |
|----------------------|---------------|------------------|-------------|----------------|-----------|---------------------|----------------------|-----------|-----------|-----------|-----------|-----------|
| fixed acidity | 1.000000 | -0.029565 | 0.208569 | 0.074946 | 0.065361 | -0.016940 | 0.077272 | 0.185510 | -0.294796 | -0.008724 | -0.073241 | -0.065474 |
| volatile acidity | -0.029565 | 1.000000 | -0.104012 | 0.072757 | -0.003523 | -0.054751 | 0.081319 | 0.006600 | -0.030385 | -0.011580 | 0.023495 | -0.154787 |
| citric acid | 0.208569 | -0.104012 | 1.000000 | 0.015329 | 0.022292 | 0.060809 | 0.062188 | 0.061542 | -0.101307 | 0.054489 | -0.019981 | 0.014557 |
| residual sugar | 0.074946 | 0.072757 | 0.015329 | 1.000000 | 0.155274 | 0.236748 | 0.293319 | 0.588989 | -0.125553 | -0.002545 | -0.305601 | -0.063087 |
| chlorides | 0.065361 | -0.003523 | 0.022292 | 0.155274 | 1.000000 | 0.113851 | 0.257075 | 0.349119 | -0.037891 | 0.062555 | -0.404039 | -0.244856 |
| free sulfur dioxide | -0.016940 | -0.054751 | 0.060809 | 0.236748 | 0.113851 | 1.000000 | 0.444696 | 0.217295 | -0.005229 | 0.035621 | -0.182539 | 0.017164 |
| total sulfur dioxide | 0.077272 | 0.081319 | 0.062188 | 0.293319 | 0.257075 | 0.444696 | 1.000000 | 0.388378 | -0.008421 | 0.108697 | -0.325826 | -0.151230 |
| density | 0.185510 | 0.006600 | 0.061542 | 0.588989 | 0.349119 | 0.217295 | 0.388378 | 1.000000 | -0.075630 | 0.064202 | -0.635104 | -0.266598 |
| pH | -0.294796 | -0.030385 | -0.101307 | -0.125553 | -0.037891 | -0.005229 | -0.008421 | -0.075630 | 1.000000 | 0.095823 | 0.102631 | 0.084441 |
| sulphates | -0.008724 | -0.011580 | 0.054489 | -0.002545 | 0.062555 | 0.035621 | 0.108697 | 0.064202 | 0.095823 | 1.000000 | -0.026410 | 0.026403 |
| alcohol | -0.073241 | 0.023495 | -0.019981 | -0.305601 | -0.404039 | -0.182539 | -0.325826 | -0.635104 | 0.102631 | -0.026410 | 1.000000 | 0.346672 |
| quality | -0.065474 | -0.154787 | 0.014557 | -0.063087 | -0.244856 | 0.017164 | -0.151230 | -0.266598 | 0.084441 | 0.026403 | 0.346672 | 1.000000 |