1.	What is the primary added value of relational databases over flat files?	1 point
	Ability to execute JavaScript in the file	
	Ability to store data in a format that can be sent across a network	
	Ability to execute Python code within the file	
	Ability to scan large amounts of data quickly Ability to quickly convert data to HTML	
	O ribinity to quietly convert data to riving	
2.	What is the purpose of a primary key?	1 point
		1 point
	 To point to a particular row in another table To look up a particular row in a table very quickly 	
	To look up a row based on a string that comes from outside the program	
	O To track the number of duplicate values in another column	
3.	Which of the following is NOT a good rule to follow when developing a database model?	1 point
	Model each "object" in the application as one or more tables	
	O Use integers as primary keys	
	O Use a person's email address as their primary key	
	Never repeat string data in more than one table in a data model	
4.	If our user interface (i.e., like iTunes) has repeated strings on one column of the user interface, how should we model this properly in a database?	1 point
	O Put the string in the first row where it occurs and then put that row number in the column of all of the rest of	
	the rows where the string occurs	
	 Make a table that maps the strings in the column to numbers and then use those numbers in the column 	
	O Put the string in the first row where it occurs and then put NULL in all of the other rows	
	O Put the string in the last row where it occurs and put the number of that row in the column of all of the rest of the rows where the string occurs	
	O Encode the entire row as JSON and store it in a TEXT column in the database	
5.	Which of the following is the label we give a column that the "outside world" uses to look up a particular row?	1 point
	Logical key	
	O Local key	
	O Foreign key	
	Remote key	
	O Primary key	
6		
6.	What is the label we give to a column that is an integer and used to point to a row in a different table?	1 point
	Remote key	
	Foreign key Logical key	
	O Local key	
	O Primary key	
7.	What SQLite keyword is added to primary keys in a CREATE TABLE statement to indicate that the database is to	1 point
	provide a value for the column when records are inserted?	
	ASSERT_UNIQUE AUTOMOREMENT	
	AUTOINCREMENT INSERT_AUTO_PROVIDE	
	O AUTO_INCREMENT	
8.	What is the SQL keyword that reconnects rows that have foreign keys with the corresponding data in the table	1 point
	that the foreign key points to?	2 point
	O CONNECT	
	O CONSTRAINT	
	O APPEND	
	O APPEND O COUNT	
9.	What happens when you JOIN two tables together without an ON clause?	1 point
	The number of rows you get is the number of rows in the first table times the number of rows in the second	2 point
	table	
	The rows of the left table are connected to the rows in the right table when their primary key matches	
	Leaving out the ON clause when joining two tables in SQLite is a syntax error	
	You get all of the rows of the left table in the JOIN and NIII Is in all of the solumns of the right table.	
	You get all of the rows of the left table in the JOIN and NULLs in all of the columns of the right table	
10). When you are doing a SELECT with a JOIN across multiple tables with identical column names, how do you	1
10	When you are doing a SELECT with a JOIN across multiple tables with identical column names, how do you distinguish the column names?	1 point
	O tablename->columnname	
	O tablename/columnname	
	tablename['columnname']	
	tablename.columnname	
C	oursera Honor Code <u>Learn more</u>	
	I, Thomas AWOUNFOUET NGOUFACK , understand that submitting work that isn't my own may result in permanent for	ailure of this
	course or deactivation of my Coursera account.	
_		
	Submit Save draft	