

PLATFORM 2 ASSEMBLY

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER


SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 97 -
PLEASE REFERENCE BEFORE
BUILDING

SHEATHING GRAIN ORIENTED
PERPENDICULAR TO JOIST
DIRECTION

ALL SEAMS BACKED BY JOISTS
AND STAGGERED

NOTE: PLATFORM 2B AND 2C
HAVE SINCE BEEN COMBINED



PLATFORM 2 LAYOUT

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER


SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 97 -
PLEASE REFERENCE BEFORE
BUILDING

SHEATHING GRAIN ORIENTED
PERPENDICULAR TO JOIST
DIRECTION

ALL SEAMS BACKED BY JOISTS
AND STAGGERED

NOTE: PLATFORM 2B AND 2C
HAVE SINCE BEEN COMBINED



PLATFORM 2 CONSTRUCTION

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER


SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 97 -
PLEASE REFERENCE BEFORE
BUILDING

SHEATHING GRAIN ORIENTED
PERPENDICULAR TO JOIST
DIRECTION

ALL SEAMS BACKED BY JOISTS
AND STAGGERED

NOTE: PLATFORM 2B AND 2C
HAVE SINCE BEEN COMBINED



PLATFORM P2B FRAMING

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER


SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 97 -
PLEASE REFERENCE BEFORE
BUILDING

SHEATHING GRAIN ORIENTED
PERPENDICULAR TO JOIST
DIRECTION

ALL SEAMS BACKED BY JOISTS
AND STAGGERED

NOTE: PLATFORM 2B AND 2C
HAVE SINCE BEEN COMBINED



PLATFORM P2B SHEATHING

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER


SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 97 -
PLEASE REFERENCE BEFORE
BUILDING

SHEATHING GRAIN ORIENTED
PERPENDICULAR TO JOIST
DIRECTION

ALL SEAMS BACKED BY JOISTS
AND STAGGERED

NOTE: PLATFORM 2B AND 2C
HAVE SINCE BEEN COMBINED



PLATFORM 2 SHEATHING OVERLAY

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.


NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 97 -
PLEASE REFERENCE BEFORE
BUILDING


SHEATHING GRAIN ORIENTED
PERPENDICULAR TO JOIST
DIRECTION

ALL SEAMS BACKED BY JOISTS
AND STAGGERED

NOTE: PLATFORM 2B AND 2C
HAVE SINCE BEEN COMBINED

SHEATHING USED TO TIE
PLATFORMS TOGETHER





PLATFORM 2 BLOCKING

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 97 -
PLEASE REFERENCE BEFORE
BUILDING

SHEATHING GRAIN ORIENTED
PERPENDICULAR TO JOIST
DIRECTION

ALL SEAMS BACKED BY JOISTS
AND STAGGERED

NOTE: PLATFORM 2B AND 2C
HAVE SINCE BEEN COMBINED

BLOCKING CONSTRUCTED
FROM SCRAP 2X4 OR 2X6