

# Plotly and the Plotly Figure

INTRODUCTION TO DATA VISUALIZATION WITH PLOTLY IN PYTHON



**Alex Scriven**  
Data Scientist

# What is Plotly?

- A JavaScript graphing library
  - Don't worry - no need to know JavaScript!
- Plotly has a Python wrapper



# Why Plotly?

Plotly has a number of unique advantages:

- Fast and easy to implement simple plots
- Low code/low effort options using `plotly.express`
- (If desired) Extremely customizable
- Interactive plots by default

# Creating Plotly Figures

Plotly graphs can be created:

1. With `plotly.express` for simple, quick plots (`px`)
2. With `plotly.graph_objects` (`go`) for more customization
3. With `plotly.figure_factory` for specific, advanced figures

We will spend most of our time on **1** and **2**!

# The importance of documentation

Save the links to key documentation!

1. Interactive, introductory docs (with many examples!)
  - <https://plotly.com/python>
2. Graph\_objects pages for specific plots
  - Index [here](#)
  - For example, `go.scatter` [here](#)
3. The base `go.Figure` documentation linked [here](#)
  - Important when we cover `update_layout()` later!

The `go.scatter` documentation page:

## `plotly.graph_objects.Scatter`

```
class plotly.graph_objects.Scatter(arg=None, cliponaxis=None, connectgaps=None, customdata=None, customdatasrc=None, dx=None, dy=None, error_x=None, error_y=None, fill=None, fillcolor=None, groupnorm=None, hoverinfo=None, hoverinfosrc=None, hoverlabel=None, hoveron=None, hovertemplate=None, hovertemplatesrc=None, hovertext=None, hovertextsrc=None, ids=None, idssrc=None, legendgroup=None, line=None, marker=None, meta=None, metasrc=None, mode=None, name=None, opacity=None, orientation=None, r=None, rsrc=None, selected=None, selectedpoints=None, showlegend=None, stackgaps=None, stackgroup=None, stream=None, t=None, text=None, textfont=None, textposition=None, textpositionsrc=None, textsrc=None, texttemplate=None, texttemplatesrc=None, tsrc=None, uid=None, uirevision=None, unselected=None, visible=None, x=None, x0=None, xaxis=None, xcalendar=None, xperiod=None, xperiod0=None, xperiodalignment=None, xsrc=None, y=None, y0=None, yaxis=None, ycalendar=None, yperiod=None, yperiod0=None, yperiodalignment=None, ysrc=None, **kwargs)
```

# The Plotly Figure

A Plotly Figure has 3 main components:

- `layout` : Dictionary controlling style of the figure
  - One `layout` per figure
- `data` : List of dictionaries setting graph type and data itself
  - Data + type = a `trace` . There are over 40 types!
  - Can have multiple traces per graph
- `frames` : For animated plots (beyond this course)

# Inside a Plotly Figure

Let's see inside an example Plotly `figure` object:

```
print(fig)
```

```
Figure({'data': [{'type': 'bar',  
    'x': [Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, Sunday],  
    'y': [28, 27, 25, 31, 32, 35, 36]}],  
    'layout': {'template': '...',  
        'title': {'font': {'color': 'red', 'size': 15},  
            'text': 'Temperatures of the week', 'x': 0.5}}})
```

- What do you think this graph will look like?

# Inside our Figure

```
Figure({ 'data': [{ 'type': 'bar',  
    'x': [Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, Sunday],  
    'y': [28, 27, 25, 31, 32, 35, 36]}],  
    'layout': { 'template': '...', 'title': { 'font': { 'color': 'red', 'size': 15},  
    'text': 'Temperatures of the week', 'x': 0.5}}})
```

- Type 'bar'
- An X and Y axis with data noted
- A title with some text around temperatures of the week

*Guess: A bar chart of temperatures of the days of the week*




# Creating our Figure

Constructing this figure from scratch (just this once!):

```
import plotly.graph_objects as go
figure_config = dict({ "data": [{"type": "bar",
                                "x": ["Monday", "Tuesday", "Wednesday",
                                      "Thursday", "Friday", "Saturday", "Sunday"],
                                "y": [28, 27, 25, 31, 32, 35, 36]}],
                      "layout": {"title": {"text": "Temperatures of the week",
                                             "x": 0.5, "font": {'color': 'red', 'size': 15}}}}})
fig = go.Figure(figure_config)
fig.show()
```

# Our Figure revealed


Let's see what is produced!



# Plotly's instant interactivity

Plotly provides instant interactivity:

- Hover over data points
- Extra interactive buttons



# Let's practice!

INTRODUCTION TO DATA VISUALIZATION WITH PLOTLY IN PYTHON

# Univariate visualizations

INTRODUCTION TO DATA VISUALIZATION WITH PLOTLY IN PYTHON



**Alex Scriven**  
Data Scientist

# Our approach

Plotly shortcut methods:

1. `plotly.express`
  - Specify a DataFrame and its columns as arguments
  - Quick, nice but less customization
2. `graph_objects` `go.X` methods ( `go.Bar()` , `go.Scatter()` ) etc.
  - Many more customization options, but more code needed

# What are univariate plots?

Univariate plots display only one variable

For analyzing the *distribution* of that variable

Common univariate plots:


- Bar chart
- Histogram
- Box plot
- Density plots

# Bar charts

Bar charts have:

- X-axis with a bar per group
  - One group = one bar! (Hence UNivariate)
- The y-axis height represents the value of some variable

We built one in the last lesson!





# Bar charts with plotly.express


Let's rebuild with `plotly.express`

```
import plotly.express as px
weekly_temps = pd.DataFrame({
    'day': ['Monday', 'Tuesday',
           'Wednesday', 'Thursday', 'Friday',
           'Saturday', 'Sunday'],
    'temp': [28, 27, 25, 31, 32, 35, 36]})
fig = px.bar(data_frame=weekly_temps, x='day', y='temp')
fig.show()
```

# Histograms

Histograms have:

- Multiple columns (called 'bins') representing a range of values
  - The height of each bar = count of samples within that bin range
- The number of bins can be manual or automatic



# Our dataset

Dataset collected by scientific researchers on Penguins!

- Contains various body measurements like, beak size, weight, etc.
- Contains different species, genders, and ages of penguins




# Histograms with plotly.express

This is what is produced:

We can create a simple histogram:

```
fig = px.histogram(  
    data_frame=penguins,  
    x='Body Mass (g)',  
    nbins=10)  
  
fig.show()
```



# Useful histogram arguments

Other `px.histogram` arguments :


- `orientation` : To orient the plot vertically (`v`) or horizontally (`h`)
- `histfunc` : Set the bin aggregation (eg: average, min, max).

Check the [docs](#) for more!

# Box (and whisker) plots

Summarizes a variable visually using quartile calculations;

- Middle area represents *interquartile range*
  - Top line = 3rd quartile (75th percentile)
  - Middle line = median (50th percentile)
  - Bottom line = first quartile (25th percentile)
- Top/bottom bars = min/max, excluding outliers
- Outlying dots are outliers




# Box plots with plotly.express

This is what is produced:

Let's create a simple box plot:

```
fig = px.box(data_frame=penguins,  
             y="Flipper Length (mm)")  
fig.show()
```



# Useful box plot arguments

Useful box plot arguments:

- `hover_data` : A list of column name(s) to display on hover
  - Useful to understand outliers
- `points` : Further specify how to show outliers

Check the [docs](#) for more!



# Let's practice!

INTRODUCTION TO DATA VISUALIZATION WITH PLOTLY IN PYTHON

# Customizing color

INTRODUCTION TO DATA VISUALIZATION WITH PLOTLY IN PYTHON



**Alex Scriven**  
Data Scientist

# Customization in general

How to customize plots:

1. At figure creation if an argument exists (like `color` !)
2. Using an **important** function `update_layout()`
  - Takes a dictionary argument
  - E.g.: `fig.update_layout({'title':{'text':'A New Title'}})`

The method chosen depends on plot type how it was created.


**MANY** properties possible — See the [documentation](#)

# Why customize color?

Customizing color can help you

1. Make plots look awesome!
2. Convey analytical insights
  - Color in this scatterplot adds a 3rd dimension.

Penguin Culmen Statistics







# Some color theory

Computers use RGB encoding to specify colors:

- RGB = A 3-digit code (each 0-255) mixing Red, Green, Blue together to make colors.
  - Imagine mixing Red, Green and Blue paint together!
  - (0,0,255) is totally blue and (255,255,0) is yellow

See more in [this article](#)

Some other examples of RGB colors:

Color	RGB Code
	<b>(245, 66, 230)</b>
	<b>(105, 245, 66)</b>
	<b>(245, 66, 87)</b>
	<b>(50, 47, 247)</b>

# Specifying colors in plotly.express

In `plotly.express` :

- Often a `color` argument (DataFrame column)
  - A different (*automatic*) color given to each category in this column
  - A color scale/range is used if numerical column specified

Our simple bar chart from a previous lesson (adding a `city` column)


```
fig = px.bar(data_frame=student_scores,  
             x='student_name',  
             y='score',  
             title='Student Scores by Student',  
             color='city')  
fig.show()
```

<sup>1</sup> Make sure to check the documentation for each figure.

# Our colors revealed


The plot before:

Student Scores by Student



Our plot after:



Student Scores by Student



# Color with univariate plots

Using `plotly.express` `color` argument with univariate (bar, histogram) plots:

- Histograms - stacked bars
- Box plots - produces multiple (one per category)





# Specific colors in plotly.express

What if we don't like the automatic colors?


- `color_discrete_map`: A dictionary mapping specific categorical values to colors using a string RGB code specification — `'rgb(X,X,X)'`
- Can also express (basic) colors as strings such as `'red'`, `'green'` etc.

# Our specific colors

Let's update our colors. Sandy yellow for 'Sydney' and navy blue for 'Melbourne'

```
fig = px.bar(  
    data_frame=student_scores,  
    x='student_name', y='score',  
    title="Student Scores by Student",  
    color_discrete_map={  
        'Melbourne': 'rgb(0,0,128)',  
        'Sydney': 'rgb(235, 207, 52)'},  
    color='city')
```

Produces:




# Color scales in plotly.express

You can create color scales too.

- Single color scales. For example, light to dark green.
- Multiple colors to merge into each other. For example, green into blue.

`color_continuous_scale` allows us to do this with built-in or constructed color scales.




# Using built-in color scales

Let's use a built-in color scale:

```
fig = px.bar(data_frame=weekly_temps,  
             x='day', y='temp',  
             color='temp',  
             color_continuous_scale='inferno')  
fig.show()
```

- Many **built-in scales** available

Our plot:




# Constructing our own color range

Let's construct our own color scale - yellow through orange to red

```
my_scale=[('rgb(242, 238, 10)'),  
          ('rgb(242, 95, 10)'),  
          ('rgb(255,0,0)')]  
  
fig = px.bar(data_frame=weekly_temps,  
             x='day', y='temp',  
             color_continuous_scale=my_scale,  
             color='temp')
```

Our plot:



# Let's practice!

INTRODUCTION TO DATA VISUALIZATION WITH PLOTLY IN PYTHON